No. 6457.1

1938-40
97-99

GIVEN BY

MASS. SECRETARY OF THE COMMONWEALTH

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

64571
1938-194

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1938

PREPARED BY
FREDERIC W. COOK
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
ARTHUR J. HASSETT
STATE REGISTRAR OF VITAL STATISTICS

PUBLIC LIBRARY
OF THE
CITY OF BOSTON

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE
600. 5-'39. Order 7408-A.

1 Vol. only
Nov. 1, 1941

Mass. Secretary of the Commonwealth

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1938.

Part I.

Mortality Statistics.

	PAGE
Introduction	1-10
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	4
Nativity	4
Seasonable distribution of deaths	4
Infant mortality	4, 5
Causes of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9, 10
Number of deaths investigated	10
Autopsies	10
Causes of death	10
Statistical tables	11–211
General mortality	11–174
Table 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county, city and town: 1938	11–16
Table 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county, city and town: 1938	17–21
Table 3.—Deaths by sex aud age, in each county: 1938	22, 23
Table 4.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants: 1938	24–29
Table 5.—Mortality of males and females: 1914 to 1938	30
Table 6.—Deaths of specified ages: census years 1910 to 1935	30
Table 7.—Per cent of deaths at specified ages—both sexes: 1914 to 1938	31
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1935 to 1938	31
Table 9.—Deaths of males and females at specified ages: 1929 to 1938	32
Table 10.—Deaths by sex, age, and marital condition: 1938	33
Table 11.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1935, by months: 1938	33
Table 12.—Live births, deaths under 1 year, stillbirths and rates per 1,000 population and per 1,000 live births: 1913 to 1938	34
Table 13.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1938	35–53
Table 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1938	54–89
Table 15.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1938	90–107
Table 16.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1938	108–117
Table 17.—Deaths from important causes in each municipality: 1938	118–142
Table 18.—Deaths allocated from important causes by occupations: 1938	144–164
Table 19.—Deaths from principal causes: 1914 to 1938	165
Table 20.—Deaths from principal communicable diseases: 1914 to 1938	165
Table 21.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1932 to 1938	166, 167
Table 22.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1910 to 1935	168
Table 23.—Deaths produced by external causes: 1914 to 1938	168
Table 24.—Deaths from cancer, by sex, age, and marital condition: 1938	169–174
Infant mortality	175–198
Table 25.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1938	175–177
Table 26.—Infant and maternal deaths and death rates, for the State and counties: 1938	177
Table 27.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1935: 1931 to 1938	178
Table 28.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1935: 1938	178, 179
Table 29.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1922 to 1938	179
Table 30.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1913 to 1938	180

STATISTICAL TABLES—*Concluded.* PAGE
Infant mortality—*concluded.*
TABLE 31.—Infant deaths per 1,000 live births, by causes: 1931 to 1938 . . 180
TABLE 32.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1931 to 1938 180
TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1935: 1938 181–198
Deaths from special causes 199–201
TABLE 34.—Deaths from influenza, by months, in municipalities having over 10,000 inhabitants in 1935: 1938 199
TABLE 35.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1938 200
TABLE 36.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1938 201
Maternal mortality 202
TABLE 37.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1914 to 1938 . 202
TABLE 38.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1914 to 1938 . 202
Deaths investigated by medical examiners 203–211
TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number of deaths autopsied in each county: 1938 203
TABLE 40.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1938 204–209
TABLE 41.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1929 to 1938 . . . . . 210, 211

PART II A.

BIRTH STATISTICS.

INTRODUCTION 212–215
Birth registration 212
Importance of birth records 212, 213
Adoptions 213
Certain records impounded 214
Allocation 214
Live births 214
Birth rate 214
Changes in the birth rate 214
Stillbirths 214
Birth rates of the principal cities 214, 215
Sex proportions at birth 215
Nativity of parents 215
Plural births 215
Natural increase 215
STATISTICAL TABLES 216–233
TABLE 42.—Live births, by sex and parent nativity; and birth rates in each county and municipality: 1938 216–220
TABLE 43.—Allocated live births, by sex and parent nativity and birth rates in each county and municipality: 1938 221–225
TABLE 44.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1935: 1938 226
TABLE 45.—Plural births and stillbirths, by sex, in each county and municipality: 1938 227–231
TABLE 46.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1935: 1914 to 1938 232
TABLE 47.—Live births, by sex and parent nativity, and sex proportions at birth: 1914 to 1938 232
TABLE 48.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1914 to 1938 . 233

PART II B.

MARRIAGE STATISTICS.

INTRODUCTION 234, 235
Marriage registration 234
Source of data 234
Solemnization 234, 235
Accuracy 235
Purpose, marriage requirements 235
STATISTICAL TABLES 236–247
TABLE 49.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1938 236–240
TABLE 50.—Marriages by sex, age, and marital condition: 1938 240
TABLE 51.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1935: 1938 . . . . . 242, 243
TABLE 52.—Marriages in each county, by sex and age: 1938 . . . . . 242, 243
TABLE 53.—Marriages, by sex and age: 1938 244
TABLE 54.—First marriages, by sex and age: 1938 244
TABLE 55.—First marriage of grooms and remarriages of brides, by age: 1938 . . 244
TABLE 56.—Remarriages of grooms and first marriages of brides, by age: 1938 . . 245
TABLE 57.—Remarriages of both parties, by age: 1938 245
TABLE 58.—First marriages and remarriages: 1938 245
TABLE 59.—Marriages, marriage rates, and nativity of persons married: 1914 to 1938 246
TABLE 60.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1935: 1914 to 1938 246
TABLE 61.—Marriages of non-residents, classified by the residence of the groom and bride in each State: 1938 247

Part II C.

Divorce Statistics.

PAGE

Introduction 248, 249
Causes for divorce 248
Source of data 248
Applications for divorce 248
Contested cases 248
Number of divorces 248
Divorce rates 248, 249
Party to which granted 249
Divorce classified by cause 249
Annulled cases 249
Duration of marriages 249
Statistical tables 250–268
Table 62.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1938 250
A. Barnstable County 251
B. Berkshire County 252
C. Bristol County 253
D. Dukes County 254
E. Essex County 255
F. Franklin County 256
G. Hampden County 257
H. Hampshire County 258
I. Middlesex County 259
J. Nantucket County 260
K. Norfolk County 261
L. Plymouth County 262
M. Suffolk County 263
N. Worcester County 264
Table 63.—Number and per cent of divorces granted to husbands and to wives: 1914 to 1938 265
Table 64.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1910 to 1934 265
Table 65.—Comparison of increase in divorces and divorce rates with increase in population: 1910 to 1935 265
Table 66.—Divorce rates based on total population and on married population: census years, 1910 to 1935 265
Table 67.—Annual average number of divorces in the State and in each county: census years, 1915 to 1935 266
Table 68.—Divorces granted for specified causes for 25 years: 1914 to 1938 . . 266
Table 69.—Statutory causes of divorce: 1914 to 1938 266
Table 70.—Applications for divorce: 1914 to 1938 267
Table 71.—Divorces granted, classified by cause and party to which granted: 1938 . 267
Table 72.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1938 267
Table 73.—Number of years libellants were married at time of application for divorce: 1914 to 1938 268

Part II D.

Population Statistics.

Introductory 269
Estimated population 269
Statistical table 270
Table 74.—Census population of municipalities having over 15,000 inhabitants in 1935: 1910 to 1935 270

Appendix.

International classification of causes of death 271–277
1. Detailed International List 270–276
2. Abridged International List 277

LETTER OF SUBMITTAL

THE COMMONWEALTH OF MASSACHUSETTS,

Office of the Secretary,
Division of Vital Statistics, Boston, April 1, 1939.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-seventh annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1938 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages and Divorces. The fact that deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

FREDERIC W. COOK,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1938

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I
MORTALITY STATISTICS

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9
Autopsies	10
Cause of death	10
Statistical tables	11–211

INTRODUCTION

History.

Death Registration. — Massachusetts, the first colony to recognize the importance of the registration of vital statistics, required as early as 1639 the registration of births, marriages and deaths; in 1840 statutes required that copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1938 inclusive, 3,752,619 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, and copies are also on file at the State House.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a return known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and is required to transmit a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Legislation was enacted during 1938 providing for the abolishing or annexing by other towns of the towns of Dana, Enfield, Greenwich and Prescott. No returns have been made since June 1st from these towns or will be made in the future.

Occupations. — Much interest is being shown in the study of occupations in connection with cause of death. Many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks. Table 18 has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes. This table should be of value in showing the hazards of certain industries as it deals with the direct cause of death as well as the occupation of the deceased.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of the event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence from Massachusetts of more than one year, are considered as

non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. While these deaths are often charged to municipalities in which they do not occur, it is probable that at some future time a plan will be devised whereby these deaths besides being allocated to the place of residence, will also be charged to the place where the accident actually happened. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparing the allocated tables.

Number of Deaths and Death Rates. — The year 1938 was the healthiest since 1932 for Massachusetts citizens. There was a decrease in the mortality of 1938 as compared with that of 1937, the number of deaths occurring in the State during the calendar year 1938 being 49,896, a decrease as compared with 1937, of 2,391. Based on the estimated population of 1938 of 4,425,544, these deaths correspond to a rate of 11.3 per 1,000 population, being 11.9 in 1937. Deaths of residents of Massachusetts numbered 49,285 in 1938, resulting in a death rate of 11.1 per 1,000 inhabitants.

During the ten-year periods, from 1919 to 1928, inclusive, the average death rate of the Commonwealth was 12.8, and 1929 to 1938, inclusive, 11.7.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1914 the average death rate for Massachusetts has been 12.9 per 1,000 living.

Sex. — Of the 49,896 deaths in 1938, 26,046, or 52.2 per cent, were males, the percentage in 1937 being 52.4. The proportion of males in the living population, as shown by the United States Census of 1930, was 48.7 per cent. Expressed as a ratio there were 1,092 deaths of males per 1,000 deaths of females in 1938, as compared with 1,101 in 1937, 1,086 in 1936, and 1,071 in 1935. Of the 49,285 residents of the State who died in 1938, 25,719, or 52.2 per cent, were males.

Table 5, on page 30, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 49,285 deaths in 1938 of residents of the State, 2,439, or 4.9 per cent were of infants under 1 year of age. The rates for infant deaths in previous years, which included non-residents, were 5.2 per cent in 1937, and an average of 5.9 for the five years from 1933 to 1937, 8.6 for the five years from 1928 to 1932 and 12.1 for the five years from 1923 to 1927. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,439 decedents under 1 year of age in 1938, 1,367 or 56 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years, with the exception of the 20 to 24 year age period. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males, including the reputed centenarians, numbering 34, of whom 9 were males and 25 were females. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1935–1938 are shown in Table 8, on page 31.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 25,719 male decedents in 1938, 1,367 or 5.3 per cent, were under 1 year of age; among the 23,566 female decedents, 1,072 or 4.5 per cent, were under 1 year; and among the decedents of both sexes 4.9 per cent were under 1 year (see Table 9, page 32).

Marital Condition. — Not quite one half (47.1 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1938 were married, 18.2 per cent were single, 32.9 per cent were widowed, 1.6 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.3 per cent were married, 18 per cent were single, 23.4 per cent were widowed, 2 per cent were divorced, and .3 per cent were unknown. Among the female decedents 37.1 per cent were married, 18.4 per cent were single, 43.2 per cent were widowed, 1.3 per cent were divorced, and less than one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 10, on page 33, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1938 nearly two-thirds (60.4 per cent) were native, and 39.3 per cent were foreign. There were three-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in December (4,596), and the next largest number in January (4,584). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1938 was 135. The months showing the highest average for the year were January and December (148), February (147), March (146), and April (143). Table 11, on page 33, shows the number of deaths in each month of 1938, in counties, and in cities having over 50,000 inhabitants in 1935.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1938 was 39.1 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases and is the lowest ever recorded in the Commonwealth. Reference to Table 29, on page 179, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1929 to 1938, there has been a decrease of 14.8 per cent in the number of live births registered. In 1938, deaths of Boston residents under 1 year of age numbered 522 or 43.7 per 1,000 live births. In the years previous to 1935 the deaths under 1, included non-residents and the rates were 48.5 per cent in 1937, 50.8 in 1936, 49.1 in 1935, and 55 in 1934. In the ten years from 1929 to 1938 there has been a decrease of 2,031 in the number of live births registered. For the remainder of the State, the number of births registered decreased 16 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 78.4 per 1,000 live births in 1922 to 38.0 in 1938, as compared with a decrease in Boston from 92.3 in 1922 to 43.7 in 1938. (See Table 29 on page 179).

Deaths under one month and also under one year of age in each municipality are shown in Table 25 on pages 175 to 177.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1935 are shown for the years 1930 to 1937 in Table 27 on page 178.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1938, 1,399 deaths occurred in the first week, constituting 57.4 per cent of all deaths under 1 year of age. On the

first day the percentage of deaths (35.1) was higher than on any other day. In the first month of life there were 1,661 deaths, or 68.1 per cent of all infant deaths.

In the first three months there were 1,926 deaths, or 79 per cent of all infant deaths. Over three-fourths, 88.3 per cent, of the infant deaths occurred in the first half of the year.

Over three-fourths, 85.3 per cent, of the 1,399 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 1,505 babies who died from these causes before reaching the age of 1 year 50.9 per cent died in less than one day, 79.3 per cent died in less than one week, and 90 per cent died in less than one month. Gastric and intestinal diseases which were formerly important factors in causing infant deaths have greatly decreased due to the improvement of hygiene and popular education. These causes claimed 131, or 5.4 per cent of the babies who died before reaching 1 year of age, as compared with 4.3 per cent in 1937. Twenty-six per cent of the babies who died from these causes died in less than one month after birth, 17.6 per cent within one but less than two months after birth, and 11.5 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes,—from 24.8 deaths per 1,000 live births in 1931 to 20.5 in 1938. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1934 when there were 447 infant deaths from this cause, 455 in 1935, 374 in 1936, 392 in 1937, and 302 in 1938. The principal causes of infant deaths for the years 1931 to 1938 are shown in Table 31, page 180.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 214 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1938 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than one-half of the 49,285 resident deaths reported in 1938 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases,

---

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 82.5 per cent of the deaths for the year. There were 49,896 registered deaths in 1938, the allocated rate being 11.1 and the registered rate, 11.3. Table 19 on page 165 shows the number of residents of the State who died from these causes.

Heart Disease,* as usual, was the leading cause of resident deaths in 1938, the total number being 16,296 corresponding to a rate of 368.2 per 100,000 population as compared with 16,233 deaths or 368.6 per 100,000 in 1937. Deaths from heart disease, reported as having occurred in Massachusetts numbered 16,389 or 370.3 per 100,000 population. The great increase in the last few years was partly due to the fact that under the revised classification of causes of death diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors.— Cancer ranked second in importance among all the causes of death. The resident deaths from cancer were 6,875, the rate being 155.3 with cancers of the digestive tract and peritoneum claiming 49.8 per cent of these deaths, cancer of the genitourinary organs 21.3; breast 11.2; respiratory system 5.3, buccal cavity and pharynx 3.6, skin 1.1 and 7.7 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.9 in 1910, to 151.4 in 1937 and 155.3 in 1938. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows, digestive tract and peritoneum 56.4; genitourinary organs 17.6; breast .3; respiratory organs 8.6; the buccal cavity and pharynx 6.8; skin 1.4 and other or unspecified organs 8.9. The per cent distribution of the female deaths was as follows, digestive tract and peritoneum 44.2; genitourinary organs 24.3; breast 20.6; respiratory system 2.5; buccal cavity and pharynx .9; skin .9 and other or unspecified organs 6.6.

Of cancer of the digestive tract and peritoneum, cancer of the stomach claimed the largest number of males, 19 per cent, while cancer of the intestines claimed 16.6 of the females. Among the deaths from cancer of the genitourinary organs 23 per cent were of the prostate gland and 38.4 per cent were of the uterus. Over two-thirds of the deaths from cancer of the lungs were of males 70.8, while 29.2 per cent were of females. In the buccal cavity group cancer of the tongue was responsible for the largest number of both sexes, 26.2 per cent of males and 3.6 of females. More than one-half, 56.4 per cent of the deaths from cancer of the skin were of males, while 43.6 per cent were females.

Registered deaths from cancer showed an increase of 200 and caused 7,031 deaths in 1938, corresponding to a death rate of 158.9 as compared with 155.1 in 1937. Of the deaths from cancer more than one-half, 54.2 per cent were of females.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,292 deaths of residents, or 97 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 98.4 in 1934, 95.8 in 1935, 97.5 in 1936 and 98.8 in 1937. These diseases caused 4,316 registered deaths, corresponding to a rate of 97.5 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 3,216 resident deaths in 1938, or 72.7 per 100,000 population, compared with 4,174 deaths, or 94.8 per 100,000 population in 1937. It also was responsible for 3,241 deaths occurring in the State with a rate of 73.2 per 100,000 population in 1938.

Nephritis*, both chronic and acute forms, was the cause of 3,010 deaths of Massachusetts residents in 1938, corresponding to a rate of 68 per 100,000 population, as compared with 68.5 in 1937, 71.2 in 1936, 74.1 in 1935, 74.8 in 1934, and an average rate of 84, for the five years from 1929 to 1933. There were 2,887 deaths caused by chronic nephritis, and 58 by acute nephritis. Of the registered deaths 2,913 were from chronic nephritis* and 60 from acute nephritis

resulting in a total of 3,039 for all forms of nephritis and a death rate of 68.7 per 100,000 population.

Tuberculosis in its various forms claimed 1,675 victims in 1938, of whom 1,536 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 3.1 per cent of all resident deaths during the year, the rate being 34.7 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933. Tuberculosis (all forms) was responsible for 1,718 deaths registered in Massachusetts including 1,575 deaths from tuberculosis of the respiratory system.* The rates for the latter disease were 3.2 per cent of all deaths during the year and 35.6 per 100,000 population.

Diabetes* was the cause of 1,436 deaths of Massachusetts residents in 1938, a decrease of 59 from those reported in 1937 and was responsible for a rate of 32.4 per 100,000 population. The rate from this disease has shown a steady increase for the past five years with the exception of 1935 when the rate was 29.9 per 100,000 population, because of a decrease of 18 from the previous year. In 1937, the rate was 33.9, 31.7 in 1936 and 30.6 in 1934. Almost two thirds, 65 per cent, of the resident deaths from diabetes were of females with the age periods 65 to 74 years having the greatest number, 24.4 per cent; of the males 11.7 per cent were in these age periods also. This disease of adult life was responsible for 92.3 per cent of diabetic deaths over 50 years of age, 65.7 per cent being females and 34.3 per cent males. Deaths from diabetes reported as having occurred in the state, numbered 1,454 or 32.9 per 100,000 population.

Congenital Debility* and Malformations,* including premature birth, caused 1,305 resident deaths in 1938, corresponding to a rate of 29.5 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,317 registered deaths from these diseases, resulting in a rate of 29.8 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 609 resident deaths in 1938, corresponding to a rate of 13.8 per 100,000 population. Of these 173 were due to alcoholism which is a decrease of 15 from those reported in 1937, corresponding to a rate of 3.9 per 100,000 population. These diseases caused 617 deaths in Massachusetts with a rate of 13.9 per 100,000 population. Alcoholism claimed 176 of these, or 4. per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the State in 1938 totalled 232, corresponding to a rate of 36.5 per 10,000 confinements. This rate was a decrease from 1937, the rate being 40.4 and 44.6 for 1936.

Puerperal septicemia* was responsible for 61 resident deaths including 20 due to abortion with septic conditions, the rates for this cause in 1938 being 9.6 per 10,000 confinements. In 1937 the rate was 10.7 and in 1936 13.2. Of the deaths from these diseases, 26 were from 20 to 29 years of age, 6 were under 20 years of age and the remainder, 29, were from 30 to 49 years of age.

Diarrhea and Enteritis* caused 224 deaths of residents in 1938, or 5.1 per 100,000 population. Fifty-four and five-tenths per cent of the total number of deaths charged to these causes in 1938 were of infants under 2 years of age. The rates from this cause of all ages were 6.8 in 1934, 7.4 in 1935, 5.9 in 1936 and 5.2 in 1937. During 1938 registered deaths totalled 229 from these causes, or 5.2 per 100,000 population. The number of infants under 2 years of age was 123 or 53.7 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 20.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 155 deaths of Massachusetts residents, or 3.5 per 100,000 inhabitants, as compared with 6.2 in 1934, 7.4 in 1935, 6.4 in 1936, and 9.8 in 1937. The number of registered deaths was the same as the resident deaths. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.5 to 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 35 deaths of both adults and children, the number of registered deaths being 36, or .8 per 100,000 population. This is a decrease from 1937 of 1.4 per cent.

Measles,* another childhood disease, caused 13 deaths in 1938, or 3 per 100,000 population. This rate was .6 in 1937, .8 in 1936, .9 in 1935 and 2.1 in 1934. The total number and death rate for deaths occurring in Massachusetts were the same in 1938.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 24 deaths in 1938, corresponding to a rate of .5 per 100,000 population. These rates have changed from year to year during the period 1913 to 1938, the highest being 8.2 in 1913 and the lowest, .5 in 1938. The number and rate for registered deaths were the same in 1938.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are of diphtheria — number 19, or .4 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .4 in 1937, .6 in 1936 and 1935 and 1.2 in 1934. The total and death rate for deaths registered in the state were the same in 1938.

Epidemic Cerebrospinal Meningitis claimed 18 victims in 1938, as compared with 72 in 1937, 100 in 1936, 55 in 1935 and 28 in 1934. The rate for this cause was 5.5 per 100,000 population. This disease was responsible for the same number of registered deaths.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1938 being 19, 14 in 1936 and 1937, 16 in 1935 and 25 in 1934. The registered deaths had a total of 18 in 1938.

Dysentery caused 19 deaths in 1938, also being responsible for the same number of registered deaths. There were 10 in 1936 and 1937, 9 in 1935 and 24 in 1934.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .2 in 1938. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1938 was 11, as compared with 13 in 1937, 10 in 1936 and 1935 and 14 in 1934. The number and death rate for registered deaths were 12 and .3 respectively during 1938.

Acute Poliomyelitis* has shown a decrease for 1938, the number of deaths being 7 or .2 per 100,000 population, as compared with .5 in 1937, .2 in 1936, 1.4 in 1935 and .2 in 1934. Deaths reported as having occurred in the State had the same number and rate.

There were no deaths from Smallpox in 1938.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 88.4 in 1934, 83.9 in 1935, 83.6 in 1936, 84.9 in 1937 and 81.1 in 1938. The death rate from violence was 82.6 per 100,000 population for registered deaths in 1938.

Resident deaths due to Railroad Accidents and Injuries* totalled 55 in 1938, and corresponded to a rate of 1.2 per 100,000 population. The rates for the previous years were 1.5 in 1937, 1.7 in 1936, and 1.6 in 1935. Registered deaths were the same in 1938 with the same rate.

Resident deaths resulting from street-car accidents and injuries* numbered 16 or .4 per 100,000 population. The registered deaths had the same total and rate.

Automobile Accidents and Injuries* caused 658 deaths of residents in 1938, including 11 deaths from automobile and railroad collisions, and 2 deaths from automobile and street-car collisions. The rate was 14.9 per 100,000 population, as compared with 19.9 in 1937, 20.3 in 1936, 19.5 in 1935 and 23.4 in 1934. These accidents caused 684 deaths registered in Massachusetts in 1938, or 15.5 per 100,000 population. Of these, 14 deaths were from automobile and railroad collisions. There were 2 deaths from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1938 the resident deaths from this cause numbered 11. In 1937 there were 72 deaths; in 1936, 13; in 1935, 21; and in 1934, 24. The total deaths occurring in the State from this cause were the same in 1938. The highest temperature recorded in 1938 was 94 degrees on August 15. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22. 1926.

Deaths of residents caused by machinery accidents* in 1938 numbered 35, or .8 per 100,000 population. The corresponding figures for previous years were .8 in 1934, .9 in 1935, .8 in 1936 and .9 in 1937. Deaths registered in Massachusetts had a total of 34 and a rate of .8 in 1938.

The number of suicides* of Massachusetts residents in 1938 was 586, or 13.2 per 100,000 population. The rates since 1933 have been: 1934, 13.8; 1935, 13.1; 1936, 12.7; and 1937, 14.6. Reported deaths from suicide in 1938 numbered 598, or 13.5 per 100,000 population.

Resident deaths caused by firearms numbered 150 in 1938, corresponding to a rate of 3.4 per 100,000 population. Of these deaths 111 were suicides, 18 were homicides, and 21 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1938 were 154, or 3.5 per 100,000 population. These deaths included 114 suicides, 19 homicides, and 21 accidents.

Resident deaths from homicide* numbered 61 in 1938, or 1.4 per 100,000 population. The rates for homicide in recent years are 2.1 in 1934, 1.7 in 1935 and 1936, and 2.0 in 1937. There were 64 registered deaths from homicide in 1938, or 1.4 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 13, on pages 35 to 53. The causes denoted by letters, shown separately in indented type, Table 13, are a part of the total cause shown in the International List. Ages, grouped in five year periods, are shown in Table 14, on pages 54 to 89. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 15 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 16. In Table 17, on pages 118 to 142, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1932 to 1938 are shown for the 38 causes and groups of causes in the Abridged International List in Table 21, on pages 166 and 167. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 168 to 202.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of death investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly

due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from diseases resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1938 was 10,238, or 20.5 per cent of the total number of deaths which occurred during the year, as compared with 10,069 deaths in 1937, or 18.8 per cent of the total number of deaths. Almost two-thirds (64.2 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,423, or 33.4 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,654 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1938 was in Suffolk County, 2,532, as compared with 2,573 in 1937. Of the deaths investigated in Suffolk County, 835, or 33.0 per cent, were reported as due to violence (see Table 39, page 203).

Autopsies. — Autopsies were made in 932, or 9.1 per cent, of the cases investigated by the medical examiners in 1938, as compared with 10.2 per cent in 1937, 9.3 per cent in 1936, 8.8 per cent in 1935 and 8.6 per cent in 1934.

The highest proportion of autopsies was in Suffolk County where 22.9 per cent of the views were autopsied, there being 23.9 per cent in 1937. Table 41, on pages 210 and 211, shows the number of views and the number of autopsies in each county in each year from 1929 to 1938, and the number and per cent of views autposied for the ten-year period, 1929 to 1938.

Cause of Death. — Over one-half (55.5 per cent) of the deaths viewed by medical examiners in 1938 were from causes not due to violence, 33.4 per cent were due to violence, and .6 per cent were stillbirths. One thousand and seventy-one, or 10.5 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 5,684, of which 5,498 were from natural causes and 166 were due to alcoholism.

Deaths due to violence numbered 3,423, of which 2,753 were due to accident or negligence, 605 were suicides, and 65 were homicides.

Of the 2,753 deaths due to accident or negligence, 1,214 were due to falls, blows, and falling bodies, 663 were due to automobile accidents, 9 of which were railroad and automobile accidents, 270 resulted from drowning, 60 were due to railroad accidents, and 546 to other causes. There were no street-car and automobile collisions.

Suicides numbered 605, or 17.7 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 162, and by hanging or strangulation, 136, constituted about one-half (49.3 per cent) of the total number. The number of suicides by firearms was 115, by poisons, 45, by drowning, 72, and other methods, 75. Almost three-fourths (74.5 per cent) of the suicides were males.

Of the 605 persons committing suicide, 153 were 50 to 59 years of age, 135 were 40 to 49 years of age, 85 were 30 to 39 years of age, 66 were 20 to 29 years of age, 152 were over 60 years of age, and 14 were under 20 years of age. Among the male suicides the largest number were from 50 to 59 years of age, 113, and from 40 to 49 years of age, 96, and among the female suicides the largest numbers were from 50 to 59 years of age, 40, and 40 to 49 years of age, 39. The most common method of committing suicide was by poisonous gas.

Homicides numbered 65, of which 20 were by firearms, 12 were by cutting or piercing instruments, 30 by other means, and 3 were cases of infanticide. Of the 65 homicides, 47, or 72.3 per cent, were males.

STATISTICAL TABLES

General Mortality

Table 1 — Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1938.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1938.	Death rate per 1,000 population. Including non-residents.
The State.	**49,896**	**26,046**	**23,850**	**30,231**	**19,493**	**172**	**4,425,544**	**11.3**
Counties.								
Barnstable	499	260	239	399	98	2	39,839	12.5
Berkshire	1,410	737	673	1,028	379	3	121,393	11.6
Bristol	4,370	2,227	2,143	2,388	1,974	8	367,851	11.9
Dukes	94	50	44	67	26	1	6,246	15.0
Essex	5,594	2,860	2,734	3,465	2,113	16	509,229	11.0
Franklin	552	271	281	431	119	2	52,093	10.6
Hampden	3,477	1,826	1,651	2,193	1,272	12	333,495	10.4
Hampshire	840	423	417	559	281	–	75,255	11.2
Middlesex	10,023	5,081	4,942	5,953	4,048	22	976,495	10.3
Nantucket	54	27	27	44	10	–	3,495	15.5
Norfolk	3,395	1,683	1,712	2,193	1,195	7	336,576	10.1
Plymouth	1,976	1,062	914	1,400	573	3	169,269	11.7
Suffolk	11,794	6,380	5,414	6,579	5,136	79	937,150	12.6
Worcester	5,818	3,159	2,659	3,532	2,269	17	498,754	11.7
Municipalities.								
Abington	52	25	27	41	11	–	5,696	9.1
Acton	39	19	20	29	10	–	2,761	14.1
Acushnet	69	41	28	40	29	–	3,951	17.5
Adams	101	55	46	53	47	1	12,984	7.8
Agawam	42	24	18	25	17	–	7,290	5.8
Alford	7	4	3	4	3	–	217	32.3
Amesbury	130	73	57	90	40	–	10,514	12.4
Amherst	51	30	21	43	8	–	6,893	7.4
Andover	93	47	46	58	35	–	10,962	8.5
Arlington	300	142	158	181	119	–	40,345	7.4
Ashburnham	15	8	7	11	4	–	2,051	7.3
Ashby	9	7	2	4	5	–	957	9.4
Ashfield	9	4	5	7	2	–	960	9.4
Ashland	12	7	5	8	4	–	2,581	4.6
Athol	95	56	39	64	31	–	10,793	8.8
Attleboro	300	164	136	208	92	–	21,877	13.7
Auburn	33	21	12	18	15	–	6,829	4.8
Avon	24	9	15	19	5	–	2,362	10.2
Ayer	44	21	23	29	15	–	4,449	9.9
Barnstable	153	82	71	122	30	1	8,583	17.8
Barre	20	12	8	9	10	1	3,509	5.7
Becket	5	3	2	2	3	–	760	6.6
Bedford	45	34	11	34	11	–	3,605	12.5
Belchertown	27	11	16	24	3	–	4,409	6.1
Bellingham	21	10	11	13	8	–	3,056	6.9
Belmont	139	62	77	81	57	1	27,099	5.1
Berkley	15	11	4	13	2	–	1,181	12.7
Berlin	20	8	12	19	1	–	1,103	18.1
Bernardston	5	3	2	5	–	–	1,017	4.9
Beverly	293	144	149	198	94	1	26,459	11.1
Billerica	45	20	25	26	19	–	7,238	6.2
Blackstone	31	12	19	18	13	–	4,588	6.8
Blandford	2	–	2	2	–	–	469	4.3
Bolton	4	2	2	3	1	–	739	5.4
Boston	10,859	5,789	5,070	6,091	4,695	73	844,635	12.9
Bourne	55	33	22	45	10	–	3,659	15.0
Boxborough	5	3	2	4	1	–	488	10.2
Boxford	5	3	2	4	1	–	768	6.5
Boylston	43	21	22	27	16	–	1,571	27.4
Braintree	170	97	73	108	62	–	18,172	9.4
Brewster	16	7	9	10	6	–	715	22.4
Bridgewater	120	90	30	78	41	1	9,327	12.9
Brimfield	8	6	2	8	–	–	896	8.9
Brockton	769	407	362	512	257	–	62,407	12.3
Brookfield	7	4	3	6	1	–	2,534	2.8
Brookline	592	231	361	381	208	3	52,419	11.3
Buckland	6	3	3	6	–	–	1,574	3.8
Burlington	18	6	12	14	4	–	2,440	7.4
Cambridge	1,381	683	698	785	591	5	121,351	11.4

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Canton	52	26	26	39	13	–	7,009	7.4
Carlisle	5	1	4	3	2	–	772	6.5
Carver	17	10	7	10	7	–	1,685	10.1
Charlemont	6	6	–	6	–	–	1,007	6.0
Charlton	39	24	15	29	10	–	2,521	15.5
Chatham	27	15	12	25	2	–	2,134	12.7
Chelmsford	49	25	24	31	18	–	8,015	6.1
CHELSEA	580	427	153	305	272	3	42,673	13.6
Cheshire	20	12	8	15	5	–	1,660	12.0
Chester	8	3	5	8	–	–	1,362	5.9
Chesterfield	6	4	2	5	1	–	462	13.0
CHICOPEE	217	106	111	96	121	–	41,952	5.2
Chilmark	5	1	4	3	2	–	253	19.8
Clarksburg	14	10	4	13	1	–	1,358	10.3
Clinton	133	65	68	78	55	–	12,373	10.7
Cohasset	52	32	20	38	14	–	3,670	14.2
Colrain	14	7	7	11	3	–	1,680	8.3
Concord	93	45	48	63	29	1	7,891	11.8
Conway	7	5	2	5	2	–	990	7.1
Cummington	6	3	3	4	2	–	652	9.2
Dalton	41	21	20	37	4	–	4,324	9.5
Dana	3	–	3	3	–	–	387	7.8
Danvers	395	186	209	260	134	1	14,556	27.1
Dartmouth	69	37	32	42	27	–	9,886	7.0
Dedham	109	53	56	63	46	–	15,539	7.0
Deerfield	24	11	13	17	7	–	3,005	8.0
Dennis	17	8	9	15	2	–	2,143	7.9
Dighton	26	14	12	21	5	–	3,116	8.3
Douglas	15	6	9	7	7	1	2,571	5.8
Dover	6	2	4	3	2	–	1,389	4.3
Dracut	44	25	19	20	24	–	6,500	6.8
Dudley	29	18	11	13	16	–	4,778	6.1
Dunstable	7	6	1	4	3	–	444	15.8
Duxbury	32	15	17	29	3	–	2,664	12.0
East Bridgewater	43	21	22	31	11	1	3,712	11.6
East Brookfield	6	4	2	3	3	–	958	6.3
East Longmeadow	21	12	9	13	8	–	3,409	6.2
Eastham	10	5	5	10	–	–	648	15.4
Easthampton	69	34	35	41	28	–	10,486	6.6
Easton	48	26	22	33	15	–	5,294	9.1
Edgartown	14	7	7	10	4	–	1,483	9.4
Egremont	4	3	1	4	–	–	611	6.5
Enfield	1	–	1	1	–	–	495	2.0
Erving	10	6	4	7	3	–	1,296	7.7
Essex	15	11	4	13	2	–	1,503	10.0
EVERETT	372	196	176	190	180	2	47,228	7.9
Fairhaven	106	50	56	54	51	1	11,047	9.6
FALL RIVER	1,572	790	782	772	798	2	119,010	13.2
Falmouth	71	39	32	52	18	1	7,797	9.1
FITCHBURG	434	238	196	222	211	1	42,456	10.2
Florida	–	–	–	–	–	–	–	–
Foxborough	128	57	71	81	46	1	6,212	20.6
Framingham	272	137	135	182	89	1	22,987	11.8
Franklin	47	20	27	28	19	–	7,830	6.0
Freetown	21	11	10	15	6	–	1,939	10.8
GARDNER	304	170	134	185	118	1	21,153	14.4
Gay Head	–	–	–	–	–	–	–	–
Georgetown	25	15	10	17	8	–	2,135	11.7
Gill	8	3	5	5	3	–	1,003	8.0
GLOUCESTER	267	137	130	184	83	–	24,164	11.0
Goshen	4	3	1	4	–	–	265	15.1
Gosnold	–	–	–	–	–	–	–	–
Grafton	129	68	61	82	47	–	8,143	15.8
Granby	8	5	3	6	2	–	998	8.0
Granville	3	1	2	2	1	–	725	4.1
Great Barrington	104	45	59	89	15	–	6,688	15.6
Greenfield	212	107	105	164	47	1	16,197	13.1
Greenwich	–	–	–	–	–	–	–	–
Groton	44	28	16	31	12	1	2,618	16.8
Groveland	26	13	13	24	2	–	2,219	11.7
Hadley	13	6	7	7	6	–	2,732	4.8
Halifax	8	4	4	5	3	–	901	8.9

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Hamilton	11	5	6	5	6	–	2,361	4.7
Hampden	11	4	7	10	1	–	980	11.2
Hancock	3	1	2	3	–	–	442	6.8
Hanover	20	12	8	13	7	–	2,709	7.4
Hanson	44	21	23	35	9	–	2,585	17.0
Hardwick	17	10	7	8	9	–	2,379	7.1
Harvard	6	2	4	4	2	–	952	6.3
Harwich	30	13	17	25	5	–	2,407	12.5
Hatfield	16	9	7	11	5	–	2,433	6.6
HAVERHILL	588	299	289	404	182	2	50,104	11.7
Hawley	–	–	–	–	–	–	–	–
Heath	2	1	1	2	–	–	393	5.1
Hingham	57	28	29	43	14	–	7,834	7.3
Hinsdale	15	8	7	10	5	–	1,144	13.1
Holbrook	49	26	23	39	10	–	3,372	14.5
Holden	57	30	27	41	16	–	3,948	14.4
Holland	3	2	1	2	1	–	243	12.3
Holliston	25	13	12	18	7	–	2,967	8.4
HOLYOKE	690	356	334	365	325	–	56,139	12.3
Hopedale	24	10	14	16	8	–	3,152	7.6
Hopkinton	38	24	14	31	7	–	2,654	14.3
Hubbardston	7	4	3	4	3	–	1,000	7.0
Hudson	55	21	34	29	26	–	8,516	6.5
Hull	35	21	14	15	20	–	3,039	11.5
Huntington	10	6	4	10	–	–	1,429	7.0
Ipswich	65	37	28	45	20	–	6,679	9.7
Kingston	28	13	15	22	6	–	2,785	10.1
Lakeville	36	29	7	26	10	–	1,443	24.9
Lancaster	16	8	8	12	4	–	2,590	6.2
Lanesborough	11	6	5	11	–	–	1,279	8.6
LAWRENCE	914	482	432	405	505	4	88,045	10.4
Lee	25	14	11	21	4	–	4,262	5.9
Leicester	26	12	14	20	6	–	4,426	5.9
Lenox	22	10	12	15	7	–	2,706	8.1
LEOMINSTER	225	109	116	155	69	1	21,936	10.3
Leverett	5	3	2	4	1	–	764	6.5
Lexington	118	56	62	80	37	1	11,821	10.0
Leyden	2	1	1	2	–	–	253	7.9
Lincoln	10	3	7	5	5	–	1,615	6.2
Littleton	16	8	8	13	3	–	1,572	10.2
Longmeadow	23	10	13	19	4	–	5,609	4.1
LOWELL	1,425	729	696	765	656	4	100,114	14.2
Ludlow	62	37	25	34	28	–	8,569	7.2
Lunenburg	13	8	5	9	4	–	2,292	5.7
LYNN	1,047	522	525	637	409	1	100,909	10.4
Lynnfield	16	9	7	13	3	–	2,106	7.6
MALDEN	598	273	325	319	278	1	57,27[illegible]	10.4
Manchester	23	13	10	15	8	–	2,50[illegible]	9.2
Mansfield	49	24	25	32	17	–	6,669	7.3
Marblehead	103	36	67	87	16	–	11,265	9.1
Marion	17	7	10	13	4	–	2,035	8.4
MARLBOROUGH	195	93	102	128	67	–	15,907	12.3
Marshfield	43	16	27	32	10	1	2,409	17.8
Mashpee	4	–	4	3	1	–	394	10.2
Mattapoisett	28	11	17	19	9	–	1,808	15.5
Maynard	41	18	23	18	23	–	7,107	5.8
Medfield	98	42	56	60	37	1	4,246	23.1
MEDFORD	433	215	218	230	203	–	62,704	6.9
Medway	21	10	11	16	5	–	3,352	6.3
MELROSE	298	141	157	196	102	–	25,054	11.9
Mendon	9	5	4	5	4	–	1,391	6.5
Merrimac	22	9	13	17	5	–	2,209	10.0
Methuen	200	104	96	85	115	–	21,073	9.5
Middleborough	128	70	58	106	22	–	9,075	14.1
Middlefield	1	–	1	1	–	–	237	4.2
Middleton	92	52	40	61	31	–	2,185	42.1
Milford	189	90	99	125	64	–	15,218	12.4
Millbury	37	21	16	18	18	1	6,879	5.4
Millis	13	9	4	8	5	–	2,350	5.5
Millville	10	6	4	4	6	–	1,901	5.3
Milton	163	81	82	100	63	–	19,407	8.4
Monroe	1	–	1	1	–	–	253	4.0
Monson	110	66	44	85	24	1	5,403	20.4

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Montague	110	58	52	82	28	–	7,967	13.8
Monterey	3	1	2	3	–	–	328	9.1
Montgomery	1	1	–	–	1	–	199	5.0
Mount Washington	–	–	–	–	–	–	–	–
Nahant	27	17	10	20	7	–	1,832	14.7
Nantucket	54	27	27	44	10	–	3,495	15.5
Natick	151	62	89	106	45	–	14,982	10.1
Needham	109	49	60	71	38	–	12,542	8.7
New Ashford	–	–	–	–	–	–	–	–
NEW BEDFORD	1,240	629	611	599	640	1	110,022	11.3
New Braintree	4	1	3	3	1	–	457	8.8
New Marlborough	12	7	5	8	4	–	963	12.5
New Salem	2	2	–	2	–	–	464	4.3
Newbury	23	12	11	20	3	–	1,610	15.2
NEWBURYPORT	205	112	93	156	48	1	14,815	13.8
NEWTON	653	303	350	447	206	–	66,774	9.8
Norfolk	263	172	91	145	118	–	2,535	103.7
NORTH ADAMS	278	148	130	189	88	1	22,421	12.4
North Andover	64	32	32	35	28	1	7,332	8.7
North Attleborough	68	34	34	54	14	–	10,202	6.7
North Brookfield	34	17	17	26	8	–	3,312	10.3
North Reading	31	13	18	25	6	–	2,615	11.9
NORTHAMPTON	457	230	227	300	157	–	24,651	18.5
Northborough	33	12	21	25	8	–	2,732	12.1
Northbridge	68	35	33	31	37	–	11,207	6.1
Northfield	24	3	21	21	3	–	1,992	12.0
Norton	18	12	6	9	9	–	3,051	5.9
Norwell	15	9	6	11	4	–	1,792	8.4
Norwood	189	99	90	118	71	–	15,952	11.8
Oak Bluffs	55	30	25	39	16	–	1,909	28.8
Oakham	3	1	2	3	–	–	441	6.8
Orange	60	27	33	47	13	–	5,396	11.1
Orleans	28	12	16	27	1	–	1,601	17.5
Otis	6	5	1	5	1	–	449	13.4
Oxford	25	15	10	22	3	–	4,459	5.6
Palmer	106	57	49	72	34	–	9,437	11.2
Paxton	7	4	3	7	–	–	773	9.1
PEABODY	194	110	84	101	92	1	22,628	8.6
Pelham	6	2	4	6	–	–	542	11.1
Pembroke	14	7	7	12	2	–	1,705	8.2
Pepperell	44	24	20	32	12	–	3,046	14.4
Peru	1	–	1	1	–	–	183	5.5
Petersham	6	3	3	4	2	–	760	7.9
Phillipston	7	6	1	5	1	1	465	15.1
PITTSFIELD	645	337	308	473	172	–	47,516	13.6
Plainfield	1	1	–	1	–	–	353	2.8
Plainville	10	4	6	8	2	–	1,623	6.2
Plymouth	160	84	76	107	53	–	13,267	12.1
Plympton	13	9	4	10	3	–	592	22.0
Prescott	–	–	–	–	–	–	–	–
Princeton	10	5	5	8	2	–	707	14.1
Provincetown	31	16	15	19	12	–	4,264	7.3
QUINCY	656	331	325	389	265	2	80,521	8.1
Randolph	56	22	34	46	10	–	8,336	6.7
Raynham	24	13	11	16	8	–	2,250	10.7
Reading	81	36	45	60	21	–	11,375	7.1
Rehoboth	18	8	10	14	4	–	2,903	6.2
REVERE	170	79	91	77	91	2	35,319	4.8
Richmond	3	2	1	3	–	–	661	4.5
Rochester	14	8	6	8	6	–	1,313	10.7
Rockland	75	37	38	64	11	–	8,142	9.2
Rockport	40	19	21	27	13	–	3,637	11.0
Rowe	2	1	1	1	1	–	277	7.2
Rowley	17	10	7	15	2	–	1,579	10.8
Royalston	10	6	4	10	–	–	925	10.8
Russell	6	4	2	4	2	–	1,317	4.6
Rutland	194	161	33	140	53	1	2,406	80.6
SALEM	502	269	233	326	174	2	43,556	11.5
Salisbury	26	13	13	22	2	2	2,283	11.4
Sandisfield	5	3	2	3	2	–	513	9.7
Sandwich	15	6	9	12	3	–	1,571	9.5
Saugus	73	25	48	48	25	–	15,370	4.7
Savoy	2	1	1	1	1	–	299	6.7
Scituate	40	24	16	32	8	–	4,392	9.1
Seekonk	41	19	22	29	12	–	5,179	7.9

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Sharon	41	19	22	29	12	–	3,935	10.4
Sheffield	15	8	7	15	–	–	1,928	7.8
Shelburne	24	11	13	22	2	–	1,648	14.6
Sherborn	8	5	3	7	1	–	1,032	7.8
Shirley	17	10	7	14	3	–	2,632	6.5
Shrewsbury	58	32	26	40	18	–	7,312	7.9
Shutesbury	3	3	–	3	–	–	252	11.9
Somerset	55	28	27	31	24	–	5,866	9.4
SOMERVILLE	968	490	478	541	426	1	100,773	9.6
South Hadley	33	15	18	17	16	–	6,880	4.8
Southampton	5	2	3	5	–	–	971	5.1
Southborough	16	9	7	10	6	–	2,109	7.6
Southbridge	123	64	59	69	54	–	16,920	7.3
Southwick	7	3	4	6	1	–	1,582	4.4
Spencer	19	29	20	37	12	–	6,655	7.4
SPRINGFIELD	1,752	916	836	1,163	580	9	149,642	11.7
Sterling	18	9	9	15	3	–	1,594	11.3
Stockbridge	21	6	15	15	6	–	2,039	10.3
Stoneham	136	66	70	104	32	–	11,429	11.9
Stoughton	72	38	34	49	23	–	8,688	8.3
Stow	10	6	4	8	2	–	1,224	8.2
Sturbridge	19	14	5	12	7	–	2,044	9.3
Sudbury	16	9	7	11	5	–	1,974	8.1
Sunderland	5	1	4	4	1	–	1,199	4.2
Sutton	12	9	3	8	4	–	2,618	4.6
Swampscott	67	32	35	48	19	–	10,564	6.3
Swansea	49	25	24	29	20	–	4,608	10.6
TAUNTON	517	252	265	335	178	4	37,473	13.7
Templeton	43	26	17	31	12	–	4,428	9.7
Tewksbury	18	9	9	14	3	1	7,277	2.5
State Infirmary	454	333	121	252	202	–	–	–
Tisbury	17	11	6	12	4	1	2,032	8.4
Tolland	1	1	–	1	–	–	145	6.9
Topsfield	4	3	1	4	–	–	1,197	3.3
Townsend	20	11	9	16	4	–	2,068	9.7
Truro	7	5	2	4	3	–	562	12.5
Tyngsborough	17	11	6	12	4	1	1,331	12.8
Tyringham	5	2	3	5	–	–	243	20.6
Upton	18	9	9	16	2	–	2,247	8.0
Uxbridge	40	28	12	28	12	–	6,481	6.2
Wakefield	145	67	78	91	54	–	16,620	8.7
Wales	3	–	3	2	–	1	399	7.5
Walpole	34	20	14	22	12	–	7,575	4.5
WALTHAM	487	257	230	311	176	–	41,523	11.7
Ware	106	47	59	55	51	–	7,979	13.3
Wareham	70	32	38	53	17	–	6,299	11.1
Warren	37	17	20	25	12	–	3,662	10.1
Warwick	–	–	–	–	–	–	–	–
Washington	3	1	2	1	2	–	273	11.0
Watertown	193	91	102	102	90	1	36,499	5.3
Wayland	30	23	7	22	8	–	3,640	8.2
Webster	101	56	45	53	48	–	14,467	7.0
Wellesley	66	31	35	50	16	–	14,804	4.5
Wellfleet	15	7	8	13	2	–	1,036	14.5
Wendell	6	3	3	5	1	–	431	13.9
Wenham	7	4	3	7	–	–	1,238	5.7
West Boylston	16	8	8	13	3	–	2,192	7.3
West Bridgewater	24	14	10	13	11	–	3,482	6.9
West Brookfield	20	7	13	18	1	1	1,260	15.9
West Newbury	15	5	10	14	1	–	1,475	10.2
West Springfield	91	47	44	62	28	1	17,454	5.2
West Stockbridge	10	7	3	9	1	–	1,146	8.7
West Tisbury	3	1	2	3	–	–	290	10.3
Westborough	199	86	113	110	89	–	6,073	32.8
WESTFIELD	296	165	131	202	94	–	18,788	15.8
Westford	39	22	17	29	10	–	3,915	10.0
Westhampton	2	2	–	2	–	–	426	4.7
Westminster	15	10	5	8	7	–	1,994	7.5
Weston	23	10	13	16	7	–	4,226	5.4
Westport	65	39	26	42	23	–	4,355	14.9
Westwood	24	14	10	15	9	–	2,873	8.4
Weymouth	272	147	125	201	71	–	22,378	12.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Whately	5	2	3	2	2	1	1,133	4.4
Whitman	74	38	36	60	14	–	7,591	9.7
Wilbraham	14	5	9	12	2	–	3,137	4.5
Williamsburg	12	7	5	10	2	–	1,859	6.5
Williamstown	27	16	11	18	8	1	4,545	5.9
Wilmington	22	11	11	10	12	–	4,829	4.6
Winchendon	98	55	43	71	27	–	6,897	14.2
Winchester	122	60	62	80	41	1	13,833	8.8
Windsor	2	1	1	2	–	–	429	4.7
Winthrop	185	85	100	106	78	1	17,127	10.8
WOBURN	163	91	72	92	71	–	19,905	8.2
WORCESTER	2,539	1,373	1,166	1,466	1,065	8	190,471	13.3
Worthington	6	6	–	6	–	–	564	10.6
Wrentham	58	32	26	54	4	–	4,580	12.7
Yarmouth	20	12	8	17	3	–	2,313	8.6

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
The State.	**49,285**	**25,719**	**23,566**	**29,773**	**19,345**	**167**	**4,425,544**	**11.1**
COUNTIES.								
Barnstable	510	269	241	411	99	–	39,839	12.8
Berkshire	1,418	745	673	1,030	385	3	121,393	11.7
Bristol	4,282	2,206	2,076	2,333	1,943	6	367,851	11.6
Dukes	82	42	40	61	21	–	6,246	13.1
Essex	5,773	3,037	2,736	3,578	2,177	18	509,229	11.3
Franklin	611	301	310	480	129	2	52,093	11.7
Hampden	3,444	1,805	1,639	2,162	1,272	10	333,495	10.3
Hampshire	772	398	374	507	264	1	75,255	10.3
Middlesex	10,673	5,391	5,282	6,407	4,242	24	976,495	10.9
Nantucket	55	26	29	44	11	–	3,495	15.7
Norfolk	3,509	1,778	1,731	2,292	1,209	8	336,576	10.4
Plymouth	2,167	1,147	1,020	1,540	625	2	169,269	12.8
Suffolk	10,573	5,636	4,937	5,632	4,867	74	937,150	11.3
Worcester	5,416	2,938	2,478	3,296	2,101	19	498,754	10.9
MUNICIPALITIES.								
Abington	72	38	34	56	16	–	5,696	12.6
Acton	51	28	23	41	10	–	2,761	18.5
Acushnet	30	19	11	15	15	–	3,951	7.6
Adams	115	61	54	60	54	1	12,984	8.9
Agawam	79	43	36	53	26	–	7,290	10.8
Alford	5	2	3	3	2	–	217	23.0
Amesbury	130	72	58	90	40	–	10,514	12.4
Amherst	70	38	32	61	9	–	6,893	10.2
Andover	119	61	58	71	48	–	10,962	10.9
Arlington	364	180	184	214	150	–	40,345	9.0
Ashburnham	25	13	12	19	6	–	2,051	12.2
Ashby	19	14	5	9	10	–	957	19.9
Ashfield	11	6	5	7	4	–	960	11.5
Ashland	30	16	14	20	10	–	2,581	11.6
Athol	128	77	51	92	36	–	10,793	11.9
ATTLEBORO	265	138	127	183	81	1	21,877	12.1
Auburn	48	29	19	28	20	–	6,829	7.0
Avon	38	17	21	27	11	–	2,362	16.1
Ayer	41	20	21	25	16	–	4,449	9.2
Barnstable	91	41	50	71	20	–	8,583	10.6
Barre	31	19	12	16	14	1	3,509	8.8
Becket	9	6	3	6	3	–	760	11.8
Bedford	29	16	13	22	7	–	3,605	8.0
Belchertown	30	12	18	24	6	–	4,409	6.8
Bellingham	33	14	19	23	10	–	3,056	10.8
Belmont	236	124	112	143	91	2	27,099	8.7
Berkley	20	13	7	16	4	–	1,181	16.9
Berlin	23	10	13	22	1	–	1,103	20.9
Bernardston	6	5	1	6	–	–	1,017	5.9
BEVERLY	276	136	140	182	94	–	26,459	10.4
Billerica	78	40	38	47	31	–	7,238	10.8
Blackstone	47	17	30	31	16	–	4,588	10.2
Blandford	5	2	3	5	–	–	469	10.7
Bolton	6	3	3	5	1	–	739	8.1
BOSTON	9,620	5,152	4,468	5,192	4,358	70	844,635	11.4
Bourne	36	25	11	27	9	–	3,659	9.8
Boxborough	6	4	2	4	2	–	488	12.3
Boxford	9	5	4	8	1	–	768	11.7
Boylston	16	6	10	12	4	–	1,571	10.2
Braintree	163	89	74	107	55	1	18,172	9.0
Brewster	13	6	7	10	3	–	715	18.2
Bridgewater	103	68	35	61	42	–	9,327	11.0
Brimfield	13	11	2	12	1	–	896	14.5
BROCKTON	750	383	367	486	264	–	62,407	12.0
Brookfield	15	9	6	13	2	–	2,534	5.9
Brookline	635	282	353	401	232	2	52,419	12.1
Buckland	10	6	4	9	1	–	1,574	6.4
Burlington	29	10	19	19	10	–	2,440	11.9
CAMBRIDGE	1,316	643	673	750	559	7	121,351	10.8
Canton	78	38	40	58	20	–	7,009	11.1
Carlisle	7	3	4	4	3	–	772	9.1
Carver	26	18	8	15	11	–	1,685	15.4
Charlemont	9	4	5	9	–	–	1,007	8.9
Charlton	42	24	18	34	8	–	2,521	16.7
Chatham	35	17	18	33	2	–	2,134	16.4
Chelmsford	81	35	46	51	30	–	8,015	10.1
CHELSEA	444	233	211	167	275	2	42,673	10.4
Cheshire	24	17	7	17	7	–	1,660	14.5
Chester	12	5	7	11	1	–	1,362	8.8
Chesterfield	7	5	2	6	1	–	462	15.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths,[2] by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town: 1938.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1938.	Death rate per 1,000 population. Excluding non-residents.
Chicopee	373	203	170	195	178	–	41,952	8.9
Chilmark	6	3	3	5	1	–	253	23.7
Clarksburg	22	15	7	21	1	–	1,358	16.2
Clinton	130	69	61	70	60	–	12,373	10.5
Cohasset	36	22	14	24	12	–	3,670	9.8
Colrain	19	10	9	14	5	–	1,680	11.3
Concord	80	34	46	51	28	1	7,891	10.1
Conway	12	9	3	10	2	–	990	12.1
Cummington	10	3	7	7	3	–	652	15.3
Dalton	57	29	28	51	6	–	4,324	13.2
Dana	5	1	4	5	–	–	387	12.9
Danvers	157	82	75	117	38	2	14,556	10.8
Dartmouth	98	55	43	61	37	–	9,886	9.9
Dedham	169	84	85	106	63	–	15,539	10.9
Deerfield	34	13	21	28	6	–	3,005	11.3
Dennis	27	11	16	23	4	–	2,143	12.6
Dighton	27	19	8	17	10	–	3,116	8.7
Douglas	19	8	11	11	7	1	2,571	7.4
Dover	11	5	6	7	4	–	1,389	7.9
Dracut	62	36	26	34	28	–	6,500	9.5
Dudley	54	39	15	24	30	–	4,778	11.3
Dunstable	10	9	1	6	4	–	444	22.5
Duxbury	33	15	18	32	1	–	2,664	12.4
East Bridgewater	62	35	27	45	16	1	3,712	16.7
East Brookfield	7	4	3	4	3	–	958	7.3
East Longmeadow	26	16	10	16	10	–	3,409	7.6
Eastham	10	5	5	10	–	–	648	15.4
Easthampton	121	66	55	67	54	–	10,486	11.5
Easton	69	38	31	47	22	–	5,294	13.0
Edgartown	24	16	8	16	8	–	1,483	16.2
Egremont	8	4	4	8	–	–	611	13.1
Enfield	3	1	2	3	–	–	495	6.1
Erving	17	11	6	12	5	–	1,296	13.1
Essex	19	11	8	17	2	–	1,503	12.6
Everett	468	253	215	244	223	1	47,228	9.9
Fairhaven	131	62	69	72	58	1	11,047	11.9
Fall River	1,384	689	695	655	727	2	119,010	11.6
Falmouth	95	59	36	70	25	–	7,797	12.2
Fitchburg	437	244	193	229	207	1	42,456	10.3
Florida	4	3	1	3	1	–	476	8.4
Foxborough	53	26	27	43	10	–	6,212	8.5
Framingham	259	127	132	171	88	–	22,987	11.3
Franklin	75	38	37	46	29	–	7,830	9.6
Freetown	28	16	12	20	8	–	1,939	14.4
Gardner	205	124	81	116	88	1	21,153	9.7
Gay Head	–	–	–	–	–	–	–	–
Georgetown	33	19	14	22	11	–	2,135	15.5
Gill	11	3	8	8	3	–	1,003	11.0
Gloucester	292	155	137	203	89	–	24,164	12.1
Goshen	5	3	2	5	–	–	265	18.9
Gosnold	–	–	–	–	–	–	–	–
Grafton	79	43	36	52	27	–	8,143	9.7
Granby	15	12	3	10	5	–	998	15.0
Granville	5	2	3	4	1	–	725	6.9
Great Barrington	87	40	47	70	17	–	6,688	13.0
Greenfield	180	85	95	144	35	1	16,197	11.1
Greenwich	–	–	–	–	–	–	–	–
Groton	45	24	21	32	12	1	2,618	17.2
Groveland	31	16	15	28	3	–	2,219	14.0
Hadley	21	11	10	11	10	–	2,732	7.7
Halifax	11	4	7	8	3	–	901	12.2
Hamilton	17	9	8	10	6	1	2,361	7.2
Hampden	16	8	8	12	4	–	980	16.3
Hancock	8	5	3	8	–	–	442	18.1
Hanover	37	23	14	25	12	–	2,709	13.7
Hanson	26	14	12	20	6	–	2,585	10.0
Hardwick	24	12	12	13	11	–	2,379	10.1
Harvard	9	3	6	7	2	–	952	9.5
Harwich	38	16	22	32	6	–	2,407	15.8
Hatfield	24	17	7	17	7	–	2,433	9.9
Haverhill	616	322	294	425	189	2	50,104	12.3
Hawley	–	–	–	–	–	–	–	–
Heath	5	4	1	5	–	–	393	12.7
Hingham	89	51	38	69	20	–	7,834	11.4
Hinsdale	16	8	8	10	6	–	1,144	14.0
Holbrook	52	30	22	44	8	–	3,372	15.4
Holden	45	22	23	31	13	1	3,948	11.4

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths,[2] by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town: 1938.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1938.	Death rate per 1,000 population. Excluding non-residents.
Holland	4	2	2	3	1	–	243	16.5
Holliston	37	20	17	28	9	–	2,967	12.5
Holyoke	638	329	309	335	303	–	56,139	11.4
Hopedale	38	18	20	27	11	–	3,152	12.1
Hopkinton	47	27	20	38	9	–	2,654	17.8
Hubbardston	12	6	6	7	5	–	1,000	12.0
Hudson	97	43	54	59	38	–	8,516	11.4
Hull	39	20	19	20	19	–	3,039	12.8
Huntington	9	5	4	9	–	–	1,429	6.3
Ipswich	58	29	29	42	16	–	6,679	8.7
Kingston	37	21	16	30	7	–	2,785	13.3
Lakeville	22	14	8	17	5	–	1,443	15.2
Lancaster	23	10	13	18	5	–	2,590	8.9
Lanesborough	16	12	4	15	1	–	1,279	12.5
Lawrence	925	485	440	409	512	4	88,045	10.5
Lee	46	28	18	39	7	–	4,262	10.8
Leicester	45	19	26	34	11	–	4,426	10.2
Lenox	46	25	21	33	13	–	2,706	17.0
Leominster	232	118	114	156	75	1	21,936	10.6
Leverett	9	5	4	8	1	–	764	11.8
Lexington	108	51	57	77	31	–	11,821	9.1
Leyden	4	2	2	3	1	–	253	15.8
Lincoln	15	9	6	9	6	–	1,615	9.3
Littleton	26	17	9	22	4	–	1,572	16.5
Longmeadow	38	20	18	31	7	–	5,609	6.8
Lowell	1,383	717	666	721	658	4	100,114	13.8
Ludlow	62	37	25	35	27	–	8,569	7.2
Lunenburg	19	11	8	10	9	–	2,292	8.3
Lynn	1,118	571	547	678	439	1	100,909	11.1
Lynnfield	25	16	9	20	5	–	2,106	11.9
Malden	661	326	335	365	296	–	57,277	11.5
Manchester	42	24	18	28	14	–	2,509	16.7
Mansfield	77	37	40	54	23	–	6,669	11.5
Marblehead	126	45	81	103	23	–	11,265	11.2
Marion	24	9	15	19	4	1	2,035	11.8
Marlborough	210	100	110	145	65	–	15,907	13.2
Marshfield	50	19	31	39	11	–	2,409	20.8
Mashpee	3	–	3	2	1	–	394	7.6
Mattapoisett	28	11	17	19	9	–	1,808	15.5
Maynard	76	42	34	39	37	–	7,107	10.7
Medfield	25	11	14	20	4	1	4,246	5.9
Medford	579	291	288	330	249	–	62,704	9.2
Medway	36	21	15	25	11	–	3,352	10.7
Melrose	303	149	154	202	101	–	25,054	12.1
Mendon	19	11	8	13	6	–	1,391	13.7
Merrimac	39	17	22	31	8	–	2,209	17.7
Methuen	253	142	111	104	148	1	21,073	12.0
Middleborough	137	81	56	114	23	–	9,075	15.1
Middlefield	2	2	–	2	–	–	237	8.4
Middleton	30	14	16	22	8	–	2,185	13.7
Milford	163	82	81	103	60	–	15,218	10.7
Millbury	64	36	28	35	28	1	6,879	9.3
Millis	13	6	7	9	4	–	2,350	5.5
Millville	20	13	7	12	8	–	1,901	10.5
Milton	225	117	108	146	79	–	19,407	11.6
Monroe	3	2	1	2	1	–	253	11.9
Monson	59	41	18	42	16	1	5,403	10.9
Montague	89	48	41	65	24	–	7,967	11.2
Monterey	5	2	3	5	–	–	328	15.2
Montgomery	1	1	–	–	1	–	199	5.0
Mount Washington	–	–	–	–	–	–	–	–
Nahant	30	19	11	24	6	–	1,832	16.4
Nantucket	55	26	29	44	11	–	3,495	15.7
Natick	142	65	77	95	46	1	14,982	9.5
Needham	139	69	70	89	50	–	12,542	11.1
New Ashford	–	–	–	–	–	–	–	–
New Bedford	1,288	671	617	618	670	–	110,022	11.7
New Braintree	8	4	4	5	3	–	457	17.5
New Marlborough	15	7	8	13	2	–	963	15.6
New Salem	5	5	–	5	–	–	464	10.8
Newbury	29	16	13	26	3	–	1,610	18.0
Newburyport	180	105	75	138	42	–	14,815	12.1
Newton	713	321	392	489	224	–	66,774	10.7
Norfolk	15	9	6	12	3	–	2,535	5.9
North Adams	275	148	127	181	93	1	22,421	12.3
North Andover	91	46	45	51	39	1	7,332	12.4
North Attleborough	128	74	54	94	34	–	10,202	12.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
North Brookfield	52	27	25	42	10	–	3,312	15.7
North Reading	18	10	8	13	5	–	2,615	6.9
NORTHAMPTON	239	105	134	165	74	–	24,651	9.7
Northborough	39	16	23	29	10	–	2,732	14.3
Northbridge	105	50	55	51	54	–	11,207	9.4
Northfield	34	10	24	29	5	–	1,992	17.1
Norton	37	25	12	23	14	–	3,051	12.1
Norwell	23	13	10	17	6	–	1,792	12.8
Norwood	163	87	76	94	69	–	15,952	10.2
Oak Bluffs	26	12	14	20	6	–	1,909	13.6
Oakham	7	4	3	7	–	–	441	15.9
Orange	83	39	44	64	19	–	5,396	15.4
Orleans	31	15	16	30	1	–	1,601	19.4
Otis	9	8	1	8	1	–	449	20.0
Oxford	43	27	16	34	9	–	4,459	9.6
Palmer	111	53	58	75	36	–	9,437	11.8
Paxton	8	4	4	7	1	–	773	10.3
PEABODY	228	140	88	122	105	1	22,628	10.1
Pelham	7	2	5	6	1	–	542	12.9
Pembroke	20	9	11	17	3	–	1,705	11.7
Pepperell	49	28	21	37	12	–	3,046	16.1
Peru	2	1	1	1	1	–	183	10.9
Petersham	10	4	6	8	2	–	760	13.2
Phillipston	8	6	2	6	1	1	465	17.2
PITTSFIELD	522	255	267	374	148	–	47,516	11.0
Plainfield	2	2	–	2	–	–	353	5.7
Plainville	17	6	11	14	3	–	1,623	10.5
Plymouth	165	79	86	104	61	–	13,267	12.4
Plympton	13	9	4	10	3	–	592	22.0
Prescott	–	–	–	–	–	–	–	–
Princeton	12	6	6	8	4	–	707	17.0
Provincetown	48	26	22	34	14	–	4,264	11.3
QUINCY	763	399	364	445	315	3	80,521	9.5
Randolph	99	44	55	76	23	–	8,336	11.9
Raynham	29	17	12	22	7	–	2,250	12.9
Reading	113	53	60	87	26	–	11,375	9.9
Rehoboth	26	14	12	18	8	–	2,903	9.0
REVERE	310	159	151	157	152	1	35,319	8.8
Richmond	6	5	1	5	1	–	661	9.1
Rochester	15	6	9	8	7	–	1,313	11.4
Rockland	101	52	49	86	15	–	8,142	12.4
Rockport	59	31	28	38	21	–	3,637	16.2
Rowe	3	1	2	2	1	–	277	10.8
Rowley	30	18	12	23	7	–	1,579	19.0
Royalston	17	10	7	14	3	–	925	18.4
Russell	5	3	2	3	2	–	1,317	3.8
Rutland	18	14	4	14	3	1	2,406	7.5
SALEM	490	268	222	307	181	2	43,556	11.2
Salisbury	36	18	18	30	3	3	2,283	15.8
Sandisfield	5	4	1	4	1	–	513	9.7
Sandwich	19	10	9	15	4	–	1,571	12.1
Saugus	137	74	63	91	46	–	15,370	8.9
Savoy	2	1	1	1	1	–	299	6.7
Scituate	58	36	22	48	10	–	4,392	13.2
Seekonk	38	19	19	27	11	–	5,179	7.3
Sharon	61	33	28	44	17	–	3,935	15.5
Sheffield	22	12	10	21	1	–	1,928	11.4
Shelburne	28	13	15	25	3	–	1,648	17.0
Sherborn	9	4	5	7	2	–	1,032	8.7
Shirley	27	13	14	21	6	–	2,632	10.3
Shrewsbury	83	48	35	60	23	–	7,312	11.3
Shutesbury	4	3	1	3	1	–	252	15.9
Somerset	66	34	32	36	30	–	5,866	11.3
SOMERVILLE	1,186	608	578	676	509	1	100,773	11.8
South Hadley	69	37	32	39	30	–	6,880	10.0
Southampton	11	5	6	10	1	–	971	11.3
Southborough	24	15	9	14	10	–	2,109	11.4
Southbridge	134	72	62	66	67	1	16,920	7.9
Southwick	9	5	4	7	2	–	1,582	5.7
Spencer	73	45	28	56	17	–	6,655	11.0
SPRINGFIELD	1,597	820	777	1,063	527	7	149,642	10.7
Sterling	25	14	11	18	7	–	1,594	15.7
Stockbridge	29	11	18	21	8	–	2,039	14.2
Stoneham	107	52	55	81	26	–	11,429	9.4
Stoughton	95	53	42	65	30	–	8,688	10.9
Stow	13	7	6	9	4	–	1,224	10.6
Sturbridge	25	16	9	17	8	–	2,044	12.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1938.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Sudbury	17	12	5	12	5	–	1,974	8.6
Sunderland	10	4	6	6	4	–	1,199	8.3
Sutton	22	13	9	16	6	–	2,618	8.4
Swampscott	105	53	52	80	25	–	10,564	9.9
Swansea	56	25	31	36	20	–	4,608	12.2
TAUNTON	412	199	213	273	137	2	37,473	11.0
Templeton	57	33	24	40	17	–	4,428	12.9
Tewksbury	36	21	15	24	11	1	7,277	4.9
State Infirmary	–	–	–	–	–	–	–	–
Tisbury	18	8	10	15	3	–	2,032	8.9
Tolland	2	2	–	2	–	–	145	13.8
Topsfield	7	3	4	7	–	–	1,197	5.8
Townsend	24	12	12	19	5	–	2,068	11.6
Truro	11	8	3	7	4	–	562	19.6
Tyngsborough	22	12	10	16	5	1	1,331	16.5
Tyringham	6	3	3	6	–	–	243	24.7
Upton	25	11	14	22	3	–	2,247	11.1
Uxbridge	57	38	19	39	18	–	6,481	8.8
Wakefield	191	90	101	117	74	–	16,620	11.5
Wales	3	2	1	2	–	1	399	7.5
Walpole	73	46	27	44	28	1	7,575	9.6
WALTHAM	415	226	189	265	150	–	41,523	10.0
Ware	99	52	47	42	56	1	7,979	12.4
Wareham	87	44	43	68	19	–	6,299	13.8
Warren	42	20	22	28	14	–	3,662	11.5
Warwick	1	1	–	1	–	–	691	1.4
Washington	5	3	2	2	3	–	273	18.3
Watertown	349	181	168	205	143	1	36,499	9.6
Wayland	42	26	16	32	10	–	3,640	11.5
Webster	107	58	49	52	55	–	14,467	7.4
Wellesley	116	60	56	91	25	–	14,804	7.8
Wellfleet	20	9	11	17	3	–	1,036	19.3
Wendell	10	5	5	8	2	–	431	23.2
Wenham	14	7	7	12	2	–	1,238	11.3
West Boylston	22	13	9	15	7	–	2,192	10.0
West Bridgewater	41	24	17	25	16	–	3,482	11.8
West Brookfield	27	12	15	26	–	1	1,260	21.4
West Newbury	22	8	14	19	3	–	1,475	14.9
West Springfield	154	82	72	99	54	1	17,454	8.8
West Stockbridge	10	7	3	9	1	–	1,146	8.7
West Tisbury	8	3	5	5	3	–	290	27.6
Westborough	52	25	27	37	15	–	6,073	8.6
WESTFIELD	206	107	99	137	69	–	18,788	11.0
Westford	43	23	20	27	15	1	3,915	11.0
Westhampton	3	2	1	3	–	–	426	7.0
Westminster	23	14	9	14	8	1	1,994	11.5
Weston	25	14	11	17	8	–	4,226	5.9
Westport	73	42	31	46	27	–	4,355	16.8
Westwood	33	17	16	22	11	–	2,873	11.5
Weymouth	270	148	122	193	77	–	22,378	12.1
Whately	14	7	7	7	6	1	1,133	12.4
Whitman	98	51	47	82	16	–	7,591	12.9
Wilbraham	26	11	15	20	6	–	3,137	8.3
Williamsburg	20	13	7	13	7	–	1,859	10.8
Williamstown	39	21	18	32	6	1	4,545	8.6
Wilmington	51	28	23	35	16	–	4,829	10.6
Winchendon	101	53	48	75	26	–	6,897	14.6
Winchester	127	61	66	81	45	1	13,833	9.2
Windsor	3	2	1	3	–	–	429	7.0
Winthrop	199	92	107	116	82	1	17,127	11.6
WOBURN	201	116	85	120	80	1	19,905	10.1
WORCESTER	2,160	1,166	994	1,227	926	7	190,471	11.3
Worthington	5	5	–	5	–	–	564	8.9
Wrentham	23	7	16	17	6	–	4,580	5.0
Yarmouth	33	21	12	30	3	–	2,313	14.3

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Line No.	Table 3 — State, Counties and Sex.	Allocated Deaths,[1] by Sex and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State**	**49,285**	**3,033**	**2,439**	**253**	**145**	**114**	**82**	**388**	**297**	**480**	**646**	**782**
2	Males	25,719	1,687	1,367	137	79	61	43	235	167	286	317	398
3	Females	23,566	1,346	1,072	116	66	53	39	153	130	194	329	384
4	Barnstable.	510											
5	Males	269	15	11	1	1	1	1	1	–	5	1	5
6	Females	241	13	9	1	3	–	–	1	1	2	3	1
7	Berkshire.	1,418											
8	Males	745	34	32	–	1	–	1	12	7	5	6	6
9	Females	673	38	30	2	2	3	1	2	3	5	10	9
10	Bristol.	4,282											
11	Males	2,206	180	150	16	3	7	4	28	23	34	28	33
12	Females	2,076	128	104	12	4	6	2	11	18	26	46	43
13	Dukes.	82											
14	Males	42	1	1	–	–	–	–	–	–	–	–	1
15	Females	40	1	1	–	–	–	–	–	1	–	–	–
16	Essex.	5,773											
17	Males	3,037	186	144	12	12	11	7	24	24	29	42	46
18	Females	2,736	152	112	15	13	7	5	18	9	26	25	45
19	Franklin.	611											
20	Males	301	12	7	–	3	1	1	–	2	3	9	4
21	Females	310	21	14	6	–	1	–	–	–	–	5	5
22	Hampden	3,444											
23	Males	1,805	111	90	12	3	2	4	17	10	20	25	24
24	Females	1,639	98	80	8	6	3	1	10	9	7	42	42
25	Hampshire.	772											
26	Males	398	18	13	2	1	1	1	6	4	4	4	8
27	Females	374	17	14	3	–	–	–	3	2	1	5	7
28	Middlesex.	10,673											
29	Males	5,391	366	299	24	24	14	5	52	30	64	55	88
30	Females	5,282	300	235	24	13	14	14	39	27	38	55	75
31	Nantucket.	55											
32	Males	26	1	–	–	–	1	–	1	–	1	–	–
33	Females	29	1	1	–	–	–	–	–	–	–	1	–
34	Norfolk.	3,509											
35	Males	1,778	110	84	12	9	2	3	23	9	11	23	31
36	Females	1,731	88	75	1	3	6	3	19	11	21	19	24
37	Plymouth.	2,167											
38	Males	1,147	70	59	5	1	3	2	3	7	14	9	14
39	Females	1,020	36	27	4	2	–	3	5	6	2	6	11
40	Suffolk.	10,573											
41	Males	5,636	378	314	35	11	11	7	43	38	56	74	101
42	Females	4,937	311	255	28	11	10	7	28	30	44	89	93
43	Worcester.	5,416											
44	Males	2,938	205	163	18	10	7	7	25	13	40	41	37
45	Females	2,478	142	115	12	9	3	3	17	13	22	23	29

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1938.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	**833**	**1,209**	**1,707**	**2,423**	**3,207**	**4,074**	**5,108**	**6,020**	**6,246**	**5,619**	**4,070**	**2,174**	**768**	**167**	**34**	–
2	442	645	979	1,417	1,905	2,370	2,859	3,220	3,193	2,668	1,752	864	256	50	9	–
3	391	564	728	1,006	1,302	1,704	2,249	2,800	3,053	2,951	2,318	1,310	512	117	25	–
4																
5	5	4	6	11	13	20	19	37	41	33	34	18	1	–	–	–
6	3	5	7	6	10	10	25	28	37	32	28	19	6	3	1	–
7																
8	8	20	20	38	57	62	75	100	98	87	66	34	10	–	–	–
9	11	11	18	25	26	51	57	75	89	86	95	42	19	1	–	–
10																
11	32	54	61	102	158	210	265	256	269	218	171	67	14	3	–	–
12	32	53	49	99	125	145	192	278	265	259	182	81	35	8	1	–
13																
14	–	1	2	1	3	1	2	5	10	6	5	4	–	–	–	–
15	2	1	–	1	1	1	2	2	5	10	6	4	3	–	–	–
16																
17	46	60	109	157	234	261	322	390	398	331	215	120	33	9	1	–
18	46	67	86	110	129	182	252	315	340	378	289	181	71	11	4	–
19																
20	3	5	8	11	7	21	31	32	42	46	34	23	7	1	–	–
21	7	4	6	16	16	15	19	26	47	54	36	25	5	2	1	–
22																
23	34	41	66	118	138	171	211	227	209	188	119	59	9	5	–	–
24	24	39	49	73	101	135	147	181	230	191	140	76	35	6	4	–
25																
26	4	8	16	24	23	41	41	49	47	50	28	17	6	–	–	–
27	7	8	13	11	18	32	28	43	46	49	44	28	7	4	1	–
28																
29	83	142	211	291	402	469	585	688	683	589	348	180	55	7	3	–
30	64	140	161	241	258	367	525	659	680	632	540	308	134	34	5	–
31																
32	–	–	1	–	–	4	6	2	2	3	3	1	1	–	–	–
33	–	–	–	1	1	1	6	1	3	3	5	4	1	1	–	–
34																
35	33	37	59	96	117	163	213	215	209	175	146	76	24	7	1	–
36	23	43	48	66	79	122	174	178	214	244	211	104	32	10	1	–
37																
38	17	20	30	42	85	102	96	131	170	153	110	50	21	3	–	–
39	13	15	32	35	51	82	97	109	143	152	106	76	34	7	2	–
40																
41	128	193	281	358	453	587	677	717	667	473	264	105	33	6	4	–
42	108	122	180	234	340	394	520	604	630	533	382	202	71	18	4	–
43																
44	49	57	109	168	215	258	316	371	348	316	209	110	42	9	–	–
45	51	56	79	88	147	167	205	301	324	328	254	160	59	12	1	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in: All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town)	115											
2	Males	61	4	3	–	1	–	–	–	1	–	2	–
3	Females	54	2	2	–	–	–	–	–	–	1	1	–
4	Amesbury (town)	130											
5	Males	72	7	7	–	–	–	–	2	1	–	1	1
6	Females	58	6	5	–	1	–	–	–	–	–	1	2
7	Andover (town)	119											
8	Males	61	4	2	1	1	–	–	–	2	–	–	–
9	Females	58	1	1	–	–	–	–	1	–	1	–	–
10	Arlington (town)	364											
11	Males	180	11	7	1	2	–	1	3	1	1	2	1
12	Females	184	7	6	1	–	–	–	–	4	1	–	4
13	Athol (town)	128											
14	Males	77	6	6	–	–	–	–	2	–	–	–	2
15	Females	51	1	1	–	–	–	–	–	–	2	1	2
16	Attleboro	265											
17	Males	138	8	7	–	–	–	1	4	2	1	4	2
18	Females	127	9	8	–	–	1	–	1	1	–	1	1
19	Belmont (town)	236											
20	Males	124	7	6	–	1	–	–	1	1	2	2	4
21	Females	112	6	4	1	1	–	–	–	–	–	1	–
22	Beverly.	276											
23	Males	136	2	2	–	–	–	–	3	1	3	2	2
24	Females	140	8	6	–	1	1	–	1	1	1	1	3
25	Boston.	9,620											
26	Males	5,152	343	285	31	10	10	7	38	37	50	67	95
27	Females	4,468	286	237	24	11	8	6	23	29	41	82	83
28	Braintree (town).	163											
29	Males	89	4	3	1	–	–	–	1	–	–	4	2
30	Females	74	8	7	–	1	–	–	–	1	–	2	3
31	Brockton.	750											
32	Males	383	20	19	–	–	1	–	–	3	7	4	3
33	Females	367	11	8	3	–	–	–	1	4	1	2	5
34	Brookline (town).	635											
35	Males	282	12	11	1	–	–	–	2	–	–	2	2
36	Females	353	8	7	1	–	–	–	5	1	2	1	4
37	Cambridge.	1,316											
38	Males	643	44	37	3	–	3	1	3	5	9	9	10
39	Females	673	52	40	6	3	1	2	4	3	6	4	14
40	Chelsea.	444											
41	Males	233	14	11	2	–	1	–	3	–	4	4	3
42	Females	211	15	10	3	–	1	1	3	1	2	3	8
43	Chicopee.	373											
44	Males	203	18	15	1	–	–	2	2	4	1	5	2
45	Females	170	14	12	2	–	–	–	3	2	1	7	6
46	Clinton (town).	130											
47	Males	69	4	2	1	–	1	–	1	–	1	–	1
48	Females	61	2	–	–	2	–	–	2	–	–	1	–
49	Danvers (town).	157											
50	Males	82	5	5	–	–	–	–	–	1	–	1	–
51	Females	75	5	2	1	2	–	–	–	–	–	2	2
52	Dedham (town).	169											
53	Males	84	6	5	1	–	–	–	–	1	–	–	2
54	Females	85	4	4	–	–	–	–	–	2	2	1	1
55	Easthampton (town).	121											
56	Males	66	2	1	1	–	–	–	–	3	1	1	1
57	Females	55	2	2	–	–	–	–	2	1	–	–	1
58	Everett.	468											
59	Males	253	18	18	–	–	–	–	1	1	3	1	4
60	Females	215	10	7	–	1	1	1	6	1	1	6	2
61	Fairhaven (town).	131											
62	Males	62	6	6	–	–	–	–	2	–	1	–	1
63	Females	69	3	1	1	1	–	–	–	2	2	1	1
64	Fall River	1,384											
65	Males	689	72	55	9	1	5	2	11	8	8	6	9
66	Females	695	42	38	2	–	2	–	3	6	11	20	8
67	Fitchburg.	437											
68	Males	244	16	13	1	2	–	–	2	–	4	6	3
69	Females	193	12	11	–	–	1	–	3	–	4	–	3
70	Framingham (town).	259											
71	Males	127	5	5	–	–	–	–	1	–	–	2	1
72	Females	132	10	9	–	–	1	–	2	1	1	2	1
73	Gardner.	205											
74	Males	124	13	10	2	–	1	–	–	–	2	5	2
75	Females	81	6	5	1	–	–	–	1	1	–	1	2
76	Gloucester.	292											
77	Males	155	8	5	1	1	1	–	1	–	2	1	3
78	Females	137	8	6	–	1	–	1	2	1	–	2	2
79	Greenfield (town).	180											
80	Males	85	4	2	–	1	1	–	–	1	–	4	1
81	Females	95	6	4	1	–	1	–	–	–	–	2	2

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1938.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	–	1	1	5	3	6	8	8	7	7	4	3	1	–	–	–
3	–	–	1	2	3	3	9	8	7	5	9	3	–	–	–	–
4																
5	1	2	–	3	4	5	5	8	10	9	9	4	–	–	–	–
6	–	1	3	2	1	4	4	4	9	9	7	4	1	–	–	–
7																
8	–	1	–	5	4	7	7	6	10	7	5	2	1	–	–	–
9	1	–	4	3	4	3	3	13	9	10	1	2	2	–	–	–
10																
11	2	10	6	15	18	13	14	23	20	20	15	3	2	–	–	–
12	2	5	7	7	14	16	19	24	25	20	15	10	2	2	–	–
13																
14	2	1	1	4	7	6	3	13	6	6	7	6	4	1	–	–
15	–	–	1	1	3	3	4	4	8	9	8	3	1	–	–	–
16																
17	1	2	4	2	11	11	16	17	18	15	11	6	2	1	–	–
18	2	5	4	5	11	12	12	8	16	17	9	8	5	–	–	–
19																
20	1	3	2	4	17	8	15	16	10	17	7	3	4	–	–	–
21	1	3	6	8	1	9	11	11	16	14	9	9	6	1	–	–
22																
23	1	4	1	2	11	17	6	24	24	22	4	6	1	–	–	–
24	2	4	4	7	8	6	12	14	12	23	16	11	4	2	–	–
25																
26	122	178	261	325	415	544	613	637	615	434	245	95	32	4	2	–
27	98	112	158	213	308	355	481	539	569	475	347	181	68	16	4	–
28																
29	2	2	4	1	5	8	13	10	14	5	8	4	1	–	1	–
30	–	2	3	3	4	4	5	7	10	11	6	3	1	1	–	–
31																
32	5	6	11	22	20	43	29	41	63	52	34	17	3	–	–	–
33	3	7	14	19	21	29	46	32	54	47	38	21	10	2	–	–
34																
35	1	4	6	17	25	22	50	36	37	28	19	15	3	1	–	–
36	4	12	5	8	17	27	40	39	46	51	45	28	9	1	–	–
37																
38	12	26	31	36	55	68	66	81	76	54	34	20	4	–	–	–
39	12	21	20	37	39	48	74	89	71	72	56	30	16	4	1	–
40																
41	4	9	13	18	18	23	33	35	27	18	2	4	–	–	1	–
42	7	5	9	10	11	17	21	26	26	27	9	10	1	–	–	–
43																
44	7	10	11	20	8	19	26	21	18	17	10	4	–	–	–	–
45	1	3	8	11	13	16	18	18	16	13	13	5	2	–	–	–
46																
47	2	1	3	1	10	8	7	7	10	5	6	–	1	1	–	–
48	1	1	5	3	5	7	5	8	9	7	2	2	1	–	–	–
49																
50	2	2	3	2	4	8	8	10	9	13	8	3	2	1	–	–
51	–	3	2	2	3	4	4	5	5	17	11	7	3	–	–	–
52																
53	3	1	5	6	5	4	10	7	12	11	7	4	–	–	–	–
54	–	2	5	2	5	7	12	9	9	14	5	4	1	–	–	–
55																
56	1	3	4	6	4	4	8	7	8	9	2	2	–	–	–	–
57	2	1	6	2	3	7	2	9	4	4	5	3	–	1	–	–
58																
59	2	9	11	16	15	24	21	40	37	24	18	5	1	1	1	–
60	4	7	6	10	15	13	22	32	28	26	18	5	3	–	–	–
61																
62	–	3	1	2	2	3	7	2	14	7	8	3	–	–	–	–
63	1	3	–	1	2	4	7	6	8	12	13	3	–	–	–	–
64																
65	11	17	18	33	54	62	101	80	81	58	43	12	5	–	–	–
66	12	19	22	35	40	49	87	94	82	90	47	18	7	3	–	–
67																
68	2	7	7	12	21	23	34	39	23	20	13	9	2	1	–	–
69	5	6	2	6	11	14	19	20	31	20	21	14	2	–	–	–
70																
71	–	4	4	2	9	11	21	9	18	18	15	7	–	–	–	–
72	–	9	3	5	8	7	14	14	12	14	10	12	4	3	–	–
73																
74	2	3	4	9	14	6	17	8	13	10	6	5	5	–	–	–
75	–	3	5	1	6	7	7	13	6	8	6	5	3	–	–	–
76																
77	6	4	3	6	14	16	18	18	22	13	12	6	2	–	–	–
78	1	2	3	2	5	7	15	17	19	13	28	9	1	–	–	–
79																
80	3	1	3	3	1	9	6	9	12	13	8	6	1	–	–	–
81	2	2	1	5	4	3	9	9	14	14	14	6	–	2	–	–

[2] Age at last birthday.

Line No.	Table 4 Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Haverhill.	616											
2	Males	322	27	21	4	1	1	–	2	4	5	7	6
3	Females	294	23	18	2	3	–	–	2	–	2	2	6
4	Holyoke.	638											
5	Males	329	23	17	2	2	1	1	4	1	5	4	5
6	Females	309	14	10	–	2	2	–	1	2	1	9	10
7	Lawrence.	925											
8	Males	485	45	31	2	5	5	2	3	7	7	8	4
9	Females	440	29	21	6	1	–	1	6	3	8	4	5
10	Leominster.	232											
11	Males	118	9	6	2	–	–	1	–	2	3	1	2
12	Females	114	6	6	–	–	–	–	–	2	2	1	–
13	Lexington (town).	108											
14	Males	51	4	2	–	1	–	1	–	–	2	–	3
15	Females	57	1	1	–	–	–	–	–	–	3	1	1
16	Lowell.	1,383											
17	Males	717	54	48	1	3	2	–	3	7	6	13	13
18	Females	666	30	24	–	2	2	2	1	6	8	16	10
19	Lynn.	1,118											
20	Males	571	24	18	1	2	2	1	5	1	2	10	11
21	Females	547	27	20	4	2	1	–	3	2	3	3	10
22	Malden.	661											
23	Males	326	14	11	3	–	–	–	4	–	5	7	6
24	Females	335	13	10	–	–	2	1	1	1	3	2	3
25	Marblehead (town).	126											
26	Males	45	1	–	1	–	–	–	–	–	–	–	3
27	Females	81	4	3	–	–	–	1	–	–	1	–	3
28	Marlborough.	210											
29	Males	100	3	3	–	–	–	–	1	1	–	1	4
30	Females	110	6	5	1	–	–	–	–	–	–	–	2
31	Medford.	579											
32	Males	291	19	16	–	1	1	1	3	1	4	2	3
33	Females	288	20	14	2	2	2	–	2	1	1	2	4
34	Melrose.	303											
35	Males	149	9	9	–	–	–	–	1	2	1	1	2
36	Females	154	6	5	–	1	–	–	–	–	–	3	3
37	Methuen (town).	253											
38	Males	142	7	7	–	–	–	–	2	1	2	–	2
39	Females	111	4	2	1	1	–	–	1	–	1	1	–
40	Milford (town).	163											
41	Males	82	6	6	–	–	–	–	–	–	1	–	–
42	Females	81	5	5	–	–	–	–	1	–	–	1	–
43	Milton (town).	225											
44	Males	117	4	3	–	–	–	1	1	–	–	1	2
45	Females	108	3	3	–	–	–	–	1	1	2	1	1
46	Natick (town).	142											
47	Males	65	7	6	–	–	1	–	1	–	1	1	3
48	Females	77	2	2	–	–	–	–	–	–	–	–	–
49	Needham (town).	139											
50	Males	69	4	4	–	–	–	–	2	–	–	–	1
51	Females	70	4	4	–	–	–	–	1	–	–	2	3
52	New Bedford	1,288											
53	Males	671	50	46	2	1	1	–	6	11	8	9	10
54	Females	617	33	26	4	1	2	–	3	5	10	14	19
55	Newburyport.	180											
56	Males	105	2	2	–	–	–	–	–	1	1	1	–
57	Females	75	7	5	–	–	2	–	–	1	–	–	2
58	Newton.	713											
59	Males	321	23	17	2	2	2	–	2	1	3	1	8
60	Females	392	19	14	2	–	2	1	3	1	2	1	5
61	North Adams.	275											
62	Males	148	14	14	–	–	–	–	2	1	1	2	1
63	Females	127	10	7	–	1	2	–	–	–	1	2	2
64	North Attleborough (town).	128											
65	Males	74	4	4	–	–	–	–	–	–	1	3	1
66	Females	54	5	5	–	–	–	–	–	–	–	–	3
67	Northampton.	239											
68	Males	105	6	3	1	1	–	1	1	–	2	1	1
69	Females	134	7	6	1	–	–	–	–	1	–	3	1
70	Northbridge (town).	105											
71	Males	50	5	4	–	–	1	–	–	–	1	–	1
72	Females	55	2	1	1	–	–	–	–	1	1	–	–
73	Norwood (town).	163											
74	Males	87	4	3	–	1	–	–	2	–	3	1	3
75	Females	76	4	3	–	–	1	–	–	–	3	2	2
76	Peabody.	228											
77	Males	140	5	4	–	–	–	1	–	2	1	2	3
78	Females	88	5	5	–	–	–	–	–	1	1	–	–
79	Pittsfield.	522											
80	Males	255	11	10	–	–	–	1	7	1	1	1	4
81	Females	267	10	9	–	–	1	–	2	3	2	5	6

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1938—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	3	4	16	11	30	25	33	32	39	34	22	16	2	4	–	–
3	5	8	12	11	12	19	23	40	33	34	29	19	9	4	1	–
4																
5	8	11	5	24	24	43	36	38	45	28	16	8	1	–	–	–
6	5	7	13	18	20	24	30	36	60	25	20	8	5	1	–	–
7																
8	8	8	19	32	50	42	55	70	65	32	20	7	2	–	1	–
9	9	12	23	24	29	29	49	45	52	55	34	19	4	1	–	–
10																
11	–	4	3	8	1	7	7	21	19	16	9	6	–	–	–	–
12	1	4	2	7	8	7	12	10	10	17	10	6	4	5	–	–
13																
14	–	1	1	–	6	5	2	3	9	7	5	2	1	–	–	–
15	–	3	2	2	2	5	3	7	5	4	10	5	1	2	–	–
16																
17	11	14	34	32	49	65	99	90	91	75	34	18	6	1	2	–
18	8	13	30	23	35	44	68	105	97	67	69	23	9	4	–	–
19																
20	8	13	29	37	39	46	71	68	73	73	37	20	4	–	–	–
21	10	15	14	18	21	37	53	68	67	87	57	37	12	1	2	–
22																
23	2	8	7	17	26	25	44	53	50	29	15	10	4	–	–	–
24	3	6	11	15	17	35	33	42	43	36	37	17	14	3	–	–
25																
26	1	2	–	2	3	4	3	8	6	5	3	3	1	–	–	–
27	2	3	1	1	1	6	4	8	15	14	5	8	5	–	–	–
28																
29	1	1	3	5	4	9	14	15	18	10	6	2	1	1	–	–
30	4	–	3	6	3	12	12	13	12	13	16	6	2	–	–	–
31																
32	8	3	12	17	22	30	36	37	34	34	12	12	2	–	–	–
33	4	9	7	18	10	20	34	35	33	38	26	16	6	2	–	–
34																
35	1	2	3	5	8	11	17	20	21	25	11	7	1	1	–	–
36	1	4	2	5	8	6	12	18	25	19	19	18	3	2	–	–
37																
38	2	2	3	6	12	6	17	18	21	16	15	6	4	–	–	–
39	3	3	3	6	6	9	10	18	11	13	14	6	2	–	–	–
40																
41	1	1	–	3	5	5	12	17	12	9	9	1	–	–	–	–
42	2	4	2	3	4	8	4	11	11	9	8	8	–	–	–	–
43																
44	1	5	4	9	11	14	4	14	14	17	10	4	2	–	–	–
45	2	3	3	5	4	7	6	16	17	11	10	7	5	3	–	–
46																
47	–	–	3	2	6	9	7	8	7	2	8	–	–	–	–	–
48	1	2	3	4	4	2	6	13	12	15	7	2	4	–	–	–
49																
50	–	2	2	3	4	7	7	13	11	4	4	2	2	1	–	–
51	3	–	–	1	3	5	6	10	4	12	9	5	2	–	–	–
52																
53	13	22	22	37	52	71	70	73	81	59	57	15	4	1	–	–
54	14	13	12	32	44	42	47	96	77	65	62	17	10	1	1	–
55																
56	2	–	5	5	8	11	9	13	16	11	13	6	1	–	–	–
57	2	1	1	1	–	5	8	8	11	8	12	5	3	–	–	–
58																
59	4	7	12	29	20	34	33	27	32	44	23	13	5	–	–	–
60	4	7	10	15	14	22	39	45	50	48	50	44	9	2	2	–
61																
62	–	2	7	7	15	9	12	24	16	15	12	5	3	–	–	–
63	3	3	3	8	4	11	10	12	21	17	15	2	3	–	–	–
64																
65	1	1	3	5	4	6	10	8	6	9	8	3	1	–	–	–
66	–	–	2	3	3	5	6	6	10	6	3	2	–	–	–	–
67																
68	–	2	2	7	9	13	10	12	15	11	8	2	3	–	–	–
69	3	4	3	5	6	11	12	12	22	19	14	9	1	1	–	–
70																
71	–	2	2	1	4	4	4	5	8	7	4	2	–	–	–	–
72	2	–	1	4	5	3	3	7	9	7	5	4	1	–	–	–
73																
74	5	–	3	3	8	11	13	7	9	6	6	3	–	–	–	–
75	1	3	2	3	4	5	10	4	8	11	5	9	–	–	–	–
76																
77	3	4	5	11	17	13	13	16	15	20	5	4	1	–	–	–
78	1	2	2	8	6	7	8	12	9	12	4	7	1	1	1	–
79																
80	5	8	8	12	21	26	22	36	34	25	17	11	5	–	–	–
81	5	4	11	9	16	22	22	22	40	34	32	15	6	1	–	–

[2] Age at last birthday.

Table 4

Line No.	Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Plymouth (town).	165											
2	Males	79	6	4	1	–	1	–	–	1	–	–	4
3	Females	86	3	2	–	–	–	1	1	1	–	–	1
4	Quincy	763											
5	Males	399	35	25	5	3	1	1	3	4	3	6	11
6	Females	364	23	20	–	1	1	1	5	3	2	6	5
7	Reading (town).	113											
8	Males	53	3	3	–	–	–	–	1	–	1	1	1
9	Females	60	5	4	1	–	–	–	–	–	–	–	–
10	Revere.	310											
11	Males	159	15	13	1	1	–	–	2	1	1	2	2
12	Females	151	8	7	1	–	–	–	2	–	1	3	–
13	Salem.	490											
14	Males	268	20	17	2	–	–	1	4	1	1	7	8
15	Females	222	7	5	–	–	2	–	2	–	1	3	2
16	Saugus (town).	137											
17	Males	74	8	7	–	–	1	–	–	–	1	–	–
18	Females	63	4	2	1	–	–	1	–	–	3	2	3
19	Somerville.	1,186											
20	Males	608	50	38	4	5	2	1	6	2	6	3	8
21	Females	578	43	35	3	1	1	3	7	3	6	4	11
22	Southbridge (town).	134											
23	Males	72	5	5	–	–	–	–	–	–	–	–	2
24	Females	62	7	4	1	1	–	1	–	1	1	2	3
25	Springfield.	1,597											
26	Males	820	45	39	4	–	1	1	4	2	10	11	11
27	Females	777	43	38	2	2	–	1	3	3	5	17	20
28	Stoneham (town).	107											
29	Males	52	–	–	–	–	–	–	1	–	1	1	1
30	Females	55	4	2	2	–	–	–	–	–	1	–	1
31	Swampscott (town).	105											
32	Males	53	4	4	–	–	–	–	–	–	1	–	–
33	Females	52	3	3	–	–	–	–	–	–	–	–	–
34	Taunton.	412											
35	Males	199	21	17	2	1	1	–	2	1	2	–	1
36	Females	213	18	15	2	1	–	–	2	1	–	1	5
37	Wakefield (town).	191											
38	Males	90	5	4	1	–	–	–	2	–	4	1	–
39	Females	101	3	3	–	–	–	–	–	–	–	2	1
40	Waltham.	415											
41	Males	226	16	12	–	4	–	–	1	4	3	1	3
42	Females	189	13	8	2	1	1	1	1	3	–	2	4
43	Watertown (town).	349											
44	Males	181	15	11	2	1	1	–	4	–	5	1	2
45	Females	168	6	6	–	–	–	–	4	1	1	1	1
46	Webster (town).	107											
47	Males	58	7	6	–	–	–	1	–	–	1	3	–
48	Females	49	3	3	–	–	–	–	–	–	–	–	3
49	Wellesley (town).	116											
50	Males	60	6	6	–	–	–	–	1	–	1	1	–
51	Females	56	2	1	–	–	1	–	1	–	–	–	–
52	W. Springfield (town).	154											
53	Males	82	5	4	1	–	–	–	1	–	–	1	–
54	Females	72	2	2	–	–	–	–	2	1	–	2	–
55	Westfield.	206											
56	Males	107	8	5	2	1	–	–	2	–	1	2	1
57	Females	99	9	7	2	–	–	–	1	–	–	5	3
58	Weymouth (town).	270											
59	Males	148	10	8	1	1	–	–	2	1	–	–	1
60	Females	122	8	6	–	1	–	1	2	–	1	1	–
61	Winchester (town).	127											
62	Males	61	5	2	1	1	1	–	2	1	–	–	2
63	Females	66	3	2	–	–	1	–	1	–	–	–	–
64	Winthrop (town).	199											
65	Males	92	6	5	1	–	–	–	–	–	1	1	1
66	Females	107	2	1	–	–	1	–	–	–	–	1	2
67	Woburn.	201											
68	Males	116	14	10	3	1	–	–	2	–	2	–	2
69	Females	85	4	3	–	–	–	1	2	–	–	1	1
70	Worcester.	2,160											
71	Males	1,166	72	56	5	4	3	4	9	7	15	16	15
72	Females	994	44	35	4	3	–	2	6	5	6	11	6

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1938—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age Unknown
1																
2	–	2	–	5	8	10	3	10	16	7	5	2	–	–	–	–
3	3	1	2	3	5	7	6	14	14	8	7	8	2	–	–	–
4																
5	9	12	14	18	26	38	53	41	41	34	25	20	3	3	–	–
6	5	5	12	15	22	38	35	35	42	54	44	10	2	1	–	–
7																
8	1	1	1	5	–	4	4	8	10	4	3	5	–	–	–	–
9	1	1	2	2	2	1	6	5	8	10	9	6	2	–	–	–
10																
11	1	6	4	12	15	11	16	30	13	11	10	3	1	2	1	–
12	–	2	9	8	13	15	12	20	26	19	8	4	–	1	–	–
13																
14	5	7	10	10	17	25	29	33	39	19	16	10	6	1	–	–
15	5	4	9	5	10	24	21	20	37	26	22	16	8	–	–	–
16																
17	1	3	6	5	6	5	6	5	10	10	4	2	2	–	–	–
18	2	–	1	5	2	3	7	7	6	9	4	5	–	–	–	–
19																
20	14	27	27	30	47	46	50	78	80	79	36	13	5	1	–	–
21	8	17	16	30	26	39	61	66	88	65	49	27	9	1	2	–
22																
23	2	2	5	6	2	4	11	9	8	7	6	1	2	–	–	–
24	1	1	3	1	3	7	1	6	5	11	3	6	–	–	–	–
25																
26	11	15	34	56	73	65	101	114	84	88	59	27	6	4	–	–
27	9	20	23	30	45	61	71	96	93	104	66	42	23	3	–	–
28																
29	–	1	4	4	4	3	8	9	3	9	3	–	–	–	–	–
30	–	–	3	1	2	4	2	4	6	11	5	6	5	–	–	–
31																
32	–	–	1	6	2	8	5	10	5	5	2	4	–	–	–	–
33	1	4	1	2	6	2	2	3	4	11	5	7	1	–	–	–
34																
35	3	3	6	10	15	19	21	31	25	23	11	5	–	–	–	–
36	1	6	3	9	8	15	12	22	31	32	24	15	6	2	–	–
37																
38	–	1	3	3	6	10	7	15	11	14	5	2	1	–	–	–
39	1	4	4	2	4	8	5	8	8	21	19	4	6	1	–	–
40																
41	6	5	7	14	16	18	22	30	24	27	18	8	3	–	–	–
42	5	5	6	8	6	6	15	24	21	24	23	15	6	2	–	–
43																
44	4	8	6	16	13	23	16	21	16	14	10	3	3	1	–	–
45	4	6	5	11	9	16	14	15	25	29	6	9	5	–	–	–
46																
47	–	–	1	2	6	5	6	6	10	5	2	2	2	–	–	–
48	1	–	–	6	4	3	4	3	5	5	6	4	2	–	–	–
49																
50	2	2	2	3	3	3	5	9	3	3	13	2	1	–	–	–
51	–	1	3	5	1	1	8	8	6	3	9	4	1	2	1	–
52																
53	2	2	4	3	8	9	7	6	13	11	7	3	–	–	–	–
54	1	–	1	2	5	9	6	5	13	13	8	2	–	–	–	–
55																
56	1	3	–	6	6	10	16	12	14	10	8	6	1	–	–	–
57	1	3	2	4	6	7	6	7	17	7	12	4	2	1	2	–
58																
59	2	2	5	11	7	19	17	19	10	18	16	5	3	–	–	–
60	–	1	2	5	4	6	16	6	17	16	23	12	1	1	–	–
61																
62	–	–	4	5	2	6	8	6	6	7	6	1	–	–	–	–
63	–	3	2	3	1	3	8	7	8	8	8	9	2	–	–	–
64																
65	1	–	3	3	5	9	15	15	12	10	7	3	–	–	–	–
66	3	3	4	3	8	7	6	19	9	12	18	7	2	1	–	–
67																
68	2	5	6	6	11	10	15	11	11	8	5	5	1	–	–	–
69	–	3	4	3	5	6	8	10	12	13	10	2	1	–	–	–
70																
71	21	26	48	77	87	115	132	150	142	118	67	36	10	3	–	–
72	24	24	32	31	66	61	87	133	134	143	95	57	23	5	1	–

[2] Age at last birthday.

Table 5

Years.	Mortality[1] of Males and Females: 1914 to 1938.					
	Deaths.[3]		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–
1937	27,395	24,892	1,101	–	–	–
1938	26,046	23,850	1,092	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935
[3] Including nonresidents.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1910 to 1935.					
	1935.	1930.	1925.	1920.	1915.	1910.
All Ages.	**49,634[4]**	**49,503**	**51,890**	**53,632**	**53,131**	**54,407**
Under 5 years	3,809	5,873	8,623	11,739	12,891	15,433
Under 1 year	3,014	4,440	6,294	8,382	9,490	11,499
5 to 9 years	513	742	922	1,129	1,026	1,091
10 to 14 years	461	479	678	689	648	678
15 to 19 years	616	705	891	957	984	1,002
20 to 29 years	1,627	1,956	2,498	3,282	3,234	3,329
30 to 39 years	2,405	2,959	3,161	3,916	3,823	4,102
40 to 49 years	4,488	4,278	4,521	4,554	4,825	4,615
50 to 59 years	7,001	6,989	6,838	6,154	6,058	5,501
60 to 69 years	11,083	9,881	9,186	7,784	7,323	7,168
70 to 79 years	10,964	9,637	8,882	8,049	7,613	6,977
80 years and over	6,667	6,003	5,685	5,370	4,667	4,471
Age unknown	–	1	5	9	39	40
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	**11.4**	**11.6**	**12.5**	**13.9**	**14.4**	**16.2**
Under 5 years	–	16.8	–	30.4	35.5	46.9
Under 1 year	–	68.3	–	111.9	126.1	162.6
5 to 9 years	–	1.9	–	3.1	3.1	3.7
10 to 14 years	–	1.2	–	2.1	2.1	2.4
15 to 19 years	–	1.9	–	3.2	3.1	3.4
20 to 29 years	–	2.9	–	4.9	4.6	5.2
30 to 39 years	–	–[3]	–	6.4	6.5	7.4
40 to 49 years	–	–[3]	–	9.1	10.3	11.0
50 to 59 years	–	–[3]	–	17.2	19.1	19.9
60 to 69 years	–	–[3]	–	37.5	40.5	43.1
70 to 79 years	–	–[3]	–	85.5	87.1	79.2
80 years and over	–	–[3]	–	193.0	177.5	191.3

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925 and 1935.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935[2]	6.1	7.7	3.3	89.0
1936[2]	5.5	7.1	3.2	89.7
1937[2]	5.2	6.5	3.0	90.5
1938[2]	4.9	6.2	2.9	90.9

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1938.[1]	1937.[1]	1936.[1]	1935.[1]		1938.[1]	1937.[1]	1936.[1]	1935.[1]
All Ages.	**1,091**	**1,099**	**1,086**	**1,069**	40 to 44 years	1,345	1,366	1,499	1,245
Under 1 year	1,278	1,296	1,286	1,404	45 to 49 years	1,409	1,458	1,382	1,337
1 year	1,161	1,267	1,224	1,303	50 to 54 years	1,463	1,524	1,392	1,397
2 years	1,197	960	1,071	1,325	55 to 59 years	1,391	1,389	1,360	1,294
3 years	1,151	1,148	1,393	1,373	60 to 64 years	1,271	1,230	1,210	1,259
4 years	1,103	2,056	1,250	1,479	65 to 69 years	1,150	1,123	1,139	1,084
5 to 9 years	1,536	1,457	1,335	1,443	70 to 74 years	1,046	1,009	1,027	1,015
10 to 14 years	1,285	1,491	1,163	1,414	75 to 79 years	904	926	882	860
15 to 19 years	1,474	1,731	1,209	1,299	80 to 84 years	756	787	796	753
20 to 24 years	964	1,198	1,071	1,033	85 to 89 years	660	635	605	591
25 to 29 years	1,036	920	1,087	949	90 to 94 years	500	460	489	481
30 to 34 years	1,130	1,150	1,144	1,116	95 to 99 years	427	282	433	357
35 to 39 years	1,144	1,262	1,302	1,102	100 years and over	360	421	182	240

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1929 to 1938.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1929	52,171	100.0	26,461	100.0	25,710	100.0	971
1930	49,503[2]	100.0	25,242	100.0	24,261	100.0	961
1931	48,743	100.0	25,021	100.0	23,722	100.0	948
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
1935	49,634[3]	100.0	25,642	100.0	23,992	100.0	936
1936	51,435[3]	100.0	26,773	100.0	24,662	100.0	921
1937	51,739[3]	100.0	27,088	100.0	24,651	100.0	910
1938	49,285[3]	100.0	25,719	100.0	23,566	100.0	916
Under 1 Year.							
1929	4,592	8.8	2,634	10.0	1,958	7.6	743
1930	4,440	9.0	2,482	9.8	1,958	8.1	789
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
1936	2,854	5.5	1,605	6.0	1,249	5.1	778
1937	2,684	5.2	1,515	5.6	1,169	4.7	772
1938	2,439	4.9	1,367	5.3	1,072	4.5	783
Under 5 Years.							
1929	6,279	12.0	3,563	13.5	2,716	10.6	762
1930	5,873	11.9	3,271	13.0	2,602	10.7	795
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
1936	3,667	7.1	2,052	7.7	1,615	6.5	787
1937	3,354	6.5	1,889	7.0	1,465	5.9	776
1938	3,033	6.2	1,687	6.5	1,346	5.7	798
20 to 29 Years.							
1929	2,266	4.4	1,117	4.2	1,149	4.5	1,029
1930	1,956	3.9	968	3.8	988	4.1	1,019
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
1936	1,618	3.2	840	3.1	778	3.2	931
1937	1,546	3.0	789	2.9	757	3.1	959
1938	1,428	2.9	715	2.8	713	3.0	997
All Other Ages.							
1929	43,626	83.6	21,781	82.3	21,845	84.9	1,003
1930	41,674[2]	84.2	21,003	83.2	20,671	85.2	984
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954
1936	46,150	89.7	23,881	89.2	22,269	90.3	932
1937	46,839	90.5	24,410	90.1	22,429	91.0	919
1938	44,824	90.9	23,317	90.7	21,507	91.3	922

[1] Exclusive of stillbirths.
[2] Includes 1 death, age not reported.
[3] Allocated.

Table 10

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1938.

Age at Death.	Both Sexes.	Males. Total.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Total.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
The State. 15 Years and Over	**45,567**	**23,630**	**4,261**	**13,317**	**5,520**	**463**	**69**	**21,937**	**4,030**	**8,127**	**9,485**	**286**	**9**
15 to 19 years	480	286	285	1	–	–	–	194	182	12	–	–	–
20 to 29 years	1,428	715	525	184	3	3	–	713	346	345	4	17	1
30 to 39 years	2,042	1,087	439	582	26	37	3	955	207	686	31	31	–
40 to 49 years	4,130	2,396	550	1,647	110	79	10	1,734	270	1,254	167	41	2
50 to 59 years	7,281	4,275	715	3,005	421	113	21	3,006	447	1,862	630	66	1
60 to 69 years	11,128	6,079	841	3,927	1,175	113	23	5,049	800	2,179	2,001	66	3
70 to 79 years	11,865	5,861	668	3,005	2,101	79	8	6,004	1,037	1,461	3,464	40	2
80 years and over	7,213	2,931	238	966	1,684	39	4	4,282	741	328	3,188	25	–
Boston. 15 Years and Over.	8,864	4,734	1,193	2,460	952	99	30	4,130	889	1,486	1,682	70	3
15 to 19 years	91	50	49	1	–	–	–	41	40	1	–	–	–
20 to 29 years	327	162	121	40	–	1	–	165	84	77	1	3	–
30 to 39 years	510	300	135	144	9	11	1	210	46	144	10	10	–
40 to 49 years	957	586	173	365	26	17	5	371	65	247	46	12	1
50 to 59 years	1,622	959	212	608	103	24	12	663	117	390	141	14	1
60 to 69 years	2,270	1,250	240	716	259	26	9	1,020	200	365	437	18	–
70 to 79 years	2,093	1,049	209	467	355	15	3	1,044	199	221	616	7	1
80 years and over	994	378	54	119	200	5	–	616	138	41	431	6	–

Table 11

ALLOCATED DEATHS,[1] IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1938.

Counties and Cities having over 50,000 Inhabitants in 1935 (Grouped in order of population).	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**49,285**	**4,584**	**4,105**	**4,528**	**4,301**	**4,227**	**3,859**	**3,659**	**3,738**	**3,880**	**3,996**	**3,812**	**4,596**
Average daily number of deaths.	135	148	147	146	143	136	129	118	121	129	129	127	148
COUNTIES.													
Middlesex	10,673	1,012	852	996	928	901	883	777	753	829	864	895	983
Suffolk	10,573	949	874	974	957	851	839	764	840	883	876	784	982
Essex	5,773	480	491	551	515	544	437	438	463	431	427	440	556
Worcester	5,416	523	477	502	445	467	412	433	396	413	432	407	509
Bristol	4,282	423	371	408	359	380	335	314	331	347	343	294	377
Hampden	3,444	328	281	323	284	288	286	246	241	281	298	262	326
Norfolk	3,509	326	295	306	307	312	265	266	284	236	296	287	329
Plymouth	2,167	207	200	176	193	185	164	172	160	167	171	169	203
Berkshire	1,418	144	111	106	125	128	106	95	115	117	124	116	131
Hampshire	772	66	61	72	76	68	44	53	57	72	63	63	77
Franklin	611	74	42	56	57	52	38	42	42	53	46	42	67
Barnstable	510	37	41	47	42	37	39	47	44	45	46	40	45
Dukes	82	8	6	6	6	12	5	7	10	5	5	4	8
Nantucket	55	7	3	5	7	2	6	5	2	1	5	9	3
CITIES OVER 100,000.													
Boston	9,620	860	799	877	870	775	758	715	769	796	799	719	883
Worcester	2,160	207	191	199	181	206	161	148	168	159	169	157	214
Springfield	1,597	154	125	145	130	126	131	124	113	132	149	125	143
Cambridge	1,316	135	103	107	108	121	101	101	80	102	120	115	123
Fall River	1,384	129	95	141	113	141	107	118	98	115	108	107	112
New Bedford	1,288	127	122	112	102	109	106	88	113	96	121	81	111
Lynn	1,118	88	116	116	88	108	90	63	97	77	73	91	111
Somerville	1,186	106	109	107	115	100	97	75	95	85	88	90	119
Lowell	1,383	126	106	143	110	115	114	92	92	130	107	120	128
CITIES 50,000 TO 100,000.													
Lawrence	925	82	74	78	84	106	67	77	68	77	70	70	72
Quincy	763	66	68	65	71	62	62	61	66	40	58	79	65
Newton	713	64	49	55	73	60	54	69	55	61	60	56	57
Brockton	750	85	75	67	62	67	51	51	48	47	58	57	82
Medford	579	40	43	58	52	59	44	54	35	40	51	43	60
Malden	661	77	52	51	56	55	53	53	40	45	61	58	60
Holyoke	638	67	49	50	59	52	42	47	51	45	60	47	69
Brookline (Town)	635	61	53	47	49	65	50	48	49	54	48	38	73

[1] Exclusive of stillbirths.

Table 12	Deaths.[1]		Live Births.		Deaths Under 1 Year.		Stillbirths.	
Years.	Number.	Per 1,000 population.	Number.	Per 1,000 population.	Number.	Per 1,000 live births.	Number.	Per 1,000 live births.
1913 . .	53,402	14.9	91,644	25.6	10,086	110.1	3,175	34.6
1914 . .	52,978	14.5	93,399	25.6	9,894	105.9	3,349	35.9
1915 . .	53,131	14.4	93,155	25.2	9,490	101.9	3,161	33.9
1916 . .	56,366	14.9	93,487	24.8	9,334	99.8	3,300	35.3
1917 . .	56,628	14.7	95,731	24.9	9,325	97.4	3,324	34.7
1918 . .	78,842	20.2	95,607	24.5	10,820	113.2	3,779	39.5
1919 . .	52,345	13.6	87,827	22.9	7,769	88.5	3,092	35.2
1920 . .	53,632	13.9	91,859	23.8	8,382	91.2	3,336	36.3
1921 . .	47,780	12.3	92,245	23.7	7,005	75.9	3,428	37.2
1922 . .	51,115	13.0	87,636	22.3	7,129	81.3	3,268	37.3
1923 . .	52,380	13.2	89,210	22.5	6,968	78.1	3,332	37.3
1924 . .	49,466	12.4	91,463	22.8	6,191	67.7	3,548	38.8
1925 . .	51,890	12.5	86,014	20.8	6,294	73.1	3,141	36.5
1926 . .	52,888	12.7[2]	83,502	20.0	6,130	73.4	2,997	35.9
1927 . .	49,324	11.8[2]	82,273	19.6	5,320	64.7	2,969	36.1
1928 . .	51,442	12.2[2]	79,054	18.8	5,118	64.7	2,821	35.7
1929 . .	52,171	12.3[2]	74,122	17.5	4,592	62.0	2,540	34.3
1930 . .	49,503	11.6	73,690	17.3	4,440	60.3	2,597	35.2
1931 . .	48,743	11.4	69,385	16.2	3,803	54.8	2,440	35.2
1932 . .	49,531	11.5	68,518	15.9	3,635	53.1	2,350	34.3
1933 . .	50,832	11.8	63,457	14.7	3,294	51.9	2,173	34.2
1934 . .	50,760	11.7	63,767	14.7	3,136	49.2	1,997	31.3
1935* . .	49,634	11.4	62,416	14.3	3,014	48.3	1,886	30.2
1936* . .	51,435	11.7	61,184	14.0	2,854	46.6	1,816	29.5
1937* . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28.7
1938* . .	49,285	11.1	62,382	14.1	2,439	39.1	1,730	27.7

[1] Exclusive of stillbirths. *Allocated.
[2] Revised.

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	49,285	4,584	4,105	4,528	4,301	4,227	3,859	3,659	3,738	3,880	3,996	3,812	4,596
		M	25,719	2,330	2,129	2,379	2,177	2,225	1,978	1,982	1,995	1,999	2,098	2,056	2,371
		F	23,566	2,254	1,976	2,149	2,124	2,002	1,881	1,677	1,743	1,881	1,898	1,756	2,225
I.	Infectious and Parasitic Diseases	T	2,276	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,394	142	114	130	116	129	105	109	125	100	106	91	127
		F	882	89	55	78	87	67	65	85	63	73	71	68	81
1	Typhoid fever	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	2	–	–	–	–	1	–	–	–	–
		F	7	–	–	1	1	–	–	1	2	–	1	1	–
2	Paratyphoid fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
3	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	2	1	–	–	–	1	1	–	–	2
		F	5	–	–	–	–	1	–	2	–	–	–	1	1
8	Scarlet fever	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	2	2	4	1	–	–	–	–	–	–
		F	12	1	–	5	1	–	3	–	–	–	–	1	1
9	Whooping cough	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	3	–	3	2	2	1	2	–	2	1	–	2
		F	17	2	2	–	2	1	2	1	–	5	2	–	–
10	Diphtheria	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	2	–	–	1	1	–	2	–	4	1
		F	7	–	–	1	1	–	–	–	1	1	–	–	3
11	Influenza	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	9	11	5	8	6	4	1	1	3	3	2	11
		F	91	20	14	6	14	6	3	4	1	3	3	7	10
11*a*	With respiratory complications specified	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	6	6	4	5	4	3	1	1	2	2	–	8
		F	63	13	10	1	13	5	1	2	1	3	2	4	8
11*b*	Without respiratory complications specified	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	5	1	3	2	1	–	–	1	1	2	3
		F	28	7	4	5	1	1	2	2	–	–	1	3	2
12	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	–	1	2	–	–	1	3	–	1	1
		F	8	–	–	–	–	–	–	1	–	4	1	2	–
13*a*	Amebic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	Bacillary	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	1	2	–	–	–	3	–	–	1
		F	7	–	–	–	–	–	–	1	–	4	–	2	–
13*c*	Unspecified or due to other causes	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	1	1	4	2	3	–	1	–	–	–	–
		F	8	–	–	3	–	1	–	2	–	1	–	–	1
16	Acute poliomyelitis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	–	1	–	–	2	–	1	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–
17	Lethargic or epidemic encephalitis	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	–	–	1	1	1	4	1	1	–
		F	9	–	–	–	1	1	1	–	1	3	1	–	1
17*a*	Equine encephalomyelitis	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	1	1	–	–	–	–
		F	4	–	–	–	1	1	1	–	–	–	–	–	1
17*b*	Lethargic	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	4	1	1	–
		F	5	–	–	–	–	–	–	–	1	3	1	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
18	Epidemic cerebrospinal meningitis	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	1	–	–	1	1	–	2	3	–	2
		F	6	1	–	2	1	1	–	–	1	–	–	–	–
19	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–		
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	1	2	1	3	2	1	1	1	–	–
		F	2	–	–	–	–	1	–	–	–	1	–	–	–
23–32	Tuberculosis (total)	T	1,675	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,054	105	83	94	88	93	82	86	99	68	90	75	91
		F	621	58	32	54	57	50	47	68	50	47	55	47	56
23	Tuberculosis of the respiratory system	T	1,536	–	–	–	–	–	–	–	–	–	–	–	–
		M	986	97	78	87	81	89	78	81	94	63	85	67	86
		F	550	52	29	47	52	47	44	55	44	42	45	44	49
24	Tuberculosis of the meninges and central nervous system	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	1	4	3	2	1	3	–	2	1	2	1
		F	18	2	–	1	–	–	–	5	1	2	4	–	3
25	Tuberculosis of the intestines and peritoneum	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	–	1	1	1	1	–	2	–	–
		F	15	2	2	–	2	1	–	1	1	1	2	2	1
26	Tuberculosis of the vertebral column	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	2	–	1	–	–	1	–	1	2	1	–
		F	17	1	1	3	–	1	2	4	2	1	1	–	1
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	2	1	–	1	–	–	–	–	–	–	–	–
		F	3	1	–	–	1	–	–	–	1	–	–	–	–
27*a*	Bones	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
27*b*	Joints	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–	–	1	3
		F	7	–	–	2	–	1	–	–	1	–	2	–	1
30	Tuberculosis of the genitourinary system	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	1	2	1	–	1	–	1	1	–	3	–
		F	6	–	–	–	2	–	1	1	–	1	1	–	–
31	Tuberculosis of other organs	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	–	2	1	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
32	Disseminated tuberculosis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	4	–	–	–	–	–	–	2	–	–	–	1	1
32*a*	Acute	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	3	–	–	–	–	–	–	2	–	–	–	–	1
32*b*	Chronic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32*c*	Unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	198	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	15	8	15	6	15	7	13	19	10	6	6	13
		F	65	6	5	4	7	5	4	5	5	7	5	8	4
34*a*	Congenital	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	–	2	–	–	1	–	–	–
		F	7	1	–	1	–	–	–	1	–	–	–	2	2
34*b*	Acquired	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	1	–	–	–	–	–	1	–	–	1
		F	3	–	–	–	–	1	–	–	1	–	–	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
34c	Unspecified	T	178	–	–	–	–	–	–	–	–	–	–	–	–
		M	123	12	8	14	5	15	5	13	19	8	6	6	12
		F	55	5	5	3	7	4	4	4	4	7	5	5	2
35	Gonococcus infection and other venereal diseases	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
36	Purulent infection, septicemia, nonpuerperal	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	2	–	–	–	–	–	–	1	1
		F	8	–	–	2	1	–	1	–	1	–	1	–	2
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
43	Mycoses	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	–	1	–	2	1	–	2
		F	5	–	1	–	–	–	1	1	1	–	1	–	–
44	Other infectious and parasitic diseases	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	1	–	–	–	–	–
		F	4	1	–	–	–	–	2	–	–	–	–	–	1
44a	Chicken-pox	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	3	1	–	–	–	–	1	–	–	–	–	–	1
44b	German measles	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44c	Others under this title	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	7,097	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,237	277	243	289	264	294	241	289	268	251	263	264	294
		F	3,860	352	280	309	301	359	327	297	304	349	347	273	362
45–53	Cancer and other malignant tumors (total)	T	6,875	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,163	273	240	278	259	288	232	278	264	249	257	255	290
		F	3,712	338	265	296	291	345	314	280	296	338	339	263	347
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	248	–	–	–	–	–	–	–	–	–	–	–	–
		M	215	17	20	17	21	23	15	12	15	15	17	19	24
		F	33	2	2	1	3	2	6	–	5	5	4	1	2
45a	Lip	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	–	2	4	–	–	2	1	1	3	5	2
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
45b	Tongue	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	4	8	5	5	8	7	2	4	7	4	5	6
		F	9	–	–	–	2	1	1	–	3	1	1	–	–
45c	Mouth	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	5	2	3	3	6	4	1	2	2	–	1	4
		F	7	–	1	–	1	1	–	–	1	1	2	–	–
45d	Jaw	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	2	5	2	5	2	1	1	5	1	1	3	1
		F	7	1	–	1	–	–	3	–	–	1	–	–	1
45e	Other and unspecified parts of buccal cavity	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	2	2	2	–	2	1	2	1	1	6	1	6
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
45f	Pharynx	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	1	3	3	4	5	2	4	2	3	3	4	5
		F	8	1	1	–	–	–	2	–	–	2	–	1	1
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,424	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,784	153	126	157	155	164	140	153	153	156	134	127	166
		F	1,640	156	125	138	120	155	144	110	120	145	147	121	159
46a	Esophagus	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	8	7	12	14	9	11	14	14	10	13	7	10
		F	26	1	2	1	1	1	4	1	2	4	2	3	4
46b	Stomach and duodenum	T	1,144	–	–	–	–	–	–	–	–	–	–	–	–
		M	652	51	54	56	57	52	56	54	58	61	41	51	61
		F	492	51	47	54	37	48	40	27	36	38	51	25	38

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46c	Intestine (except rectum and anus)	T	1,002	–	–	–	–	–	–	–	–	–	–	–	–
		M	434	38	32	39	39	44	32	37	30	34	34	32	43
		F	568	48	41	47	41	51	48	39	45	50	39	52	67
46d	Rectum and anus	T	485	–	–	–	–	–	–	–	–	–	–	–	–
		M	279	36	20	22	20	29	18	26	22	25	19	16	26
		F	206	17	14	12	17	24	17	15	17	17	22	18	16
46e	Liver and biliary passages	T	380	–	–	–	–	–	–	–	–	–	–	–	–
		M	163	9	9	13	13	18	16	16	16	14	11	13	15
		F	217	24	14	13	15	17	22	19	12	28	18	16	19
46f	Pancreas	T	215	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	11	3	14	10	11	7	5	12	11	11	6	10
		F	104	12	6	9	9	9	11	8	7	6	11	4	12
46g	Mesentery and peritoneum	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	1	2	1	–	1	1	1	5	2	1
		F	26	3	1	2	–	5	1	1	1	2	4	3	3
46h	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	365	–	–	–	–	–	–	–	–	–	–	–	–
		M	273	20	23	28	20	19	21	20	29	17	28	23	25
		F	92	9	5	4	6	8	6	5	12	20	5	6	6
47a	Larynx	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	3	9	9	8	7	3	3	9	6	5	7	8
		F	14	1	2	2	2	–	–	–	1	1	1	3	1
47b	Lungs and pleura	T	240	–	–	–	–	–	–	–	–	–	–	–	–
		M	170	14	13	16	10	11	14	15	18	10	20	13	16
		F	70	7	3	2	4	8	6	5	11	15	3	2	4
47c	Others	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	1	3	2	1	4	2	2	1	3	3	1
		F	8	1	–	–	–	–	–	–	–	4	1	1	1
48	Cancer and other malignant tumors of the uterus	T	561	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	561	55	43	48	44	58	31	46	49	48	50	37	52
49	Cancer and other malignant tumors of other female genital organs	T	229	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	229	16	14	13	17	23	20	16	23	16	27	20	24
49a	Ovary and Fallopian tube	T	198	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	198	13	13	12	16	19	17	14	17	14	26	17	20
49b	Vagina and vulva	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	31	3	1	1	1	4	3	2	6	2	1	3	4
50	Cancer and other malignant tumors of the breast	T	771	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	–	1	1	1	1	1	1	1
		F	763	66	50	65	69	71	66	65	63	67	70	49	62
51	Cancer and other malignant tumors of the male genito-urinary organs	T	558	–	–	–	–	–	–	–	–	–	–	–	–
		M	558	51	43	49	37	49	31	62	42	37	46	57	54
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	5	5	7	3	6	3	13	2	1	5	2	11
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	130	14	8	9	10	11	10	15	12	7	11	11	12
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	336	–	–	–	–	–	–	–	–	–	–	–	–
		M	336	29	28	28	23	30	17	33	24	27	26	44	27
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Testes	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	1	1	–	1	–	1	3	1	1	–	4
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	Scrotum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51f	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	3	1	1	–	–	–	1	3	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	4	5	1	3	3	4	2	4	5	6	5	2
		F	34	4	3	4	3	–	2	3	2	3	4	4	2
53	Cancer and other malignant tumors of other or unspecified organs	T	641	–	–	–	–	–	–	–	–	–	–	–	–
		M	281	28	23	25	23	30	20	28	20	18	25	23	18
		F	360	30	23	23	29	28	39	35	22	34	32	25	40
53a	Kidneys and suprarenals (female)	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	40	5	1	1	3	2	6	4	2	3	5	2	6
53b	Bladder (female)	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	73	3	9	4	6	6	4	6	6	7	10	4	8

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
53c	Brain	T	95	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	6	3	6	5	9	5	6	2	4	7	3	3
		F	36	1	2	1	1	4	4	3	3	4	3	2	8
53d	Bones (except jaw)	T	89	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	4	4	2	6	3	5	5	3	2	5	4	3
		F	43	2	2	4	3	4	5	3	4	6	3	2	5
53e	Others	T	344	–	–	–	–	–	–	–	–	–	–	–	–
		M	176	18	16	17	12	18	10	17	15	12	13	16	12
		F	168	19	9	13	16	12	20	19	7	14	11	15	13
54	Nonmalignant tumors	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	2	2	7	1	4	4	7	2	1	2	6	2
		F	103	6	11	3	4	14	10	14	7	9	7	9	9
54a	Of the ovary	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	1	3	–	1	–	–	–
54b	Of the uterus	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	62	2	7	2	3	11	6	6	7	3	4	4	7
54c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	–	2	3	1	2	3	6	2	–	2	3	2
		F	26	4	4	–	–	2	3	1	–	3	3	5	1
54e	Of other organs	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	4	–	2	1	1	–	1	–	3	–
		F	10	–	–	1	1	1	–	4	–	2	–	–	1
55	Tumors of which the nature is not specified	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	2	1	4	4	2	5	4	2	1	4	3	2
		F	45	8	4	10	6	–	3	3	1	2	1	1	6
55a	Of the ovary	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55b	Of the uterus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	1	1	5	1	–	–	1	–	1	–	1	2
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	–	2	3	–	4	3	1	1	2	2	2
		F	21	3	2	4	2	–	3	2	1	1	–	–	3
55e	Of other organs	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	2	1	2	1	1	1	–	2	1	–
		F	11	4	1	1	3	–	–	–	–	–	1	–	1
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases.	T	1,610	–	–	–	–	–	–	–	–	–	–	–	–
		M	562	57	41	47	45	42	45	44	52	40	54	48	47
		F	1,048	94	99	112	89	91	84	61	75	78	85	93	87
56	Acute rheumatic fever	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	4	1	3	2	1	–	–	–	–	–	–	2
		F	16	–	–	5	2	1	2	3	1	1	–	1	–
57	Chronic rheumatism, osteoarthritis	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	1	–	1	1	1	1	1	–	–	4	–
		F	28	3	2	1	1	6	1	2	4	1	2	5	–
58	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,436	–	–	–	–	–	–	–	–	–	–	–	–
		M	503	47	36	42	37	39	40	39	48	39	50	42	44
		F	933	83	92	99	78	75	74	51	66	70	80	83	82
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	2	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
62	Pellagra	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	–	3	–	1	–	1	1	1
		F	3	–	–	–	–	–	–	2	1	–	–	–	–
63	Rickets	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	1	–	–	–
64	Osteomalacia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
65	Diseases of the pituitary body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
66	Diseases of the thyroid and parathyroid glands	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	1	2	1	–	2	1	–	1	1	–
		F	47	6	3	3	7	6	5	2	3	3	3	2	4
66a	Simple goiter	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	1	–	–	–	2	2	–	1	–	1	–	–
66b	Exophthalmic goiter	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	1	2	1	–	2	1	–	1	1	–
		F	33	2	3	2	6	4	3	2	2	2	2	2	3
66c	Myxedema and cretinism	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	2	–	1	1	–	–	–	–	–	–	–	–
66d	Tetany	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	1	–	–	1
67	Diseases of the thymus gland	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	2	–	2	–	1	–	1	1	–	–	–
		F	7	–	1	3	1	1	–	1	–	–	–	–	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	2	–	–	–	–	–
		F	9	2	–	1	–	2	2	–	–	–	–	2	–
69	Other general diseases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	DISEASES OF THE BLOOD AND BLOODMAKING ORGANS	T	415	–	–	–	–	–	–	–	–	–	–	–	–
		M	221	12	18	16	17	24	21	23	17	19	22	14	18
		F	194	17	13	18	18	17	20	12	14	19	18	15	13
70	Hemorrhagic conditions	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	–	–	–	1	1	–	1	–	–
		F	6	–	–	–	2	–	1	–	–	1	1	1	–
70a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	–	–	–	1	1	–	1	–	–
		F	6	–	–	–	2	–	1	–	–	1	1	1	–
70b	Hemophilia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
71	Anemias	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	3	3	1	4	4	–	2	3	7	3	5	4
		F	64	4	4	4	5	5	6	5	5	6	6	10	4
71a	Pernicious anemia	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	3	1	3	4	–	2	3	5	3	5	3
		F	55	4	4	3	4	5	3	4	4	6	6	8	4
71b	Others	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	–	–	2	–	–	1
		F	9	–	–	1	1	–	3	1	1	–	–	2	–
72	Leukemias and pseudoleukemias	T	281	–	–	–	–	–	–	–	–	–	–	–	–
		M	167	9	14	10	13	18	21	20	12	12	17	8	13
		F	114	13	8	13	9	11	12	6	9	9	11	4	9
72a	True leukemias	T	169	–	–	–	–	–	–	–	–	–	–	–	–
		M	97	6	8	8	11	9	12	8	5	8	9	4	9
		F	72	9	7	9	4	6	8	3	5	6	5	3	7
72b	Pseudoleukemias (Hodgkin's disease)	T	112	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	3	6	2	2	9	9	12	7	4	8	4	4
		F	42	4	1	4	5	5	4	3	4	3	6	1	2
73	Diseases of the spleen	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	2	–	–	–	–	1	1	1
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
74	Other diseases of the blood and bloodmaking organs	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	3	–	–	–	–	1	–	–	–	–
		F	8	–	1	1	1	1	–	1	–	3	–	–	–
V.	CHRONIC POISONINGS AND INTOXICATIONS	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	152	10	13	17	11	11	7	12	10	13	12	9	27
		F	32	2	2	4	4	4	2	2	2	–	4	1	5
75	Alcoholism (acute or chronic)	T	173	–	–	–	–	–	–	–	–	–	–	–	–
		M	143	9	13	15	10	10	7	11	10	13	12	7	26
		F	30	2	2	4	4	4	1	2	1	–	4	1	5
76	Chronic poisoning by other organic substances	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	1	–	1	–	–	–	–	–	1	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
76a	Occupational	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76b	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
77	Chronic poisoning by mineral substances	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	–	1	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
77a	Lead	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	Occupational (except lead)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	4,861	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,228	206	206	214	204	180	165	168	185	171	173	163	193
		F	2,633	231	223	240	226	212	212	201	196	215	221	197	259
78	Encephalitis (non epidemic)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	1	–	1	–	2	2	2	–	1	–	2
		F	16	–	–	–	1	3	3	–	1	5	3	–	–
78a	Abscess of the brain	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	1	–	2	1	–	–	1	–	–
		F	4	–	–	–	–	–	2	–	1	–	1	–	–
78b	Others	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	–	–	–	1	2	–	–	–	2
		F	12	–	–	–	1	3	1	–	–	5	2	–	–
79	Meningitis	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	5	4	3	2	2	2	7	3	2	3	5
		F	29	1	7	3	3	2	2	2	2	2	3	2	–
79a	Simple meningitis	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	4	2	4	3	2	2	2	5	3	2	3	5
		F	25	1	5	2	3	1	2	2	2	2	3	2	–
79b	Nonepidemic cerebrospinal meningitis	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	3	–	–	–	–	–	2	–	–	–	–
		F	4	–	2	1	–	1	–	–	–	–	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	3	5	1	1	–	–	2	1	2	2
		F	5	–	–	–	3	–	–	1	–	–	1	–	–
81	Other diseases of the spinal cord	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	5	6	3	5	3	–	5	2	–	2	5
		F	24	1	4	3	2	1	2	3	2	1	1	3	1
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,292	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,878	171	176	184	162	144	144	145	157	149	145	136	165
		F	2,414	213	197	224	206	193	194	185	179	194	205	182	242
82a	Cerebral hemorrhage	T	3,784	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,644	142	154	159	145	125	120	137	136	131	126	120	149
		F	2,140	189	171	205	182	167	173	168	159	174	181	158	213
82b	Cerebral embolism and thrombosis	T	485	–	–	–	–	–	–	–	–	–	–	–	–
		M	225	29	22	24	17	17	23	8	20	18	18	14	15
		F	260	22	25	18	21	25	20	17	19	20	23	23	27
82c	Softening of the brain	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	–	–	–	–	2	1
		F	7	1	1	–	2	–	–	–	–	–	1	1	1
82d	Hemiplegia and other paralysis, cause unspecified	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	–	–	1	–	1	–	–
		F	7	1	–	1	1	1	1	–	1	–	–	–	1
83	General paralysis of the insane	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	5	6	4	9	6	3	7	5	5	11	10	6
		F	13	–	–	2	1	–	–	1	2	1	1	1	4
84	Dementia præcox and other psychoses	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	4	1	–	–	–	–	1	–	1	1	–	–	–
84a	Dementia præcox	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
84b	Other psychoses	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
85	Epilepsy	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	3	3	3	7	5	3	2	4	2	2	1	2
		F	23	1	1	2	2	2	1	3	2	3	–	3	3
86	Convulsions (under 5 years of age)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	1	1	1	–	–	–	–	1	1
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
87	Other diseases of the nervous system	T	138	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	7	4	7	7	12	6	6	4	3	9	4	4
		F	65	11	11	4	3	4	6	2	5	6	3	5	5
87a	Neuralgia and neuritis	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	2	–	–	–	1	–	–	–	–	–	–
		F	5	–	–	1	1	1	–	–	–	1	–	1	–
87b	Other diseases of the nervous system	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	7	2	7	7	12	5	6	4	3	9	4	4
		F	60	11	11	3	2	3	6	2	5	5	3	4	5

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
88	Diseases of the organs of vision	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	1	1	1	1	–	–	–	–
89	Diseases of the ear and of the mastoid process	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	7	5	3	5	4	–	3	1	5	2	4	1
		F	34	3	3	2	5	5	2	3	–	2	4	1	4
89*a*	Diseases of the ear	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	7	5	3	5	3	–	1	1	3	2	3	1
		F	26	3	2	1	4	4	2	3	–	2	3	–	2
89*b*	Diseases of the mastoid process	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	2	–	2	–	1	–
		F	8	–	1	1	1	1	–	–	–	–	1	1	2
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	17,392	–	–	–	–	–	–	–	–	–	–	–	–
		M	9,207	837	746	823	765	793	715	714	668	706	792	772	876
		F	8,185	782	722	729	768	689	669	547	561	604	665	628	821
90	Pericarditis	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	1	–	–	–	5	1	–	1	1	–
		F	10	–	1	2	2	–	–	1	1	–	1	1	1
91	Acute endocarditis	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	4	1	1	4	8	2	6	4	4	4	2	3
		F	43	1	1	4	1	2	10	2	3	4	4	3	8
91*a*	Specified as acute	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	1	1	4	8	2	5	4	4	4	1	2
		F	39	1	1	4	1	2	10	2	3	3	3	2	7
91*b*	Unspecified (under 45 years of age)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–	–	1	1
		F	4	–	–	–	–	–	–	–	–	1	1	1	1
92	Chronic endocarditis, valvular diseases	T	1,678	–	–	–	–	–	–	–	–	–	–	–	–
		M	758	64	64	68	70	74	64	55	58	56	66	60	59
		F	920	85	83	79	87	88	68	57	63	76	75	69	90
92*a*	Endocarditis specified as chronic and valvular disease	T	1,584	–	–	–	–	–	–	–	–	–	–	–	–
		M	730	61	62	65	68	69	61	55	54	55	62	60	58
		F	854	75	75	74	82	86	64	51	61	64	70	64	88
92*b*	Endocarditis unspecified (45 years and over)	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	3	2	3	2	5	3	–	4	1	4	–	1
		F	66	10	8	5	5	2	4	6	2	12	5	5	2
93	Diseases of the myocardium	T	5,840	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,736	277	237	270	210	248	207	190	190	206	223	213	265
		F	3,104	298	272	279	296	294	251	200	210	212	263	225	304
93*a*	Acute myocarditis	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	3	5	4	5	2	6	4	5	3	2	5	2
		F	55	8	8	3	5	4	8	2	6	2	3	2	4
93*b*	Myocarditis unspecified (under 45 years of age)	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	1	–	1	3	2	–	–	1	2	2
		F	12	–	1	–	–	–	1	–	2	3	2	2	1
93*c*	Chronic myocarditis and myocardial degeneration	T	4,009	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,867	190	170	167	134	174	134	127	133	156	150	148	184
		F	2,142	206	183	191	213	214	152	146	141	145	182	156	213
93*d*	Other diseases of the myocardium	T	1,704	–	–	–	–	–	–	–	–	–	–	–	–
		M	809	82	62	98	71	71	64	57	52	47	70	58	77
		F	895	84	80	85	78	76	90	52	61	62	76	65	86
94	Diseases of the coronary arteries and angina pectoris	T	3,872	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,620	197	196	260	238	192	197	221	193	198	235	225	268
		F	1,252	116	126	131	114	85	99	79	71	103	101	101	126
94*a*	Angina pectoris	T	278	–	–	–	–	–	–	–	–	–	–	–	–
		M	182	24	13	17	13	13	10	18	9	17	13	10	25
		F	96	8	12	12	6	8	9	2	4	8	12	6	9
94*b*	Diseases of the coronary arteries	T	3,594	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,438	173	183	243	225	179	187	203	184	181	222	215	243
		F	1,156	108	114	119	108	77	90	77	67	95	89	95	117
95	Other diseases of the heart	T	4,798	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,527	237	202	188	199	241	206	187	172	196	227	233	239
		F	2,271	222	185	194	218	178	193	162	163	164	175	184	233
95*a*	Functional diseases of the heart	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	2	–	2	2	1	1	–	1	2	1	1
		F	17	2	1	4	5	1	–	–	2	–	1	1	–
95*b*	Other and unspecified	T	4,767	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,513	236	200	188	197	239	205	186	172	195	225	232	238
		F	2,254	220	184	190	213	177	193	162	161	164	174	183	233
96	Aneurysm (except of the heart)	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	3	1	1	7	4	5	5	3	4	5	1	–
		F	13	3	1	1	–	2	4	–	–	–	2	–	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	894	–	–	–	–	–	–	–	–	–	–	–	–
		M	396	44	38	27	31	23	27	38	37	36	27	32	36
		F	498	50	45	34	45	37	37	41	43	39	39	39	49
98	Gangrene	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	2	2	2	–	3	–	1	2	1	–	1
		F	18	4	2	1	1	1	2	2	1	2	–	–	2

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
99	Other diseases of the arteries	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	7	3	3	2	1	4	6	6	4	2	3	4
		F	34	2	5	1	2	1	5	1	3	1	4	4	5
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	1	1	–	1	2	–	1	1	1
		F	18	–	1	3	2	1	–	1	3	2	1	1	3
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
102	Idiopathic anomalies of the blood pressure	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	1	–	–	1	–	–	1	–
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
103	Other diseases of the circulatory system.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System.	T	3,630	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,017	236	232	272	219	182	139	81	84	115	134	132	191
		F	1,613	203	195	211	193	135	102	75	80	76	89	104	150
104	Diseases of the nasal fossae and annexae	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	1	–	1	–	2	1	1	1	–
		F	15	–	–	2	3	–	1	2	2	1	1	2	1
105	Diseases of the larynx	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	4	1	–	–	1	–	1	–	–	–	–
		F	9	1	–	1	2	1	–	1	1	–	–	2	–
106	Bronchitis	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	6	7	7	6	8	8	3	2	2	3	3	6
		F	46	8	6	5	5	6	2	3	2	3	2	2	2
106*a*	Acute	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	4	1	2	3	2	1	–	2	–	1	3
		F	17	6	4	2	2	2	–	–	–	–	1	–	–
106*b*	Chronic	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	2	2	1	1	1	1	–	3	1	2
		F	18	2	2	2	2	–	1	1	2	1	1	2	2
106*c*	Unspecified (under 5 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
106*d*	Unspecified (5 years and over)	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	3	1	3	2	4	4	1	1	–	–	1	1
		F	11	–	–	1	1	4	1	2	–	2	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,868	–	–	–	–	–	–	–	–	–	–	–	–
		M	974	110	121	116	98	93	68	41	35	68	62	69	93
		F	894	108	103	103	107	73	60	43	54	46	47	61	89
107*a*	Bronchopneumonia	T	1,862	–	–	–	–	–	–	–	–	–	–	–	–
		M	972	110	121	114	98	93	68	41	35	68	62	69	93
		F	890	108	103	103	106	73	59	43	53	46	47	61	88
107*b*	Capillary bronchitis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	2	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	–	1	–	1	–	–	–	1
108	Lobar pneumonia	T	1,312	–	–	–	–	–	–	–	–	–	–	–	–
		M	777	96	85	123	101	57	44	26	26	34	59	50	76
		F	535	73	78	87	65	43	30	15	15	18	31	31	49
109	Pneumonia, unspecified	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	2	3	1	5	1	2	1	1	3	1	5
		F	10	2	1	–	1	2	1	–	–	–	1	1	1
110	Pleurisy	T	97	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	12	7	8	8	11	4	6	7	2	1	1	5
		F	25	2	2	6	3	4	1	1	–	1	1	2	2
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	–	–	4	1	3	5	–	5	2	1	1	1
		F	24	4	2	2	2	1	3	2	1	3	1	1	2
111*a*	Pulmonary embolism and thrombosis	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	–	3	1	–	1	–	4	2	1	1	–
		F	8	–	1	1	2	1	1	–	1	–	1	–	–
111*b*	Others	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	1	–	3	4	–	1	–	–	–	1
		F	16	4	1	1	–	–	2	2	–	3	–	1	2
112	Asthma	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	2	1	2	1	3	–	1	3	2	1	3
		F	33	3	2	2	2	3	2	6	4	4	4	1	–
113	Pulmonary emphysema	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	–	–	–	1	–	–	–	–	2
114	Other diseases of the respiratory system (tuberculosis excepted)	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	2	9	1	4	4	3	4	2	2	5	2
		F	18	2	1	2	3	2	2	1	1	–	1	1	2

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system.	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	–	1	–	1	1	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung . . .	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	4	2	7	1	3	4	2	3	1	2	4	2
		F	18	2	1	2	3	2	2	1	1	–	1	1	2
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T	2,487	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,378	114	113	111	96	114	114	119	106	125	118	121	127
		F	1,109	101	80	99	90	94	78	88	106	91	96	87	99
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	129	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	10	2	9	5	3	3	8	3	5	2	5	6
		F	68	5	7	10	8	3	7	2	7	3	5	5	6
115a	Pharynx and tonsils .	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	9	2	9	4	2	1	6	2	3	2	4	5
		F	67	5	7	10	8	3	7	2	7	3	4	5	6
115b	Diseases of buccal cavity and annexa . .	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	–	1	1	2	2	1	2	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
116	Diseases of the esophagus .	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	4	1	–	–	–	–	1	–	–	–	1	1	–
117	Ulcer of the stomach and duodenum . . .	T	326	–	–	–	–	–	–	–	–	–	–	–	–
		M	263	17	25	20	10	15	30	21	18	27	29	25	26
		F	63	9	2	8	1	4	6	4	2	4	13	5	5
117a	Stomach . . .	T	194	–	–	–	–	–	–	–	–	–	–	–	–
		M	158	11	16	8	6	6	20	13	11	16	20	11	20
		F	36	5	1	4	–	4	4	1	2	4	6	2	3
117b	Duodenum . . .	T	132	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	6	9	12	4	9	10	8	7	11	9	14	6
		F	27	4	1	4	1	–	2	3	–	–	7	3	2
118	Other diseases of the stomach (cancer excepted) .	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	–	1	–	–	2	–	1	3	–	1
		F	9	–	1	1	–	–	2	–	2	–	–	2	1
119	Diarrhea and enteritis (under 2 years of age) . .	T	122	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	2	–	3	6	9	8	4	10	8	8	5	9
		F	50	4	1	4	6	2	3	7	6	7	2	4	4
120	Diarrhea, enteritis and ulceration of intestines (2 years and over) . .	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	1	5	1	6	2	5	3	3	5	2	4	2
		F	63	5	2	6	4	4	8	3	4	6	5	6	10
120a	Diarrhea, enteritis . .	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	1	2	1	2	1	1	4	1	3	1
		F	31	–	1	3	2	2	5	2	3	4	1	3	5
120b	Ulceration of intestines .	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	4	–	4	1	3	2	2	1	1	1	1
		F	32	5	1	3	2	2	3	1	1	2	4	3	5
121	Appendicitis . . .	T	450	–	–	–	–	–	–	–	–	–	–	–	–
		M	253	18	18	25	15	27	20	27	29	23	14	20	17
		F	197	22	11	19	22	11	7	13	26	15	20	11	20
122	Hernia, intestinal obstruction	T	371	–	–	–	–	–	–	–	–	–	–	–	–
		M	187	10	17	19	15	17	14	14	9	14	17	20	21
		F	184	16	15	18	16	22	14	11	17	14	13	15	13
122a	Hernia	T	208	–	–	–	–	–	–	–	–	–	–	–	–
		M	117	6	7	13	8	13	8	9	4	10	11	12	16
		F	91	6	8	9	9	15	8	5	4	6	6	6	9
122b	Intestinal obstruction .	T	163	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	4	10	6	7	4	6	5	5	4	6	8	5
		F	93	10	7	9	7	7	6	6	13	8	7	9	4
123	Other diseases of the intestines	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	4	2	1	6	4	4	2	2	–	3	5
		F	41	3	3	5	2	5	1	1	4	3	6	5	3
124	Cirrhosis of the liver . .	T	436	–	–	–	–	–	–	–	–	–	–	–	–
		M	295	36	29	25	26	19	19	22	15	27	29	26	22
		F	141	9	9	12	8	19	12	11	15	9	10	9	18
124a	Specified as alcoholic .	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	1	3	4	2	1	5	2	4	9	4	6
		F	17	1	–	–	–	–	3	–	2	2	2	3	4
124b	Not specified as alcoholic .	T	372	–	–	–	–	–	–	–	–	–	–	–	–
		M	248	30	28	22	22	17	18	17	13	23	20	22	16
		F	124	8	9	12	8	19	9	11	13	7	8	6	14
125	Other diseases of the liver (including yellow atrophy of liver)	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	1	2	2	3	2	1	2	1	1	3	2
		F	29	5	1	–	4	2	2	3	3	4	1	2	2
125a	Yellow atrophy of liver .	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	1	1	–	–	–	1	1	1
		F	9	1	1	–	2	1	–	1	–	3	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
125b	Others	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	2	2	2	1	1	2	1	–	2	1
		F	20	4	–	–	2	1	2	2	3	1	1	2	2
126	Biliary calculi	T	220	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	5	5	–	3	5	3	8	7	8	7	2	8
		F	159	9	22	12	9	14	8	19	13	14	13	15	11
127	Other diseases of the gall bladder and biliary passages	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	6	3	2	3	3	4	2	4	4	4	5	2
		F	65	8	3	3	8	5	7	11	3	9	4	2	2
128	Diseases of the pancreas	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	1	–	2	1	3	2	–	1	2	2
		F	19	3	–	1	1	2	–	1	1	2	3	3	2
129	Peritonitis, cause not specified	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	–	2	3	3	1	–	1	–	1	1	4
		F	17	2	3	–	1	1	–	2	3	1	–	2	2
X.	DISEASES OF THE GENITO-URINARY SYSTEM	T	3,639	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,943	163	162	198	151	172	166	138	155	136	161	160	18
		F	1,696	172	131	162	152	149	138	127	147	140	127	113	13
130	Acute nephritis (including unspecified under 10 years of age)	T	58	–	–	–	–	–	–	–	–	–	–	–	8
		M	32	5	3	2	4	1	3	2	4	2	2	3	–
		F	26	3	1	2	1	6	1	–	3	3	–	3	1
131	Chronic nephritis	T	2,887	–	–	–	–	–	–	–	–	–	–	–	3
		M	1,449	124	130	146	114	125	122	98	116	101	121	110	14
		F	1,438	135	112	137	132	128	120	117	121	114	108	97	11
132	Nephritis, unspecified (10 years and over)	T	65	–	–	–	–	–	–	–	–	–	–	–	7
		M	31	3	2	4	–	3	1	3	3	4	2	5	–
		F	34	6	1	2	4	1	4	3	2	3	3	1	1
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	135	–	–	–	–	–	–	–	–	–	–	–	4
		M	66	7	4	7	2	6	5	6	9	6	6	5	–
		F	69	8	6	13	6	1	2	2	8	5	10	5	3
133a	Pyelitis	T	113	–	–	–	–	–	–	–	–	–	–	–	3
		M	56	6	3	6	1	6	5	4	9	5	5	3	–
		F	57	8	5	10	5	–	2	2	5	4	8	5	3
133b	Others	T	22	–	–	–	–	–	–	–	–	–	–	–	2
		M	10	1	1	1	1	–	–	2	–	1	1	2	–
		F	12	–	1	3	1	1	–	–	3	1	2	–	–
134	Calculi of the urinary passages	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	5	7	3	3	6	1	2	3	2	4	2	–
		F	22	4	2	1	2	1	1	–	4	3	1	–	1
134a	Of the kidneys and ureters	T	44	–	–	–	–	–	–	–	–	–	–	–	3
		M	23	3	5	1	2	5	–	–	1	2	2	2	–
		F	21	4	2	1	2	1	1	–	4	2	1	–	–
134b	Of the bladder	T	13	–	–	–	–	–	–	–	–	–	–	–	3
		M	13	2	2	1	1	–	1	2	2	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134c	Other and unspecified	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	1
135	Diseases of the bladder (tumors excepted)	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	1	1	2	2	7	3	3	1	2	3	2	–
		F	16	3	2	1	–	2	1	–	1	1	1	–	5
135a	Cystitis	T	38	–	–	–	–	–	–	–	–	–	–	–	4
		M	26	1	1	2	1	7	1	2	1	1	3	1	5
		F	12	1	2	1	–	2	1	–	1	1	1	–	
135b	Others	T	10	–	–	–	–	–	–	–	–	–	–	–	2
		M	6	–	–	–	1	–	2	1	–	1	–	1	–
		F	4	2	–	–	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra, urinary abscess, etc.	T	20	–	–	–	–	–	–	–	–	–	–	–	2
		M	19	3	1	4	–	1	1	3	–	1	1	2	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	2
136a	Stricture of the urethra	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	3	–	–	–	1	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1
136b	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	1	–	1	1	2	–	1	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	1
137	Diseases of the prostate	T	271	–	–	–	–	–	–	–	–	–	–	–	–
		M	271	15	13	30	26	23	30	21	19	18	21	29	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	6
138	Diseases of the male genital organs, not specified as venereal	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	90	13	7	5	7	10	9	5	8	11	4	7	–
139a	Cysts of the ovary	T	25	–	–	–	–	–	–	–	–	–	–	–	4
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	25	1	4	–	1	4	2	1	2	4	2	2	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
139*b*	Other diseases of the ovaries, tubes and parametrium	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	2	1	1	3	2	3	–	4	2	–	2	1
139*c*	Diseases of the uterus	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	40	8	1	4	3	4	3	4	2	5	2	3	1
139*d*	Nonpuerperal diseases of the breast (cancer excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
139*e*	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	2	1	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	232	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	232	26	15	18	19	19	22	24	19	18	17	12	23
140	Abortion with septic conditions	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	20	–	2	–	2	2	2	4	1	–	3	1	3
141	Abortion without mention of septic conditions (to include hemorrhages)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	3	–	–	3	–	1	–	2	1	–
142	Ectopic gestation	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	2	1	–	–	1	1	1	2	1	1	1	2
142*a*	With septic conditions specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
142*b*	Without mention of septic conditions	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	2	1	–	–	1	1	1	2	1	1	1	1
143	Other accidents of pregnancy (not to include hemorrhages)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
144	Puerperal hemorrhage	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	39	6	–	2	2	5	4	2	5	5	3	2	3
144*a*	Placenta prævia	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	3	–	1	1	–	2	–	1	2	–	2	–
144*b*	Other puerperal hemorrhages	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	27	3	–	1	1	5	2	2	4	3	3	–	3
145	Puerperal septicemia (not specified as due to abortion)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	41	8	1	4	2	2	3	5	6	2	3	2	3
145*a*	Puerperal septicemia and pyemia	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	41	8	1	4	2	2	3	5	6	2	3	2	3
146	Puerperal albuminuria and eclampsia	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	24	1	1	1	6	4	2	2	1	3	2	–	–
147	Other toxemias of pregnancy	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	5
		F	19	2	1	1	1	3	1	1	1	2	1	–	–
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	4	3	1	3	1	1	3	1	–	1	3	–
148*a*	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
148*b*	Embolism and thrombosis	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	4	3	1	3	1	1	3	1	–	1	3	–
149	Other accidents of childbirth	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	43	3	6	6	2	1	5	6	1	5	1	2	5
149*a*	Cesarean operation	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	2	1	2	–	–	2	4	–	3	–	–	1
149*b*	Others	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	28	1	5	4	2	1	3	2	1	2	1	2	4
150	Other and unspecified conditions of the puerperal state	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XII.	Diseases of the Skin and Cellular Tissue	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	4	3	3	4	4	3	4	1	1	1	2	2
		F	29	–	1	–	7	1	4	4	2	2	3	1	4
151	Furuncle, carbuncle	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	2	2	–	2	–	1	–	1	–	1	–
		F	9	–	–	–	3	1	–	1	–	1	2	–	1
152	Phlegmon, acute abscess	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	–	2	2	2	–	–	–	1	–	2
		F	7	–	1	–	2	–	1	1	–	1	–	–	1
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	2	–	1	3	1	–	–	1	–
		F	13	–	–	–	2	–	3	2	2	–	1	1	2
XIII.	Diseases of the Bones and Organs of Locomotion	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	3	5	2	1	–	4	2	4	1	2	3	1
		F	16	2	1	–	6	–	–	1	–	1	4	–	1
154	Osteomyelitis	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	5	–	–	–	2	–	3	–	1	3	–
		F	7	–	1	–	2	–	–	1	–	–	3	–	–
155	Other diseases of the bones (tuberculosis excepted)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	2	–	–	–	2	1	–	–	–	–
		F	4	1	–	–	1	–	–	–	–	–	1	–	
156	Diseases of the joints and other organs of locomotion	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	–	2	–	–	1	1	–	1
		F	5	1	–	–	3	–	–	–	–	1	–	–	–
156*a*	Diseases of the joints (tuberculosis and rheumatism excepted)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	4	1	–	–	2	–	–	–	–	1	–	–	–
156*b*	Other organs of locomotion	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	2	–	–	–	1	–	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	387	–	–	–	–	–	–	–	–	–	–	–	–
		M	198	17	20	16	18	18	8	18	18	23	12	20	10
		F	189	16	6	16	17	16	17	18	19	17	20	19	8
157	Congenital malformations (stillbirths not included)	T	387	–	–	–	–	–	–	–	–	–	–	–	–
		M	198	17	20	16	18	18	8	18	18	23	12	20	10
		F	189	16	6	16	17	16	17	18	19	17	20	19	8
157*a*	Congenital hydrocephalus	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	2	–	2	1	–	1	2	2	–	2	–
		F	13	3	–	1	1	–	2	–	1	2	2	1	–
157*b*	Spina bifida and meningocele	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	4	6	1	2	2	4	6	2	–	4	2
		F	56	4	2	8	4	7	7	6	5	3	3	4	3
157*c*	Congenital malformation of the heart	T	160	–	–	–	–	–	–	–	–	–	–	–	–
		M	95	8	10	6	9	9	5	5	7	15	10	8	3
		F	65	4	3	3	8	4	5	5	6	7	8	10	2
157*d*	Others	T	108	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	4	4	4	6	6	1	8	3	4	2	6	5
		F	55	5	1	4	4	5	3	7	7	5	7	4	3
XV.	Diseases of Early Infancy	T	1,326	–	–	–	–	–	–	–	–	–	–	–	–
		M	766	71	60	64	75	66	68	74	63	54	57	60	54
		F	560	59	42	49	52	46	43	44	43	49	34	47	52
158	Congenital debility	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	4	3	–	1	–	–	2	2	1	–	–	1
		F	6	2	–	1	1	–	–	1	–	–	–	–	1
159	Premature birth	T	898	–	–	–	–	–	–	–	–	–	–	–	–
		M	500	46	34	39	49	44	48	36	34	45	36	44	45
		F	398	47	20	28	32	38	35	33	34	35	21	33	42
160	Injury at birth	T	217	–	–	–	–	–	–	–	–	–	–	–	–
		M	139	11	16	11	14	13	9	21	14	3	15	5	7
		F	78	–	13	6	9	5	5	5	8	9	5	10	3
160*a*	Cesarean operation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
160*b*	Without Cesarean operation	T	215	–	–	–	–	–	–	–	–	–	–	–	–
		M	137	11	16	11	12	13	9	21	14	3	15	5	7
		F	78	–	13	6	9	5	5	5	8	9	5	10	3
161	Other diseases peculiar to early infancy	T	191	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	10	7	14	11	9	11	15	13	5	6	11	1
		F	78	10	9	14	10	3	3	5	1	5	8	4	6
161*a*	Atelectasis	T	109	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	7	3	7	6	7	5	8	6	5	5	4	1
		F	45	3	5	9	7	2	2	3	1	5	5	1	2
161*b*	Icterus of the new-born	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	1	–	–	2	1	–	–	3	–
		F	5	1	–	2	–	–	1	–	–	–	1	–	–
161*c*	Sclerema	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161*d*	Others	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	3	4	7	4	2	6	5	6	–	1	4	–
		F	27	5	4	3	3	1	–	2	–	–	2	3	4
XVI.	Senility	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	1	2	–	–	–	3	1	1
		F	19	3	–	3	2	1	2	1	2	–	1	2	2
162	Senility	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	1	2	–	–	–	3	1	1
		F	19	3	–	3	2	1	2	1	2	–	1	2	2
XVII	Violent and Accidental Deaths	T	3,590	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,333	181	151	174	190	194	174	186	237	244	187	194	221
		F	1,257	105	111	99	92	102	96	89	107	149	95	92	120
163–171	Suicide (total)	T	586	–	–	–	–	–	–	–	–	–	–	–	–
		M	440	34	29	43	42	43	34	36	43	25	39	34	38
		F	146	9	13	9	7	13	12	13	12	18	16	13	11
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	4	2	2	1	4	3	4	–	1	1	–	–
		F	18	–	3	1	1	1	–	–	3	1	4	2	2
163*a*	Arsenical group	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid and all derivatives	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	–	1	1	1	–	–	1	–	–
		F	5	–	–	–	–	–	–	–	1	–	1	2	1
163*c*	Cresol compounds group	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
163*d*	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	1	–	2	–	1
163*e*	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	Hydrocyanic acid and all cyanides except gases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*o*	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
163*x*	All other poisons or kinds not stated	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	1	1	–	–	–	–	–	–
		F	6	–	2	–	1	1	–	–	1	1	–	–	–
164	Suicide by poisonous gas	T	160	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	6	12	8	6	6	11	7	8	6	8	9	18
		F	55	3	3	5	1	7	7	4	–	10	5	5	5
164*a*	Illuminating gas	T	100	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	4	5	7	4	3	6	3	4	3	2	5	8
		F	46	2	3	5	–	7	7	3	–	9	3	3	4
164*b*	Automobile exhaust gas	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	2	7	1	2	3	4	4	4	3	6	4	10
		F	8	1	–	–	–	–	–	1	–	1	2	2	1
164*c*	Coal and other fuel gases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*x*	Other gases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	119	11	6	13	15	12	7	13	12	6	12	6	6
		F	18	4	1	–	2	–	–	1	2	4	2	–	2
166	Suicide by drowning	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	2	1	4	4	8	3	6	8	–	2	1	–
		F	24	2	2	2	1	2	2	2	2	3	3	2	1
167	Suicide by firearms	T	111	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	6	6	10	11	8	10	5	13	6	13	10	10
		F	3	–	–	1	–	–	–	–	–	–	–	2	–
168	Suicide by cutting or piercing instruments	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	5	–	5	1	3	–	–	2	5	1	3	1
		F	5	–	–	–	–	–	1	2	1	–	1	–	–

Table 13

Allocated Deaths (exclusive of stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
169	Suicide by jumping from high places	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	1	1	3	2	–	1	–	1	2	5	3
		F	17	–	4	–	1	1	–	3	4	–	1	2	1
170	Suicide by crushing	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	1	2	–	–	–	–	–	–
171	Suicide by other means	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
172–17a	Homicide (total)	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	5	6	5	7	5	4	2	3	2	–	4	2
		F	16	–	2	2	1	2	3	2	2	1	–	1	–
172	Infanticide (murder of infants under one year of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
172a	Immediately after birth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
173	Homicide by firearms	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	4	–	1	2	2	–	1	1	–	3	1
		F	3	–	–	1	–	–	1	–	–	–	–	1	–
174	Homicide by cutting or piercing instruments	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	2	1	1	–	–	1	–	–	–	1	–
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
175	Homicide by other means	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	3	–	4	5	2	2	1	2	1	–	–	1
		F	9	–	2	1	–	1	2	–	2	1	–	–	–
176–198, 201–214	Accidents (total)	T	2,943	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,848	142	116	126	141	146	136	148	191	217	148	156	181
		F	1,095	96	96	88	84	87	81	74	93	130	79	78	109
176	Attack by venomous animals	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
177	Poisoning by food	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	1	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
178	Accidental absorption of poisonous gas	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	6	5	7	7	2	2	5	–	1	2	7	6
		F	29	5	4	1	2	1	1	–	–	3	3	4	5
178a	Illuminating gas	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	1	3	7	4	–	2	3	–	–	2	5	3
		F	18	1	4	1	1	1	1	–	–	2	3	2	2
178b	Automobile exhaust gas	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	4	2	–	3	1	–	2	–	1	–	2	3
		F	5	2	–	–	1	–	–	–	–	–	–	1	1
178c	Coal and other fuel gases	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	5	2	–	–	–	–	–	–	–	–	–	1	2
178x	Other gases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
179	Other acute accidental poisonings (gas excepted)	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	1	3	5	3	3	3	2	3	2	3	1
		F	9	–	–	1	–	1	1	–	3	–	1	1	1
179a	Arsenical group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
179b	Barbituric acid and all derivatives	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	1	1	–	–	–	–	2	–
		F	2	–	–	–	–	–	1	–	–	–	1	–	–
179c	Cresol compounds group	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	Mercury compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
179e	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
179f	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
179*h*	Narcotic group	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*m*	Methanol, denatured, wood and other alcohols (not ethyl)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	4	2	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
179*o*	Carbolic acid and phenol	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
179*x*	All other poisons or kinds not stated	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	–	3	–	–	2	1	1	3	1	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
180	Conflagration	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	5	2	2	4	1	–	–	1	2	3	1	5
		F	11	1	1	3	1	–	–	–	–	1	2	1	1
181	Accidental burns (conflagration excepted)	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	3	3	6	10	8	4	5	6	5	6	4	12
		F	44	7	9	5	7	3	2	1	–	2	2	2	4
182	Accidental mechanical suffocation	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	1	4	4	2	2	2	2	–	4	6	5
		F	14	3	–	–	1	2	2	1	1	–	–	2	2
183	Accidental drowning	T	242	–	–	–	–	–	–	–	–	–	–	–	–
		M	172	–	10	6	6	10	26	32	30	35	7	4	6
		F	70	–	2	1	3	1	3	4	6	47	–	–	3
184	Accidental traumatism by firearms (wounds of war excepted)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	3	2	–	2	–	2	–	1	1	1	3	4
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	1	1	–	1	2	1	1	2	1
		F	5	–	–	–	–	3	–	1	–	–	–	–	1
186	Accidental traumatism by fall, crushing	T	1,214	–	–	–	–	–	–	–	–	–	–	–	–
		M	570	51	39	49	38	46	41	41	56	56	54	44	55
		F	644	54	61	61	52	47	49	48	59	51	49	48	65
186*a*	Fall	T	1,207	–	–	–	–	–	–	–	–	–	–	–	–
		M	564	50	38	49	38	45	41	41	56	56	52	44	54
		F	643	54	61	61	52	47	49	48	59	50	49	48	65
186*b*	Crushing	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	1	–	–	–	–	2	–	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
187	Cataclysm	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	–	–	1	2	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–	1	–	–
190	Excessive cold	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	4	1	–	–	–	–	–	–	–	–	3	3
		F	2	1	1	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	7	–	–	–	–
		F	3	–	–	–	–	–	–	–	3	–	–	–	–
192	Lightning	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	2	3	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
193	Accidents due to electric currents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	1	–	2	2	4	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	208	–	–	–	–	–	–	–	–	–	–	–	–
		M	152	18	10	10	12	14	12	5	8	27	12	10	14
		F	56	9	5	5	2	7	6	4	1	7	5	1	4
194*a*	Foreign body	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	3	2	5	3	2	1	1	1	2	3	2
		F	16	3	3	1	–	3	1	1	–	1	2	–	1
194*b*	Others	T	166	–	–	–	–	–	–	–	–	–	–	–	–
		M	126	17	7	8	7	11	10	4	7	26	10	7	12
		F	40	6	2	4	2	4	5	3	1	6	3	1	3
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	2	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
198	Legal executions	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	3	1	2	–	1	–	2	2	2	3	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203*f*	Traumatism by fall	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	–	–	–	1	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203*g*	Traumatism by crushing	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	2	1	2	–	1	–	1	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	1	2	1	2	2	1	–	2	–	1	3
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
205*e*	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205*g*	Traumatism by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	2	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
205*m*	Other accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	–	1	–	1	–	1	–	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	2	1	–	–	1	1	2	–
		F	3	–	–	–	–	2	–	–	–	–	–	1	–
206*m*	Other accidents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	2	1	–	–	1	1	2	–
		F	3	–	–	–	–	2	–	–	–	–	–	1	–
207	Other railroad accidents	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	2	2	–	5	4	4	4	7	2	3	5
		F	13	–	1	1	1	–	1	2	–	2	1	3	1
207*b*	Burns (conflagration excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*e*	Traumatism by cutting or piercing instruments	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	1	–	–	1	–	1	1	2
		F	3	–	–	–	1	–	–	–	–	1	1	–	–
207*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
207*g*	Traumatism by crushing	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	–	–	2	2	3	1	3	1	2	–
		F	3	–	1	–	–	–	–	–	–	–	–	2	–
207*m*	Other accidents	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	2	–	1	2	1	2	3	–	–	3
		F	6	–	–	1	–	–	1	1	–	1	–	1	1
208	Street car and automobile collisions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
208*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
209	Other street car accidents	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	1	3	–	1	1	1	–	–	2
		F	6	1	–	1	2	–	–	1	–	–	–	1	–
209*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	2	–	–	–	–	–	–	–	–
209*g*	Traumatism by crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209*m*	Other accidents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	2	–	1	1	1	–	–	2
		F	4	1	–	1	–	–	–	1	–	–	–	1	–
210	Automobile accidents	T	645	–	–	–	–	–	–	–	–	–	–	–	–
		M	481	32	31	30	43	29	27	30	52	53	46	53	55
		F	164	11	11	9	12	16	15	10	16	16	15	12	21
210*b*	Burns (conflagration excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*d*	Drowning	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
210*e*	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*f*	Traumatism by fall	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	1	–	3	–	1	3	–	1	–	1
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
210*g*	Traumatism by crushing	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	3	3	6	9	3	4	1	4	4	4	8	6
		F	8	–	2	–	–	1	–	–	–	2	1	2	–
210*m*	Other accidents	T	558	–	–	–	–	–	–	–	–	–	–	–	–
		M	405	28	25	23	34	22	23	28	44	46	40	44	48
		F	153	11	9	9	11	15	14	10	16	14	14	9	21
211	Motorcycle accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	2	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
211*f*	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
211*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	2	1	2	1	1	2	1	1	2	1
		F	4	2	1	–	–	1	–	–	–	–	–	–	–
212*f*	Traumatism by fall	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	2	–	1	1	–	2	1	1	1	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
212*m*	Other accidents	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	1	1	–	1	–	–	–	1	–
		F	3	2	1	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	1	1	1	3	14	3	10	8	11	2	2	1
		F	6	–	–	–	1	1	–	2	1	1	–	–	–
213*b*	Burns (conflagration excepted)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	3	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	Drowning	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	1	–	1	–	13	3	8	7	10	2	2	–
		F	6	–	–	–	1	1	–	2	1	1	–	–	–
213*f*	Traumatism by fall	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	1	1	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*m*	Other accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XVIII	Ill-defined Causes of Death	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	2	3	–	1	1	1	2	–	1	2	1
		F	12	–	–	2	1	–	–	1	3	–	1	4	–
199	Sudden death	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
200	Cause of death not specified or ill-defined . . .	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	3	–	1	1	1	1	–	1	2	–
		F	10	–	–	2	1	–	–	1	2	–	1	3	–
200*a*	Ill-defined	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	3	–	1	–	1	–	–	1	1	–
		F	8	–	–	1	1	–	–	1	2	–	1	2	–
200*b*	Not specified or unknown	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	1	–	–	1	–
		F	2	–	–	1	–	–	–	–	–	–	–	1	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	49,285	2,439	253	145	114	82	388	297	480	646
		M	25,719	1,367	137	79	61	43	235	167	286	317
		F	23,566	1,072	116	66	53	39	153	130	194	329
I.	Infectious and Parasitic Diseases	T	2,276	–	–	–	–	–	–	–	–	–
		M	1,394	34	20	18	11	3	30	13	34	52
		F	882	38	23	13	5	5	23	16	52	99
1	Typhoid fever	T	11	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	7	–	–	1	–	–	1	1	1	–
2	Paratyphoid fever	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
3	Typhus fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
7	Measles	T	13	–	–	–	–	–	–	–	–	–
		M	8	3	2	–	1	1	1	–	–	–
		F	5	2	1	1	–	–	1	–	–	–
8	Scarlet fever	T	24	–	–	–	–	–	–	–	–	–
		M	12	2	3	1	2	–	3	–	1	–
		F	12	–	1	1	1	–	5	–	2	–
9	Whooping cough	T	35	–	–	–	–	–	–	–	–	–
		M	18	9	6	1	1	–	1	–	–	–
		F	17	12	4	1	–	–	–	–	–	–
10	Diphtheria	T	19	–	–	–	–	–	–	–	–	–
		M	12	–	1	5	–	2	1	1	1	–
		F	7	–	3	1	–	–	2	–	–	–
11	Influenza	T	155	–	–	–	–	–	–	–	–	–
		M	64	6	1	2	1	–	3	2	2	1
		F	91	5	3	3	3	3	7	–	–	3
11*a*	With respiratory complications specified	T	105	–	–	–	–	–	–	–	–	–
		M	42	4	–	–	–	–	1	2	1	–
		F	63	4	–	1	1	1	2	–	–	2
11*b*	Without respiratory complications specified	T	50	–	–	–	–	–	–	–	–	–
		M	22	2	1	2	1	–	2	–	1	1
		F	28	1	3	2	2	2	5	–	–	1
12	Cholera	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	19	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	–	2	–	–	–
		F	8	–	1	–	–	–	–	–	–	–
13*a*	Amebic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
13*b*	Bacillary	T	15	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	–	–
		F	7	–	1	–	–	–	–	–	–	–
13*c*	Unspecified or due to other causes	T	4	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	22	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	1	–
		F	8	2	–	–	–	–	–	1	–	1
16	Acute poliomyelitis	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	1	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	1	–
17	Lethargic or epidemic encephalitis	T	19	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	1	–	1	1	1	–
		F	9	3	1	–	–	–	1	1	–	–
17*a*	Equine encephalomyelitis	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	–	–
		F	4	–	–	–	–	–	–	1	–	–
17*b*	Lethargic	T	11	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	–	–	1	–	1	–
		F	5	3	1	–	–	–	1	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of Decedents (Years). 25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
	782	833	1,209	1,707	2,423	3,207	4,074	5,108	6,020	6,246	5,619	4,070	2,174	768	167	34	–
	398	442	645	979	1,417	1,905	2,370	2,859	3,220	3,193	2,668	1,752	864	256	50	9	–
	384	391	564	728	1,006	1,302	1,704	2,249	2,800	3,053	2,951	2,318	1,310	512	117	25	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	78	82	107	144	143	143	159	131	78	64	31	15	4	–	–	–	–
	97	56	70	50	52	50	58	53	44	30	29	13	3	–	2	1	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	5	5	3	6	3	5	3	4	6	1	–	–	–	–
	3	2	4	2	2	5	5	11	4	7	10	4	3	–	1	1	–
11*a*	2	1	1	5	4	2	5	2	3	2	3	3	1	–	–	–	–
	3	2	1	2	2	4	5	9	4	6	7	2	3	–	1	1	–
11*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	1	1	1	2	1	1	3	–	–	–	–	–
	–	–	3	–	–	1	–	2	–	1	3	2	–	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	1	1	1	1	1	1	–	–	–	–	–	–
	1	1	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–
13*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–	–
	–	1	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–
13*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	1	2	1	4	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
17*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
17*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
18	Epidemic cerebrospinal meningitis	T	18	–	–	–	–	–	–	–	–	–
		M	12	2	–	1	–	–	3	–	–	1
		F	6	2	–	–	1	–	1	1	–	1
19	Glanders	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	15	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	1	–	3	–	1	1
		F	2	–	–	–	–	–	1	–	–	–
23–32	Tuberculosis (total)	T	1,675	–	–	–	–	–	–	–	–	–
		M	1,054	3	6	5	3	–	12	9	27	48
		F	621	4	5	4	–	2	3	10	47	91
23	Tuberculosis of the respiratory system	T	1,536	–	–	–	–	–	–	–	–	–
		M	986	2	2	1	1	–	6	5	24	44
		F	550	2	3	2	–	–	1	4	44	84
24	Tuberculosis of the meninges and central nervous system	T	40	–	–	–	–	–	–	–	–	–
		M	22	1	4	3	2	–	4	1	1	2
		F	18	1	2	2	–	2	1	4	2	1
25	Tuberculosis of the intestines and peritoneum	T	22	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	1	–	–
		F	15	–	–	–	–	–	–	1	1	2
26	Tuberculosis of the vertebral column	T	26	–	–	–	–	–	–	–	–	–
		M	9	–	–	1	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	1
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–
27a	Bones	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–
27b	Joints	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	11	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	–	–
		F	7	–	–	–	–	–	1	1	–	1
30	Tuberculosis of the genitourinary system	T	19	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	1	1	1
		F	6	–	–	–	–	–	–	–	–	–
31	Tuberculosis of other organs	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
32	Disseminated tuberculosis	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1
		F	4	1	–	–	–	–	–	–	–	2
32a	Acute	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1
		F	3	1	–	–	–	–	–	–	–	2
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	198	–	–	–	–	–	–	–	–	–
		M	133	4	–	–	–	–	–	–	–	–
		F	65	3	–	1	–	–	–	1	1	2
34a	Congenital	T	12	–	–	–	–	–	–	–	–	–
		M	5	4	–	–	–	–	–	–	–	–
		F	7	3	–	1	–	–	–	1	1	1
34b	Acquired	T	8	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
34c	Unspecified	T	178	–	–	–	–	–	–	–	–	–
		M	123	–	–	–	–	–	–	–	–	–
		F	55	–	–	–	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	73	73	97	111	123	110	122	97	61	47	18	9	-	-	-	-	-
	86	50	61	42	37	36	39	34	31	18	15	5	-	-	1	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	70	69	92	106	119	104	116	93	60	45	18	9	-	-	-	-	-
	80	48	57	38	32	30	34	28	26	16	15	5	-	-	1	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	1	-	2	1	-	3	1	2	-	1	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	-	1	2	-	1	1	-	-	-	-	-	-	-	-
	2	-	-	1	3	-	3	4	3	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
27*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	2	3	1	1	-	-	-	-	-	-	-	-	-
	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	6	18	10	22	24	23	9	8	7	-	1	-	-	-	-
	2	3	2	5	7	8	11	6	7	3	2	1	-	-	-	-	-
34*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
34*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	6	17	9	22	23	20	9	8	7	-	1	-	-	-	-
	1	3	2	5	7	7	10	6	7	3	2	1	-	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
35	Gonococcus infection and other venereal diseases	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	1	–	–	–
36	Purulent infection, septicemia, non-puerperal	T	13	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	–	–	–	–
		F	8	2	2	–	–	–	–	–	–	1
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
43	Mycoses	T	13	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	–	–	1	–	–
44	Other infectious and parasitic diseases	T	7	–	–	–	–	–	–	–	–	–
		M	3	1	1	1	–	–	–	–	–	–
		F	4	2	1	–	–	–	–	–	–	–
44*a*	Chicken-pox	T	5	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–
		F	3	2	1	–	–	–	–	–	–	–
44*b*	German measles	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
44*c*	Others under this title	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	7,097	–	–	–	–	–	–	–	–	–
		M	3,237	3	6	2	3	2	10	5	9	15
		F	3,860	2	2	4	2	2	5	8	5	9
45–53	Cancer and other malignant tumors (total)	T	6,875	–	–	–	–	–	–	–	–	–
		M	3,163	1	4	–	3	1	8	3	8	13
		F	3,712	1	2	3	1	1	2	3	5	8
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	248	–	–	–	–	–	–	–	–	–
		M	215	–	–	–	–	–	–	–	–	–
		F	33	–	–	–	–	–	–	–	–	–
45*a*	Lip	T	24	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
45*b*	Tongue	T	74	–	–	–	–	–	–	–	–	–
		M	65	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
45*c*	Mouth	T	40	–	–	–	–	–	–	–	–	–
		M	33	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
45*d*	Jaw	T	36	–	–	–	–	–	–	–	–	–
		M	29	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
45*e*	Other and unspecified parts of buccal cavity	T	27	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
45*f*	Pharynx	T	47	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,424	–	–	–	–	–	–	–	–	–
		M	1,784	1	1	–	1	–	–	–	–	5
		F	1,640	1	–	–	–	–	–	–	1	1
46*a*	Esophagus	T	155	–	–	–	–	–	–	–	–	–
		M	129	–	–	–	–	–	–	–	–	–
		F	26	–	–	–	–	–	–	–	–	–
46*b*	Stomach and duodenum	T	1,144	–	–	–	–	–	–	–	–	–
		M	652	–	–	–	–	–	–	–	–	1
		F	492	–	–	–	–	–	–	–	–	–
46*c*	Intestine (except rectum and anus)	T	1,002	–	–	–	–	–	–	–	–	–
		M	434	–	–	–	–	–	–	–	–	2
		F	568	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of Decedents (Years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	2	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
44*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	21	50	91	181	254	387	456	564	504	388	190	64	16	–	–	–
	25	64	124	209	265	366	420	510	545	503	420	248	94	25	3	–	–
45–53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	20	42	88	172	247	372	452	561	500	387	188	64	16	–	–	–
	22	55	107	186	239	349	407	498	541	497	418	246	93	25	3	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	9	14	13	38	48	33	29	19	7	3	–	–	–
	–	–	–	2	1	2	2	4	8	8	2	3	1	–	–	–	–
45*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	5	5	4	4	–	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
45*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	4	5	1	16	13	11	7	4	3	–	–	–	–
	–	–	–	–	–	1	–	3	1	2	1	1	–	–	–	–	–
45*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	2	5	11	6	3	2	–	–	–	–	–
	–	–	–	1	–	–	1	1	2	1	–	1	–	–	–	–	–
45*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	1	5	6	6	8	1	–	–	–	–	–
	–	–	–	1	–	–	–	–	2	3	–	1	–	–	–	–	–
45*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	3	2	4	4	4	–	4	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
45*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	5	7	9	5	3	5	3	–	–	–	–
	–	–	–	–	1	1	1	–	3	2	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	12	20	52	96	146	219	262	319	298	210	95	33	7	–	–	–
	4	11	32	48	69	113	155	216	272	267	248	134	56	12	–	–	–
46*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	9	12	18	24	23	14	16	9	2	–	–	–	–
	–	–	–	1	–	3	3	3	2	7	4	2	1	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	8	25	38	52	89	90	117	108	69	32	16	1	–	–	–
	1	3	14	10	21	35	48	61	82	74	73	50	16	4	–	–	–
46*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	7	13	18	32	39	65	82	75	61	22	9	2	–	–	–
	2	4	6	18	24	39	49	70	81	107	93	44	24	7	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
46d	Rectum and anus	T	485	–	–	–	–	–	–	–	–	–
		M	279	–	–	–	–	–	–	–	–	1
		F	206	–	–	–	–	–	–	–	1	–
46e	Liver and biliary passages	T	380	–	–	–	–	–	–	–	–	–
		M	163	–	1	–	–	–	–	–	–	1
		F	217	1	–	–	–	–	–	–	–	–
46f	Pancreas	T	215	–	–	–	–	–	–	–	–	–
		M	111	1	–	–	–	–	–	–	–	–
		F	104	–	–	–	–	–	–	–	–	–
46g	Mesentery and peritoneum	T	41	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	1	–	–	–	–	–
		F	26	–	–	–	–	–	–	–	–	–
46h	Others	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	365	–	–	–	–	–	–	–	–	–
		M	273	–	–	–	–	–	1	–	1	1
		F	92	–	–	1	–	–	–	–	1	–
47a	Larynx	T	91	–	–	–	–	–	–	–	–	–
		M	77	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	–
47b	Lungs and pleura	T	240	–	–	–	–	–	–	–	–	–
		M	170	–	–	–	–	–	1	–	1	1
		F	70	–	–	–	–	–	–	–	1	–
47c	Others	T	34	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	8	–	–	1	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	561	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	561	–	1	–	–	–	–	–	–	1
49	Cancer and other malignant tumors of other female genital organs	T	229	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	229	–	–	–	–	–	–	–	1	2
49a	Ovary and Fallopian tube	T	198	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	198	–	–	–	–	–	–	–	1	2
49b	Vagina and vulva	T	31	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	31	–	–	–	–	–	–	–	–	–
50	Cancer and other malignant tumors of the breast	T	771	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	763	–	–	–	–	–	–	–	–	–
51	Cancer and other malignant tumors of the male genitourinary organs	T	558	–	–	–	–	–	–	–	–	–
		M	558	–	1	–	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	63	–	–	–	–	–	–	–	–	–
		M	63	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	130	–	–	–	–	–	–	–	–	–
		M	130	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	336	–	–	–	–	–	–	–	–	–
		M	336	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51d	Testes	T	15	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
51e	Scrotum	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51f	Others	T	11	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	78	–	–	–	–	–	–	–	–	–
		M	44	–	–	–	–	–	–	–	–	–
		F	34	–	–	–	–	–	–	–	–	–
53	Cancer and other malignant tumors of other or unspecified organs	T	641	–	–	–	–	–	–	–	–	–
		M	281	–	2	–	1	1	7	3	7	6
		F	360	–	1	2	1	1	2	3	2	4
53a	Kidneys and suprarenals (female)	T	40	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	40	–	–	1	1	1	1	–	–	–
53b	Bladder (female)	T	73	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	73	–	–	–	–	–	–	–	–	–
53c	Brain	T	95	–	–	–	–	–	–	–	–	–
		M	59	–	–	–	–	–	4	1	3	4
		F	36	–	–	1	–	–	–	–	–	2

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
46d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	4	8	11	25	31	47	48	45	3	15	2	–	–	–	–
	–	2	7	7	7	12	24	26	41	26	33	15	5	–	–	–	–
46e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	12	15	23	22	27	31	14	8	2	4	–	–	–
	–	1	1	5	6	16	19	34	45	41	29	11	7	1	–	–	–
46f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	7	9	18	9	20	23	13	8	2	–	–	–	–
	1	–	2	3	9	6	10	17	18	10	15	10	3	–	–	–	–
46g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	1	4	2	2	1	1	–	–	–	–	–
	–	1	2	4	2	2	2	4	3	2	1	2	–	–	–	–	–
46h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	4	13	28	38	49	38	46	26	15	5	8	–	–	–	–
	1	2	1	4	6	14	13	7	17	11	6	5	3	–	–	–	–
47a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	2	10	10	13	17	11	4	3	4	–	–	–	–
	–	–	–	1	–	4	1	2	2	–	1	2	1	–	–	–	–
47b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	4	9	23	24	36	19	26	14	8	–	4	–	–	–	–
	–	2	1	3	6	8	11	5	14	9	5	3	2	–	–	–	–
47c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	3	4	3	6	3	1	3	2	–	–	–	–	–
	1	–	–	–	–	2	1	–	1	2	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	22	15	41	61	72	82	65	71	50	42	25	5	2	1	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	6	7	29	27	24	28	28	20	28	13	9	2	1	1	–	–
49a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	7	28	25	21	27	27	19	20	7	6	–	–	–	–	–
49b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	2	3	1	1	1	8	6	3	2	1	1	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	1	–	–	3	–	–	–	–	–	–
	1	7	35	52	44	89	95	122	99	84	71	41	17	6	–	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	8	10	15	21	37	72	112	108	107	48	10	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	5	8	8	8	11	11	5	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	2	5	8	23	32	21	27	7	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	3	4	5	19	36	67	79	73	39	8	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	1	1	1	1	–	1	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	1	1	1	1	2	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	1	2	7	7	4	4	3	8	3	2	–	–	–
	–	–	–	–	1	–	1	4	6	6	5	7	3	1	–	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	6	9	9	22	24	46	34	32	31	20	13	3	1	–	–	–
	8	7	17	10	30	35	31	52	48	43	31	22	6	3	1	–	–
53a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	2	1	3	5	4	7	5	3	3	–	–	–	–	–	–
53b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	–	3	5	7	8	14	12	10	8	3	–	–	–	–
53c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	2	5	7	5	12	5	5	2	–	–	–	–	–	–	–
	1	3	5	3	8	4	1	6	1	1	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
53*d*	Bones (except jaw)	T	89	–	–	–	–	–	–	–	–	–
		M	46	–	–	–	–	–	–	1	3	–
		F	43	–	–	–	–	–	1	1	2	–
53*e*	Others	T	344	–	–	–	–	–	–	–	–	–
		M	176	–	2	–	1	1	3	1	1	2
		F	168	–	1	–	–	–	–	2	–	2
54	Nonmalignant tumors	T	143	–	–	–	–	–	–	–	–	–
		M	40	–	–	1	–	–	2	2	–	2
		F	103	–	–	1	–	–	2	2	–	–
54*a*	Of the ovary	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
54*b*	Of the uterus	T	62	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	62	–	–	–	–	–	–	–	–	–
54*c*	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
54*d*	Of the brain	T	52	–	–	–	–	–	–	–	–	–
		M	26	1	–	–	–	–	1	1	–	2
		F	26	–	–	1	–	–	2	1	–	–
54*e*	Of other organs	T	24	–	–	–	–	–	–	–	–	–
		M	14	1	–	1	–	–	1	1	–	–
		F	10	–	–	–	–	–	–	1	–	–
55	Tumors of which the nature is not specified	T	79	–	–	–	–	–	–	–	–	–
		M	34	–	2	1	–	1	–	–	1	–
		F	45	1	–	–	1	1	1	3	–	1
55*a*	Of the ovary	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
55*b*	Of the uterus	T	13	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
55*c*	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
55*d*	Of the brain	T	42	–	–	–	–	–	–	–	–	–
		M	21	–	1	1	–	–	–	–	1	–
		F	21	–	–	–	1	1	1	3	–	1
55*e*	Of other organs	T	24	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	–	1	–	–	–	–
		F	11	1	–	–	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,610	–	–	–	–	–	–	–	–	–
		M	562	6	1	1	–	–	6	4	7	4
		F	1,048	9	2	–	1	–	4	6	10	6
56	Acute rheumatic fever	T	29	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	3	2	2	1
		F	16	–	–	–	–	–	3	2	4	1
57	Chronic rheumatism, osteoarthritis	T	41	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	1
58	Gout	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,436	–	–	–	–	–	–	–	–	–
		M	503	–	–	1	–	–	3	2	5	2
		F	933	1	1	–	1	–	–	2	4	4
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
62	Pellagra	T	11	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
63	Rickets	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–
64	Osteomalacia	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
65	Diseases of the pituitary body	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
53*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	4	5	3	7	7	7	3	3	-	-	-	-	-
	-	-	3	-	4	5	5	8	3	4	3	2	1	1	-	-	-
53*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	6	3	11	14	31	22	20	22	17	10	3	1	-	-	-
	3	4	5	6	12	16	14	23	25	23	15	12	2	2	1	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	3	-	6	4	8	3	1	1	1	2	-	-	-	-	-
	3	6	10	18	23	13	11	7	1	4	1	-	1	-	-	-	-
54*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
54*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	6	7	13	16	9	6	1	-	2	1	-	-	-	-	-	-
54*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	3	-	5	3	5	3	-	1	-	-	-	-	-	-	-
	1	-	1	5	5	2	4	3	-	1	-	-	-	-	-	-	-
54*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	1	3	-	1	-	1	2	-	-	-	-	-
	-	-	1	-	2	2	-	2	1	-	-	-	1	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	5	3	3	3	7	1	2	3	-	-	-	-	-	-	-
	-	3	7	5	3	4	2	5	3	2	1	2	-	-	-	-	-
55*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	4	1	1	2	1	-	3	-	-	-	-	-	-	-	-
55*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	3	3	3	2	3	-	2	1	-	-	-	-	-	-	-
	-	1	3	4	-	2	1	1	-	1	-	1	-	-	-	-	-
55*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	-	-	1	4	1	-	2	-	-	-	-	-	-	-
	-	1	-	-	2	-	-	4	-	1	1	1	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	9	7	10	26	37	63	85	88	85	77	31	8	1	-	-	-
	13	5	10	15	32	58	120	157	190	181	137	66	22	4	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	1	-	-	1	2	-	2	2	2	-	-	-	-	-
	-	-	1	-	-	-	3	3	3	5	5	6	1	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	5	6	21	35	61	78	87	81	75	28	8	1	-	-	-
	3	3	5	12	26	51	110	147	178	173	129	58	21	4	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	1	1	-	2	-	1	-	1	-	-	-	-	-
	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
66	Diseases of the thyroid and parathyroid glands	T	59	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	47	2	–	–	–	–	1	–	2	–
66a	Simple goiter	T	7	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
66b	Exophthalmic goiter	T	45	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	33	–	–	–	–	–	–	–	2	–
66c	Myxedema and cretinism	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
66d	Tetany	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	2	–	–	–	–	1	–	–	–
67	Diseases of the thymus gland	T	15	–	–	–	–	–	–	–	–	–
		M	8	6	1	–	–	–	–	–	–	–
		F	7	6	1	–	–	–	–	–	–	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	12	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	9	–	–	–	–	–	–	1	–	–
69	Other general diseases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-making Organs	T	415	–	–	–	–	–	–	–	–	–
		M	221	2	3	3	1	3	10	4	8	11
		F	194	–	1	2	3	1	4	2	5	4
70	Hemorrhagic conditions	T	12	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	1	–	–	1
		F	6	–	–	–	1	–	–	–	–	–
70a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	–	–	–
		F	6	–	–	–	1	–	–	–	–	–
70b	Hemophilia	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
71	Anemias	T	103	–	–	–	–	–	–	–	–	–
		M	39	1	1	1	–	1	–	2	1	–
		F	64	–	1	1	–	–	–	–	–	–
71a	Pernicious anemia	T	90	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	1	–	1	1	–
		F	55	–	–	–	–	–	–	–	–	–
71b	Others	T	13	–	–	–	–	–	–	–	–	–
		M	4	1	1	1	–	–	–	1	–	–
		F	9	–	1	1	–	–	–	–	–	–
72	Leukemias and pseudoleukemias	T	281	–	–	–	–	–	–	–	–	–
		M	167	–	2	2	1	1	9	2	7	6
		F	114	–	–	1	2	1	4	2	4	4
72a	True leukemias	T	169	–	–	–	–	–	–	–	–	–
		M	97	–	2	1	1	1	7	–	6	2
		F	72	–	–	1	–	1	4	1	3	2
72b	Pseudoleukemias (Hodgkin's disease)	T	112	–	–	–	–	–	–	–	–	–
		M	70	–	–	1	–	–	2	2	1	4
		F	42	–	–	–	2	–	–	1	1	2
73	Diseases of the spleen	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	3
		F	2	–	–	–	–	–	–	–	1	–
74	Other diseases of the blood and blood-making organs	T	12	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–	–
V.	Chronic Poisonings and Intoxications	T	184	–	–	–	–	–	–	–	–	–
		M	152	–	1	–	–	–	–	–	1	–
		F	32	–	–	–	–	–	–	–	1	–
75	Alcoholism (acute or chronic)	T	173	–	–	–	–	–	–	–	–	–
		M	143	–	–	–	–	–	–	–	1	–
		F	30	–	–	–	–	–	–	–	–	–
76	Chronic poisoning by other organic substances	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
76a	Occupational	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76b	Others	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
77	Chronic poisoning by mineral substances	T	5	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	4	1	1	2	-	1	-	-	-	-	-	-	-
	5	2	1	2	4	4	4	6	8	3	2	1	-	-	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	4	1	1	2	-	1	-	-	-	-	-	-	-
	4	1	-	2	4	4	3	4	6	2	-	1	-	-	-	-	-
66c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
66d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	-	2	1	1	-	1	-	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	6	11	16	17	17	16	15	25	22	10	7	2	1	-	-	-
	9	8	7	14	14	11	18	19	16	15	22	8	8	3	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-
70a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-
70b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	3	1	1	-	4	3	6	6	3	3	-	1	-	-	-
	1	-	1	-	2	2	7	4	9	6	17	6	5	2	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	3	1	1	-	4	3	6	6	3	3	-	1	-	-	-
	1	-	1	-	2	2	6	4	8	6	14	5	5	1	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	6	7	14	13	17	12	12	19	15	7	4	2	-	-	-	-
	6	7	6	10	11	9	9	13	7	8	5	2	2	1	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	4	4	6	6	7	5	9	13	9	5	3	1	-	-	-	-
	3	4	4	8	6	7	6	8	3	4	3	1	2	1	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	3	8	7	10	7	3	6	6	2	1	1	-	-	-	-
	3	3	2	2	5	2	3	5	4	4	2	1	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	15	19	22	13	19	17	18	9	7	4	1	1	-	-	-	-
	2	2	6	3	1	5	6	4	-	2	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	14	19	19	13	19	15	18	9	5	4	1	1	-	-	-	-
	2	2	6	3	1	5	6	4	-	1	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
77a	Lead	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77b	Occupational (except lead)	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	4,861	–	–	–	–	–	–	–	–	–
		M	2,228	22	8	6	6	5	20	14	16	14
		F	2,623	20	6	4	5	1	13	6	12	10
78	Encephalitis (nonepidemic)	T	30	–	–	–	–	–	–	–	–	–
		M	14	–	–	3	1	–	1	–	1	–
		F	16	–	–	–	1	–	1	1	–	1
78a	Abscess of the brain	T	11	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	–	1	–
		F	4	–	–	–	–	–	–	–	–	–
78b	Others	T	19	–	–	–	–	–	–	–	–	–
		M	7	–	–	3	1	–	–	–	–	–
		F	12	–	–	–	1	–	1	1	–	1
79	Meningitis	T	71	–	–	–	–	–	–	–	–	–
		M	42	6	2	1	–	3	5	4	2	3
		F	29	7	5	2	–	1	2	1	3	–
79a	Simple meningitis	T	62	–	–	–	–	–	–	–	–	–
		M	37	6	2	1	–	3	5	3	1	2
		F	25	7	3	1	–	1	1	1	3	–
79b	Nonepidemic cerebrospinal meningitis	T	9	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	1	1
		F	4	–	2	1	–	–	1	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	23	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	64	–	–	–	–	–	–	–	–	–
		M	40	–	–	–	1	–	1	1	1	1
		F	24	–	–	–	–	–	1	–	1	–
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,292	–	–	–	–	–	–	–	–	–
		M	1,878	3	2	–	1	1	2	2	4	3
		F	2,414	3	–	1	–	–	2	1	1	2
82a	Cerebral hemorrhage	T	3,784	–	–	–	–	–	–	–	–	–
		M	1,644	2	1	–	–	–	–	1	3	1
		F	2,140	3	–	1	–	–	1	1	1	1
82b	Cerebral embolism and thrombosis	T	485	–	–	–	–	–	–	–	–	–
		M	225	1	1	–	1	1	2	1	1	2
		F	260	–	–	–	–	–	1	–	–	1
82c	Softening of the brain	T	12	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	11	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
83	General paralysis of the insane	T	90	–	–	–	–	–	–	–	–	–
		M	77	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	1
84	Dementia præcox and other psychoses	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–
84a	Dementia præcox	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
84b	Other psychoses	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	60	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	2	–	3	3	5	5
		F	23	–	–	–	–	–	1	2	3	4
86	Convulsions (under 5 years of age)	T	9	–	–	–	–	–	–	–	–	–
		M	7	6	–	–	1	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–
87	Other diseases of the nervous system	T	138	–	–	–	–	–	–	–	–	–
		M	73	–	–	–	–	–	4	2	–	2
		F	65	1	1	–	–	–	1	–	1	–
87a	Neuralgia and neuritis	T	8	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	1	–
87b	Other diseases of the nervous system	T	130	–	–	–	–	–	–	–	–	–
		M	70	–	–	–	–	–	4	2	–	1
		F	60	1	1	–	–	–	1	–	–	–
88	Diseases of the organs of vision	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of Decedents (Years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
77a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
VI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	25	29	60	81	161	195	254	327	352	286	209	95	17	4	–	–
	14	19	26	56	102	153	189	257	390	383	410	331	152	59	10	5	–
78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	2	1	1	3	3	1	1	–	–	–	–	–	–	–	–	–	–
78a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
78b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–
79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	1	1	3	1	3	1	–	1	–	–	–	–	–	–	–
	–	1	–	–	3	2	1	–	–	–	–	–	1	–	–	–	–
79a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	–	1	3	1	3	1	–	1	–	–	–	–	–	–	–
	–	1	–	–	3	2	1	–	–	–	–	–	1	–	–	–	–
79b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	4	–	4	5	–	3	1	–	–	–	–	–
	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–
81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	2	3	3	1	5	6	5	2	2	1	–	–	–	–
	–	–	1	2	4	2	5	2	6	–	–	–	–	–	–	–	–
82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	10	14	39	54	126	169	225	300	329	274	201	94	17	4	–	–
	5	11	16	45	81	139	171	246	371	372	399	326	149	59	9	5	–
82a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	13	30	47	113	154	201	269	280	235	185	79	15	4	–	–
	4	10	13	41	70	126	157	213	336	325	355	292	136	44	7	3	–
82b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	8	7	12	14	23	30	49	37	16	14	1	–	–	–
	1	1	3	3	11	13	14	33	35	46	41	30	13	10	2	2	–
82c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	1	1	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–
82d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	1	2	–	2	–	–	–
83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	7	9	14	13	13	11	2	4	1	1	–	–	–	–	–
	–	–	–	–	4	1	2	2	2	1	–	–	–	–	–	–	–
84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
84a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	2	3	–	2	2	–	2	–	–	–	–	–	–	–	–
	2	4	1	1	1	1	1	–	2	–	–	–	–	–	–	–	–
86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	–	4	4	8	5	6	11	9	6	4	–	–	–	–	–
	1	1	5	4	6	5	4	5	4	10	9	4	2	–	1	–	–
87a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	–	4	4	7	5	6	11	9	6	4	–	–	–	–	–
	1	–	5	3	6	5	3	5	4	10	9	3	2	–	1	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
89	Diseases of the ear and of the mastoid process	T	74	–	–	–	–	–	–	–	–	–
		M	40	7	4	2	–	1	4	2	2	–
		F	34	7	–	1	4	–	5	1	3	2
89a	Diseases of the ear	T	60	–	–	–	–	–	–	–	–	–
		M	34	6	3	2	–	1	4	2	2	–
		F	26	7	–	1	4	–	3	–	1	1
89b	Diseases of the mastoid process	T	14	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	2	1	2	1
VII.	Diseases of the Circulatory System	T	17,392	–	–	–	–	–	–	–	–	–
		M	9,207	3	2	3	2	1	16	23	28	28
		F	8,185	3	2	–	1	1	14	23	29	45
90	Pericarditis	T	22	–	–	–	–	–	–	–	–	–
		M	12	–	1	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	1	–	1
91	Acute endocarditis	T	86	–	–	–	–	–	–	–	–	–
		M	43	–	–	–	1	–	–	1	–	3
		F	43	–	–	–	–	–	3	3	5	5
91a	Specified as acute	T	79	–	–	–	–	–	–	–	–	–
		M	40	–	–	–	1	–	–	–	–	3
		F	39	–	–	–	–	–	3	3	4	5
91b	Unspecified (under 45 years of age)	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–
		F	4	–	–	–	–	–	–	–	1	–
92	Chronic endocarditis, valvular diseases	T	1,678	–	–	–	–	–	–	–	–	–
		M	758	1	–	–	–	–	2	11	13	6
		F	920	1	1	–	–	–	3	8	8	21
92a	Endocarditis specified as chronic and valvular disease	T	1,576	–	–	–	–	–	–	–	–	–
		M	724	1	–	–	–	–	2	11	13	6
		F	852	1	1	–	–	–	3	8	8	21
92b	Endocarditis unspecified (45 years and over)	T	102	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	–	–	–	–
		F	68	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	5,840	–	–	–	–	–	–	–	–	–
		M	2,736	1	–	1	–	–	–	–	5	2
		F	3,104	1	–	–	1	–	–	2	–	6
93a	Acute myocarditis	T	101	–	–	–	–	–	–	–	–	–
		M	46	–	–	–	–	–	–	–	1	–
		F	55	–	–	–	1	–	–	–	–	1
93b	Myocarditis unspecified (under 45 years of age)	T	26	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	1	2
		F	12	–	–	–	–	–	–	–	–	3
93c	Chronic myocarditis and myocardial degeneration	T	4,009	–	–	–	–	–	–	–	–	–
		M	1,867	–	–	–	–	–	–	–	2	–
		F	2,142	–	–	–	–	–	–	2	–	1
93d	Other diseases of the myocardium	T	1,704	–	–	–	–	–	–	–	–	–
		M	809	1	–	1	–	–	–	–	1	–
		F	895	1	–	–	–	–	–	–	–	1
94	Diseases of the coronary arteries and angina pectoris	T	3,872	–	–	–	–	–	–	–	–	–
		M	2,620	–	–	–	–	–	–	1	–	3
		F	1,252	–	–	–	–	–	–	–	–	1
94a	Angina pectoris	T	278	–	–	–	–	–	–	–	–	–
		M	182	–	–	–	–	–	–	1	–	1
		F	96	–	–	–	–	–	–	–	–	–
94b	Diseases of the coronary arteries	T	3,594	–	–	–	–	–	–	–	–	–
		M	2,438	–	–	–	–	–	–	–	–	2
		F	1,156	–	–	–	–	–	–	–	–	1
95	Other diseases of the heart	T	4,798	–	–	–	–	–	–	–	–	–
		M	2,527	1	1	2	1	1	14	10	9	13
		F	2,271	1	1	–	–	1	8	9	16	9
95a	Functional diseases of the heart	T	31	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	1	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
95b	Other and unspecified	T	4,767	–	–	–	–	–	–	–	–	–
		M	2,513	1	1	2	–	1	14	10	9	13
		F	2,254	1	1	–	–	1	8	9	16	9
96	Aneurysm (except of the heart)	T	52	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	1
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	894	–	–	–	–	–	–	–	–	–
		M	396	–	–	–	–	–	–	–	–	–
		F	498	–	–	–	–	–	–	–	–	–
98	Gangrene	T	33	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
99	Other diseases of the arteries	T	79	–	–	–	–	–	–	–	–	–
		M	45	–	–	–	–	–	–	–	1	1
		F	34	–	–	–	–	–	–	–	–	1

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	1	2	3	2	2	–	3	–	–	–	–	–	–	–
	3	1	–	1	–	2	2	1	–	–	1	–	–	–	–	–	–
89a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	1	2	3	1	2	–	2	–	–	–	–	–	–	–
	3	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
89b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	53	63	140	251	435	644	851	1,149	1,341	1,394	1,259	857	468	158	30	8	–
	46	56	90	143	241	335	480	779	1,044	1,328	1,294	1,135	719	291	73	13	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	2	1	2	1	–	1	1	1	–	–	–	–
	–	1	1	1	1	–	2	–	1	–	–	–	1	–	–	–	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	5	3	7	4	6	4	–	2	–	–	–	–	–	–	–
	6	3	2	3	3	2	1	3	1	1	1	1	–	–	–	–	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	5	1	7	4	6	4	–	2	–	–	–	–	–	–	–
	5	3	1	2	3	2	1	3	1	1	1	1	–	–	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	16	28	35	40	42	73	66	100	100	88	72	34	9	3	–	–
	13	18	25	34	44	60	54	80	115	127	128	102	52	21	5	–	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	16	28	35	37	40	70	65	94	98	81	68	34	9	3	–	–
	13	18	25	34	40	56	49	72	108	114	118	94	49	17	5	–	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	2	3	1	6	2	7	4	–	–	–	–	–
	–	–	–	–	4	4	5	8	7	13	10	8	3	4	–	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	7	21	47	63	116	186	309	387	459	487	355	187	84	15	3	–
	11	8	19	32	58	95	142	268	376	527	537	541	314	125	34	7	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	3	1	3	7	4	8	4	8	3	1	–	–	–	–
	2	–	1	–	2	1	3	6	5	12	9	8	4	–	–	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	10	28	43	70	136	210	254	333	343	244	123	55	11	3	–
	4	5	12	23	37	66	91	182	258	368	387	362	230	84	24	6	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	7	9	19	43	43	95	125	122	136	108	63	29	4	–	–
	3	2	3	6	19	28	48	80	113	147	141	171	80	41	10	1	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	11	51	102	195	284	331	411	414	371	227	145	61	7	–	–	–
	2	4	12	21	49	59	108	171	205	224	190	108	75	19	4	–	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	4	10	20	19	20	48	24	18	10	5	1	–	–	–
	–	–	1	2	2	1	2	17	18	23	17	8	4	1	–	–	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	11	50	98	185	264	312	391	366	347	209	135	56	6	–	–	–
	2	4	11	19	47	58	106	154	187	201	173	100	71	18	4	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	23	32	60	116	179	231	327	387	382	362	200	114	31	7	1	–
	12	18	29	48	84	111	161	231	307	370	354	256	172	61	10	2	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	1	1	2	2	2	1	1	1	–	–	–
	–	–	–	1	–	3	–	2	2	1	2	2	3	–	–	1	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	22	32	60	116	178	230	326	385	380	360	199	113	30	7	1	–
	12	18	29	47	84	108	161	229	305	369	352	254	169	61	10	1	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	4	7	9	5	2	4	2	2	1	–	–	–	–
	1	1	–	1	–	1	1	1	2	2	–	2	–	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	4	4	9	17	39	70	80	74	67	24	3	4	–
	–	–	–	1	2	3	8	13	28	65	77	116	100	61	20	4	–
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	1	2	4	2	2	1	1	–	–
	–	1	–	–	–	–	1	1	2	3	2	3	4	1	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	4	2	1	6	9	3	8	5	1	2	1	–	–
	–	1	2	–	–	3	1	4	4	5	4	6	–	3	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	28	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
103	Other diseases of the circulatory system	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	3,630	–	–	–	–	–	–	–	–	–
		M	2,017	229	55	18	14	6	27	23	29	28
		F	1,613	174	46	18	11	11	30	19	19	31
104	Diseases of the nasal fossae and annexae	T	23	–	–	–	–	–	–	–	–	–
		M	8	2	–	1	–	–	–	1	–	1
		F	15	1	–	3	–	–	–	1	–	2
105	Diseases of the larynx	T	19	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	–	–	3	–	–	–
		F	9	1	1	3	–	–	2	–	–	1
106	Bronchitis	T	107	–	–	–	–	–	–	–	–	–
		M	61	5	2	–	2	1	1	1	–	1
		F	46	–	2	–	2	–	1	–	1	–
106*a*	Acute	T	38	–	–	–	–	–	–	–	–	–
		M	21	3	2	–	2	1	1	1	–	1
		F	17	–	–	–	1	–	1	–	–	–
106*b*	Chronic	T	35	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	18	–	2	–	1	–	–	–	–	–
106*c*	Unspecified (under 5 years of age)	T	2	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
106*d*	Unspecified (5 years and over)	T	32	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	11	–		–	–	–	–	–	1	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,868	–	–	–	–	–	–	–	–	–
		M	974	171	34	12	9	–	10	9	8	9
		F	894	131	29	9	5	3	13	8	6	8
107*a*	Bronchopneumonia	T	1,862	–	–	–	–	–	–	–	–	–
		M	972	170	34	12	9	–	10	9	8	9
		F	890	130	28	9	5	3	13	8	6	8
107*b*	Capillary bronchitis	T	6	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	4	1	1	–	–	–	–	–	–	–
108	Lobar pneumonia	T	1,312	–	–	–	–	–	–	–	–	–
		M	777	27	11	4	2	2	8	8	16	15
		F	535	37	11	3	4	6	10	8	7	14
109	Pneumonia, unspecified	T	36	–	–	–	–	–	–	–	–	–
		M	26	9	1	–	–	1	1	2	2	1
		F	10	3	1	–	–	1	–	–	1	–
110	Pleurisy	T	97	–	–	–	–	–	–	–	–	–
		M	72	10	5	1	1	1	2	–	3	1
		F	25	1	1	–	–	1	2	2	–	1
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	47	–	–	–	–	–	–	–	–	–
		M	23	1	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	1	–
111*a*	Pulmonary embolism and thrombosis	T	21	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
111*b*	Others	T	26	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	1	–
112	Asthma	T	55	–	–	–	–	–	–	–	–	–
		M	22	1	–	–	–	–	–	–	–	–
		F	33	–	1	–	–	–	1	–	1	4
113	Pulmonary emphysema	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	60	–	–	–	–	–	–	–	–	–
		M	42	2	1	–	–	1	2	2	–	–
		F	18	–	–	–	–	–	1	–	2	1
114*a*	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	7	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*b*	Others, including gangrene of the lung	T	53	–	–	–	–	–	–	–	–	–
		M	35	1	1	–	–	1	2	2	–	–
		F	18	–	–	–	–	–	1	–	2	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	3	1	2	-	1	-	1	-	-	-	-	-
	-	1	-	2	-	-	1	7	2	3	1	-	1	-	-	-	-
101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	32	51	63	90	125	146	164	190	169	178	162	119	73	19	6	1	-
	29	24	46	55	64	76	105	110	151	138	173	149	79	34	19	2	-
104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	2	-	-	-	-	-	2	-	1	-	-	-	1	-	-
105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	3	1	4	7	4	7	2	12	3	4	-	-	-	-
	-	-	1	1	1	-	2	3	3	6	8	6	8	1	-	-	-
106a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	2	2	-	2	-	2	-	-	-	-
	-	-	-	-	-	-	2	1	-	1	5	2	3	1	-	-	-
106b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	2	1	4	1	5	2	1	-	-	-	-
	-	-	-	1	-	-	-	-	3	4	1	3	3	-	-	-	-
106c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	1	3	4	1	1	1	5	1	1	-	-	-	-
	-	-	1	-	1	-	-	2	-	1	2	1	2	-	-	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	12	23	20	30	54	53	83	82	99	89	80	55	17	5	-	-
	11	9	11	19	25	41	50	57	79	74	112	107	49	25	11	2	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	11	23	20	30	54	53	83	82	99	89	80	55	17	5	-	-
	11	9	11	19	25	40	50	57	79	73	112	107	49	25	11	2	-
107b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15	27	32	53	74	70	89	93	62	68	56	34	9	1	1	-	-
	11	13	26	28	30	29	43	47	58	53	43	31	15	6	2	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	5	4	4	10	6	3	2	6	3	-	1	-	-	-	-	-
	3	1	1	-	2	1	2	1	3	1	-	-	1	-	1	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	2	1	4	-	4	1	3	1	3	1	-	-	-
	-	-	-	2	1	2	-	1	3	1	2	4	2	1	4	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	2	1	3	-	3	1	2	-	-	-	-	-	-
	-	-	-	2	1	1	-	-	1	-	2	-	1	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	1	-	1	-	1	1	3	1	-	-	-
	-	-	-	-	-	1	-	1	2	1	-	4	1	1	4	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	4	3	5	2	2	1	-	1	-	-	1	-
	1	-	3	2	3	1	5	1	1	1	4	1	3	-	-	-	-
113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	3	7	4	6	1	2	5	1	1	-	-	-	-	-	-
	1	1	1	1	2	1	3	-	2	-	1	-	-	1	-	-	-
114a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	1	-	-	2	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	3	5	4	5	1	2	3	1	-	-	-	-	-	-	-
	1	1	1	1	2	1	3	-	2	-	1	-	-	1	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
IX.	Diseases of the Digestive System	T	2,487	–	–	–	–	–	–	–	–	–
		M	1,378	85	14	11	7	9	26	14	31	34
		F	1,109	60	11	11	12	10	23	20	20	35
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	129	–	–	–	–	–	–	–	–	–
		M	61	4	3	1	2	2	2	–	–	2
		F	68	3	3	2	2	1	7	1	–	5
115a	Pharynx and tonsils	T	116	–	–	–	–	–	–	–	–	–
		M	49	4	3	1	2	2	2	–	–	2
		F	67	3	3	2	2	1	7	1	–	5
115b	Diseases of buccal cavity and annexa	T	13	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
116	Diseases of the esophagus	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	326	–	–	–	–	–	–	–	–	–
		M	263	1	–	–	–	–	–	–	2	5
		F	63	1	–	–	–	–	–	1	–	1
117a	Stomach	T	194	–	–	–	–	–	–	–	–	–
		M	158	–	–	–	–	–	–	–	2	3
		F	36	1	–	–	–	–	–	–	–	–
117b	Duodenum	T	132	–	–	–	–	–	–	–	–	–
		M	105	1	–	–	–	–	–	–	–	2
		F	27	–	–	–	–	–	–	1	–	1
118	Other diseases of the stomach (cancer excepted)	T	20	–	–	–	–	–	–	–	–	–
		M	11	1	–	1	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	1	–
119	Diarrhea and enteritis (under 2 years of age)	T	122	–	–	–	–	–	–	–	–	–
		M	72	70	2	–	–	–	–	–	–	–
		F	50	45	5	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	102	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	1	–	1	–	2	4
		F	63	–	–	4	–	2	1	–	3	4
120a	Diarrhea, enteritis	T	49	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	1	–	1	–	1	2
		F	31	–	–	4	–	2	1	–	1	2
120b	Ulceration of intestines	T	53	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	1	2
		F	32	–	–	–	–	–	–	–	2	2
121	Appendicitis	T	450	–	–	–	–	–	–	–	–	–
		M	253	–	2	8	4	7	19	10	20	18
		F	197	–	1	4	10	5	12	15	12	13
122	Hernia, intestinal obstruction	T	371	–	–	–	–	–	–	–	–	–
		M	187	7	4	–	–	–	2	1	6	1
		F	184	7	2	–	–	1	1	1	1	5
122a	Hernia	T	208	–	–	–	–	–	–	–	–	–
		M	117	1	–	–	–	–	–	–	1	–
		F	91	–	1	–	–	–	–	–	–	1
122b	Intestinal obstruction	T	163	–	–	–	–	–	–	–	–	–
		M	70	6	4	–	–	–	2	1	5	1
		F	93	7	1	–	–	1	1	1	1	4
123	Other diseases of the intestines	T	76	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	41	1	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	T	436	–	–	–	–	–	–	–	–	–
		M	295	–	–	–	–	–	–	1	–	2
		F	141	–	–	–	–	–	1	1	–	–
124a	Specified as alcoholic	T	64	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
124b	Not specified as alcoholic	T	372	–	–	–	–	–	–	–	–	–
		M	248	–	–	–	–	–	–	1	–	2
		F	124	–	–	–	–	–	1	1	–	–
125	Other diseases of the liver (including yellow atrophy of liver)	T	51	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	1	1	–	–
		F	29	1	–	–	–	–	–	–	2	3
125a	Yellow atrophy of liver	T	15	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	1	3
125b	Others	T	36	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	1	1	–	–
		F	20	1	–	–	–	–	–	–	1	–
126	Biliary calculi	T	220	–	–	–	–	–	–	–	–	–
		M	61	–	–	–	–	–	–	–	1	–
		F	159	–	–	–	–	–	–	–	–	–
127	Other diseases of the gall bladder and biliary passages	T	107	–	–	–	–	–	–	–	–	–
		M	42	–	–	–	–	–	–	–	–	–
		F	65	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	31	52	94	108	140	157	138	157	129	57	40	10	2	2	–	–
	30	32	57	67	84	92	93	108	111	91	70	36	26	8	2	–	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	2	5	6	2	8	3	8	2	2	1	1	–	1	–	–
	4	4	2	2	8	5	3	4	5	4	2	1	–	–	–	–	–
115a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	2	4	5	1	5	2	7	1	1	–	1	–	–	–	–
	4	4	2	2	7	5	3	4	5	4	2	1	–	–	–	–	–
115b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	3	1	1	1	1	1	–	–	1	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	8	11	26	23	36	41	35	28	27	8	6	2	–	–	–	–
	–	–	1	6	9	8	6	6	7	7	6	2	2	–	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	7	18	12	22	26	16	19	17	3	4	1	–	–	–	–
	–	–	–	3	5	3	3	4	5	4	5	1	2	–	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	4	8	11	14	15	19	9	10	5	2	1	–	–	–	–
	–	–	1	3	4	5	3	2	2	3	1	1	–	–	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	2	1	1	–	–	3	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	1	3	2	–	–	–	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	2	3	2	2	5	3	3	3	3	–	1	–	–	–	–	–
	3	7	4	2	2	5	2	3	3	5	6	2	3	1	1	–	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	2	1	2	–	2	–	3	–	–	–	–	–	–	–
	1	3	2	1	2	2	1	1	1	2	1	1	1	1	1	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	2	–	1	3	3	1	3	–	–	1	–	–	–	–	–
	2	4	2	1	–	3	1	2	2	3	5	1	2	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	9	12	13	20	24	15	13	22	16	4	4	1	–	–	–	–
	10	9	10	18	15	17	11	12	8	9	5	1	–	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	4	9	6	14	22	16	30	25	16	13	3	1	1	–	–
	3	2	6	6	12	10	20	21	22	20	22	14	4	4	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	6	5	9	13	10	23	18	13	10	3	1	1	–	–
	1	–	1	5	8	6	13	8	13	11	14	5	3	1	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	2	3	1	5	9	6	7	7	3	3	–	–	–	–	–
	2	2	5	1	4	4	7	13	9	9	8	9	1	3	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	3	3	5	4	4	7	2	3	1	–	–	–	–	–
	1	1	2	2	4	5	2	5	8	4	–	3	3	–	–	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	9	23	33	39	43	46	40	34	12	5	2	1	–	–	–
	4	3	12	13	14	14	16	21	17	15	6	3	–	1	–	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	3	6	8	12	6	5	2	1	–	–	–	–	–	–
	1	1	2	4	3	3	1	–	2	–	–	–	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	7	20	27	31	31	40	35	32	11	5	2	1	–	–	–
	3	2	10	9	11	11	15	21	15	15	6	3	–	1	–	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	3	4	1	1	1	–	4	3	1	–	–	–	–	–
	1	1	3	3	2	2	3	–	2	1	2	–	3	–	–	–	–
125a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	1	–	–	1	1	–	–	–	–	–	–
	1	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
125b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	3	2	–	–	1	–	3	2	1	–	–	–	–	–
	–	1	3	2	2	1	3	–	–	1	2	–	3	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	1	5	9	11	5	10	8	7	1	–	–	–	–	–
	–	3	11	10	8	16	23	24	25	16	12	5	6	–	–	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	5	2	3	3	6	7	6	1	3	1	–	–	–	–
	4	2	2	4	6	6	5	7	9	5	6	2	4	2	1	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
128	Diseases of the pancreas	T	36	–	–	–	–	–	–	–	–	–
		M	17	–	1	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	1
129	Peritonitis, cause not specified	T	35	–	–	–	–	–	–	–	–	–
		M	18	2	2	1	–	–	1	1	–	2
		F	17	2	–	1	–	1	1	1	1	3
X.	Diseases of the Genitourinary System	T	3,639	–	–	–	–	–	–	–	–	–
		M	1,943	6	1	–	1	1	6	5	9	19
		F	1,696	4	1	–	2	2	6	10	5	14
130	Acute nephritis (including unspecified under 10 years of age)	T	58	–	–	–	–	–	–	–	–	–
		M	32	3	–	–	1	–	3	1	1	–
		F	26	1	–	–	–	1	–	–	2	–
131	Chronic nephritis	T	2,887	–	–	–	–	–	–	–	–	–
		M	1,449	–	–	–	–	1	2	3	4	15
		F	1,438	–	1	–	–	–	4	8	3	9
132	Nephritis, unspecified (10 years and over)	T	65	–	–	–	–	–	–	–	–	–
		M	31	–	–	–	–	–	–	–	–	1
		F	34	–	–	–	–	–	–	1	–	1
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	135	–	–	–	–	–	–	–	–	–
		M	66	2	–	–	–	–	1	1	2	2
		F	69	3	–	–	2	1	2	–	–	1
133*a*	Pyelitis	T	113	–	–	–	–	–	–	–	–	–
		M	56	2	–	–	–	–	–	1	2	2
		F	57	3	–	–	2	1	–	–	–	1
133*b*	Others	T	22	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	1	–	–	–
		F	12	–	–	–	–	–	2	–	–	–
134	Calculi of the urinary passages	T	61	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	1	1
		F	22	–	–	–	–	–	–	–	–	–
134*a*	Of the kidneys and ureters	T	44	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	–
134*b*	Of the bladder	T	13	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
134*c*	Other and unspecified	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	–
135	Diseases of the bladder (tumors excepted)	T	48	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–	–
135*a*	Cystitis	T	38	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
135*b*	Others	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra, urinary abscess, etc.	T	20	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
136*a*	Stricture of the urethra	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136*b*	Others	T	11	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	271	–	–	–	–	–	–	–	–	–
		M	271	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	4	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	90	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	90	–	–	–	–	–	–	1	–	3
139*a*	Cysts of the ovary	T	25	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	1
139*b*	Other diseases of the ovaries, tubes and parametrium	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	1	–	1
139*c*	Diseases of the uterus	T	40	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	40	–	–	–	–	–	–	–	–	1
139*d*	Nonpuerperal diseases of the breast (cancer excepted)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	3	2	3	1	2	4	1	-	-	-	-	-	-	-	-
	-	-	2	-	2	4	1	3	3	2	-	-	1	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	-	-	2	-	-	2	1	1	-	-	-	-	-
	-	-	2	1	2	-	-	-	1	1	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20	22	39	48	93	125	152	205	277	298	280	209	103	21	3	-	-
	27	30	38	54	90	99	131	169	201	255	236	179	101	35	5	2	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	3	1	3	3	-	4	3	3	1	-	-	-	-	-
	2	3	1	2	1	2	-	2	3	2	2	-	1	1	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17	18	28	34	81	111	128	162	202	210	194	151	74	13	1	-	-
	14	17	23	33	66	75	106	142	180	238	222	164	96	32	3	2	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	3	3	1	3	-	3	8	3	1	1	1	-	-	-	-
	-	-	1	-	2	3	5	3	2	2	6	5	1	1	1	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	4	4	1	3	2	3	13	11	8	8	1	-	-	-	-
	2	1	6	9	7	4	9	8	6	-	2	5	1	-	-	-	-
133*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	3	3	1	1	1	3	12	10	7	7	1	-	-	-	-
	2	1	4	7	4	4	8	7	6	-	2	4	1	-	-	-	-
133*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	2	1	-	1	1	1	1	-	-	-	-	-
	-	-	2	2	3	-	1	1	-	-	-	1	-	-	-	-	-
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	3	2	5	-	-	7	3	6	6	-	3	-	-	-	-
	-	1	2	1	3	5	2	4	1	2	1	-	-	-	-	-	-
134*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	2	5	-	-	5	1	4	2	-	1	-	-	-	-
	-	1	2	1	3	5	2	4	1	2	-	-	-	-	-	-	-
134*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	2	2	2	4	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	2	3	1	4	7	6	3	4	-	-	-
	-	-	-	1	1	1	2	1	-	2	-	5	1	1	1	-	-
135*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	2	2	1	4	6	4	2	3	-	-	-
	-	-	-	-	-	1	2	-	-	2	-	5	1	-	1	-	-
135*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-
	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-
136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	1	3	-	2	1	3	4	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	2	-	1	-	2	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	1	-	1	1	1	4	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	3	3	13	27	44	60	58	38	19	4	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	8	5	8	10	9	7	8	9	9	3	-	1	-	-	-	-
139*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	2	3	4	1	3	2	1	3	-	-	1	-	-	-	-
139*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	4	2	4	2	-	-	-	-	2	1	-	-	-	-	-	-
139*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	1	1	3	8	4	4	8	3	2	-	-	-	-	-	-
139*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of Decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
139e	Others	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	232	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	232	–	–	–	–	–	–	–	12	36
140	Abortion with septic conditions	T	20	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	2	6
141	Abortion without mention of septic conditions (to include hemorrhages)	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	1	1
142	Ectopic gestation	T	13	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	1
142a	With septic conditions specified	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
142b	Without mention of septic conditions	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	1
143	Other accidents of pregnancy (not to include hemorrhages)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
144	Puerperal hemorrhage	T	39	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–	7
144a	Placenta prævia	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	2
144b	Other puerperal hemorrhages	T	27	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	–	5
145	Puerperal septicemia (not specified as due to abortion)	T	41	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	41	–	–	–	–	–	–	–	4	11
145a	Puerperal septicemia and pyemia	T	41	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	41	–	–	–	–	–	–	–	4	11
146	Puerperal albuminuria and eclampsia	T	24	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	3
147	Other toxemias of pregnancy	T	19	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	1	2
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	1
148a	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
148b	Embolism and thrombosis	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	1
149	Other accidents of childbirth	T	43	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	43	–	–	–	–	–	–	–	4	4
149a	Cesarean operation	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–
149b	Others	T	28	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	4	4
150	Other and unspecified conditions of the puerperal state	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	61	–	–	–	–	–	–	–	–	–
		M	32	2	–	–	–	–	2	–	1	1
		F	29	1	–	1	–	–	1	1	4	2
151	Furuncle, carbuncle	T	20	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	1	2	1
152	Phlegmon, acute abscess	T	18	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	–	2	–	1	1
		F	7	1	–	1	–	–	–	–	–	–
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	23	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	1	–	2	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
139e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	45	63	55	19	2	–	–	–	–	–	–	–	–	–	–	–	–
140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
142a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
142b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	10	10	2	1	–	–	–	–	–	–	–	–	–	–	–	–
144a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	8	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	9	5	1	–	–	–	–	–	–	–	–	–	–	–	–
145a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	9	5	1	–	–	–	–	–	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	9	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	10	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
148a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	10	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	10	14	3	–	–	–	–	–	–	–	–	–	–	–	–	–
149a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	3	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–
150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	–	1	6	2	–	2	3	4	–	1	–	1	–	–	–
	1	1	1	1	2	2	1	3	2	2	2	–	–	1	–	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	1	1	–	1	1	3	–	1	–	1	–	–	–
	1	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	3	–	–	1	2	1	–	–	–	–	–	–	–
	–	1	–	1	1	–	1	1	1	2	1	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XIII.	Diseases of the Bones and Organs of Locomotion	T	44	–	–	–	–	–	–	–	–	–
		M	28	–	–	1	–	1	–	4	3	2
		F	16	–	–	–	–	–	1	2	–	1
154	Osteomyelitis	T	23	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	4	3	2
		F	7	–	–	–	–	–	1	–	–	–
155	Other diseases of the bones (tuberculosis excepted)	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
156	Diseases of the joints and other organs of locomotion	T	11	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	–	–	–
		F	5	–	–	–	–	–	–	2	–	1
156a	Diseases of the joints (tuberculosis and rheumatism excepted)	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	2	–	–
156b	Other organs of locomotion	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
XIV.	Congenital Malformations	T	387	–	–	–	–	–	–	–	–	–
		M	198	182	5	1	1	–	4	1	3	1
		F	189	176	6	2	1	1	1	2	–	–
157	Congenital malformations (stillbirths not included)	T	387	–	–	–	–	–	–	–	–	–
		M	198	182	5	1	1	–	4	1	3	1
		F	189	176	6	2	1	1	1	2	–	–
157a	Congenital hydrocephalus	T	28	–	–	–	–	–	–	–	–	–
		M	15	13	1	–	–	–	1	–	–	–
		F	13	13	–	–	–	–	–	–	–	–
157b	Spina bifida and meningocele	T	91	–	–	–	–	–	–	–	–	–
		M	35	34	1	–	–	–	–	–	–	–
		F	56	53	2	–	1	–	–	–	–	–
157c	Congenital malformation of the heart	T	160	–	–	–	–	–	–	–	–	–
		M	95	85	3	–	1	–	2	1	2	1
		F	65	59	4	1	–	–	–	1	–	–
157d	Others	T	108	–	–	–	–	–	–	–	–	–
		M	53	50	–	1	–	–	1	–	1	–
		F	55	51	–	1	–	1	1	1	–	–
XV.	Diseases of Early Infancy	T	1,326	–	–	–	–	–	–	–	–	–
		M	766	766	–	–	–	–	–	–	–	–
		F	560	559	–	1	–	–	–	–	–	–
158	Congenital debility	T	20	–	–	–	–	–	–	–	–	–
		M	14	14	–	–	–	–	–	–	–	–
		F	6	6	–	–	–	–	–	–	–	–
159	Premature birth	T	898	–	–	–	–	–	–	–	–	–
		M	500	500	–	–	–	–	–	–	–	–
		F	398	398	–	–	–	–	–	–	–	–
160	Injury at birth	T	217	–	–	–	–	–	–	–	–	–
		M	139	139	–	–	–	–	–	–	–	–
		F	78	77	–	1	–	–	–	–	–	–
160a	Cesarean operation	T	2	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
160b	Without Cesarean operation	T	215	–	–	–	–	–	–	–	–	–
		M	137	137	–	–	–	–	–	–	–	–
		F	78	77	–	1	–	–	–	–	–	–
161	Other diseases peculiar to early infancy	T	191	–	–	–	–	–	–	–	–	–
		M	113	113	–	–	–	–	–	–	–	–
		F	78	78	–	–	–	–	–	–	–	–
161a	Atelectasis	T	109	–	–	–	–	–	–	–	–	–
		M	64	64	–	–	–	–	–	–	–	–
		F	45	45	–	–	–	–	–	–	–	–
161b	Icterus of the new-born	T	12	–	–	–	–	–	–	–	–	–
		M	7	7	–	–	–	–	–	–	–	–
		F	5	5	–	–	–	–	–	–	–	–
161c	Sclerema	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
161d	Others	T	69	–	–	–	–	–	–	–	–	–
		M	42	42	–	–	–	–	–	–	–	–
		F	27	27	–	–	–	–	–	–	–	–
XVI.	Senility	T	28	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
162	Senility	T	28	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
XVII.	Violent and Accidental Deaths	T	3,590	–	–	–	–	–	–	–	–	–
		M	2,333	26	20	14	15	12	78	57	107	108
		F	1,257	24	16	10	10	5	28	15	20	37

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	1	1	2	1	3	-	2	2	-	1	-	-	-	-
	2	-	-	1	-	-	2	3	1	1	1	1	-	-	-	-	-
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	3	-	1	1	-	-	-	-	-	-
	1	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-
155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-
	-	-	-	-	-	-	-	-	1	-	1	7	7	2	-	1	-
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-
	-	-	-	-	-	-	-	-	1	-	1	7	7	2	-	1	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	121	112	126	151	187	215	203	212	181	152	109	71	33	19	4	-	-
	42	30	34	41	55	54	81	76	104	124	155	145	98	49	3	1	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
163–171	Suicide (total)	T	586	–	–	–	–	–	–	–	–	–
		M	440	–	–	–	–	–	–	3	9	13
		F	146	–	–	–	–	–	–	–	2	7
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	40	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	1
163*a*	Arsenical group	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid and all derivatives	T	11	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	1
163*c*	Cresol compounds group	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
163*d*	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
163*e*	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*f*	Lye group	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*g*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*m*	Hydrocyanic acid and all cyanides except gases	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*o*	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163*x*	All other poisons or kinds not stated	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	160	–	–	–	–	–	–	–	–	–
		M	105	–	–	–	–	–	–	–	1	5
		F	55	–	–	–	–	–	–	–	–	1
164*a*	Illuminating gas	T	100	–	–	–	–	–	–	–	–	–
		M	54	–	–	–	–	–	–	–	1	3
		F	46	–	–	–	–	–	–	–	–	–
164*b*	Automobile exhaust gas	T	58	–	–	–	–	–	–	–	–	–
		M	50	–	–	–	–	–	–	–	–	2
		F	8	–	–	–	–	–	–	–	–	1
164*c*	Coal and other fuel gases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
164*x*	Other gases	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	137	–	–	–	–	–	–	–	–	–
		M	119	–	–	–	–	–	–	2	4	3
		F	18	–	–	–	–	–	–	–	–	1
166	Suicide by drowning	T	63	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	1	–	–
		F	24	–	–	–	–	–	–	–	1	2
167	Suicide by firearms	T	111	–	–	–	–	–	–	–	–	–
		M	108	–	–	–	–	–	–	–	3	5
		F	3	–	–	–	–	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	31	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	36	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	–	–	–	1	–
		F	17	–	–	–	–	–	–	–	1	2
170	Suicide by crushing	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
172–175	Homicide (total)	T	61	–	–	–	–	–	–	–	–	–
		M	45	1	–	–	–	–	1	1	–	2
		F	16	2	–	–	1	–	1	–	3	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
163–171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	36	29	42	44	50	60	54	27	24	18	5	3	–	–	–	–
	14	10	13	15	20	19	26	8	3	4	2	3	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	2	5	1	5	2	3	–	–	–	–	–	–	–	–
	4	2	3	–	3	1	3	1	–	–	–	–	–	–	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	–	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	6	9	9	7	15	15	14	11	4	2	–	–	–	–	–	–
	5	4	3	6	7	12	8	1	2	3	1	2	–	–	–	–	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	5	4	2	2	8	10	9	3	2	–	–	–	–	–	–
	5	3	1	5	7	10	6	1	2	3	1	2	–	–	–	–	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	3	5	5	13	7	4	2	1	–	–	–	–	–	–	–
	–	1	1	1	–	2	2	–	–	–	–	–	–	–	–	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	7	5	10	18	12	20	17	2	5	5	3	1	–	–	–	–
	1	1	–	2	3	2	6	1	–	–	–	1	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	1	4	1	7	8	6	1	4	2	–	–	–	–	–	–
	1	2	2	4	2	3	2	4	1	–	–	–	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	14	10	10	11	10	9	5	3	7	9	1	2	–	–	–	–
	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	3	–	4	3	6	3	4	–	1	–	–	–	–	–
	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	4	2	1	–	3	3	–	–	–	–	–	–	–	–
	1	–	2	3	1	–	4	1	–	1	1	–	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
172–175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	4	2	6	5	2	2	4	4	1	2	1	–	–	–	–
	1	1	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
172	Infanticide (murder of infants under one year of age)	T	3	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–
172a	Immediately after birth	T	3	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	18	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	1	–	1
		F	3	–	–	–	–	–	–	–	–	–
174	Homicide by cutting or piercing instruments	T	10	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	–	1
		F	2	–	–	–	1	–	1	–	–	–
175	Homicide by other means	T	30	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	3	–
176–198, 201–214	Accidents (total)	T	2,943	–	–	–	–	–	–	–	–	–
		M	1,848	25	20	14	15	12	77	53	98	93
		F	1,095	22	16	10	9	5	27	15	15	30
176	Attack by venomous animals	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–
177	Poisoning by food	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	1	–	–
		F	2	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	79	–	–	–	–	–	–	–	–	–
		M	50	–	1	–	–	–	–	1	–	1
		F	29	–	–	–	–	–	–	–	–	3
178a	Illuminating gas	T	48	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	–	1	–	1
		F	18	–	–	–	–	–	–	–	–	1
178b	Automobile exhaust gas	T	23	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	2
178c	Coal and other fuel gases	T	6	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
178x	Other gases	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179	Other acute accidental poisonings (gas excepted)	T	40	–	–	–	–	–	–	–	–	–
		M	31	–	–	1	–	–	–	1	–	1
		F	9	–	1	1	–	–	–	–	1	–
179a	Arsenical group	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
179b	Barbituric acid and all derivatives	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
179c	Cresol compounds group	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179d	Mercury compounds	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179e	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–
179f	Lye group	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179g	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179h	Narcotic group	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179m	Methanol, denatured, wood and other alcohols (not ethyl)	T	9	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179o	Carbolic acid and phenol	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	–
179x	All other poisons or kinds not stated	T	14	–	–	–	–	–	–	–	–	–
		M	13	–	–	1	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	1	4	1	-	-	2	1	1	-	-	-	-	-	-
	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	2	-	2	3	2	2	1	2	-	2	1	-	-	-	-
	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
176–198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	95	72	93	107	137	160	141	156	150	124	90	64	29	19	4	-	-
201–214	27	19	20	25	33	34	54	67	101	120	153	141	99	49	3	1	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	2	3	7	10	5	6	4	4	2	-	-	-	-	-	-
	4	2	2	2	1	-	3	3	6	1	1	-	1	-	-	-	-
178a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	2	4	4	2	6	3	3	2	-	-	-	-	-	-
	2	2	1	1	1	-	2	2	3	1	1	-	1	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	1	3	5	3	-	1	1	-	-	-	-	-	-	-
	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
178c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
178x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	3	4	4	4	3	3	-	-	2	-	-	-	-	-	-
	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
179a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
179c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
179o	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
179x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	3	2	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
180	Conflagration	T	37	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	1	–
		F	11	–	1	–	–	–	–	–	–	1
181	Accidental burns (conflagration excepted)	T	116	–	–	–	–	–	–	–	–	–
		M	72	1	7	–	1	1	3	2	1	–
		F	44	1	2	1	1	2	6	1	2	1
182	Accidental mechanical suffocation	T	49	–	–	–	–	–	–	–	–	–
		M	35	14	2	–	–	–	–	1	–	1
		F	14	8	2	–	–	–	–	–	–	–
183	Accidental drowning	T	242	–	–	–	–	–	–	–	–	–
		M	172	–	2	7	2	3	16	16	24	14
		F	70	1	3	2	1	–	6	7	–	2
184	Accidental traumatism by firearms (wounds of war excepted)	T	21	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	–	1	2	3	2
		F	2	–	1	–	–	–	–	–	–	1
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	17	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	1	–	–	1
		F	5	–	–	–	–	–	–	–	–	–
186	Accidental traumatism by fall, crushing	T	1,214	–	–	–	–	–	–	–	–	–
		M	570	2	5	3	1	1	10	7	10	7
		F	644	1	3	1	–	–	2	–	2	1
186*a*	Fall	T	1,207	–	–	–	–	–	–	–	–	–
		M	564	2	5	3	1	1	10	7	10	7
		F	643	1	3	1	–	–	1	–	2	1
186*b*	Crushing	T	7	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–
187	Cataclysm	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	13	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	11	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
192	Lightning	T	7	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2
		F	1	–	–	1	–	–	–	–	–	–
193	Accidents due to electric currents	T	11	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	208	–	–	–	–	–	–	–	–	–
		M	152	6	2	1	2	1	5	6	6	10
		F	56	9	2	–	1	–	1	1	–	2
194*a*	Foreign body	T	42	–	–	–	–	–	–	–	–	–
		M	26	5	1	1	1	1	1	–	1	–
		F	16	5	2	–	–	–	–	–	–	1
194*b*	Others	T	166	–	–	–	–	–	–	–	–	–
		M	126	1	1	–	1	–	4	6	5	10
		F	40	4	–	–	1	–	1	1	–	1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
202*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	3	1	1	3	3	2	1	2	1	1	1	–	–	–	–
	–	–	1	–	–	–	–	1	3	–	2	1	1	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	5	5	7	3	3	12	5	3	5	2	1	–	1	–	–
	–	1	1	5	1	1	1	6	3	3	3	1	1	–	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	3	3	1	2	–	2	–	–	1	–	–	–	–	–
	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	9	10	6	15	7	9	10	6	4	3	1	1	–	–	–	–
	2	1	4	4	5	7	7	5	8	4	–	–	1	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	1	3	–	–	2	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	2	1	2	2	–	2	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	–	–	1	1	–	–	–	1	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	12	18	25	45	41	52	52	58	68	48	49	25	16	3	–	–
	3	2	5	3	8	12	25	29	56	87	132	130	92	46	3	1	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	12	17	25	44	41	51	52	58	67	48	49	25	16	3	–	–
	3	2	5	3	8	12	25	29	56	87	132	130	92	46	3	1	–
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	–	1	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	5	2	2	–	1	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	–	1	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	8	14	13	7	25	9	12	6	4	2	–	–	–	–	–	–
	2	1	2	3	3	3	2	7	2	6	6	1	–	2	–	–	–
194*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	3	4	2	2	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	–	2	1	–	1	1	1	–	–	–	–	–
194*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	8	12	12	4	21	7	10	6	4	2	–	–	–	–	–	–
	2	1	–	3	3	3	–	6	2	5	5	–	–	2	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
203	Elevator accidents	T	17	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	-	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	-
203*e*	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
203*f*	Traumatism by fall	T	6	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
203*g*	Traumatism by crushing, landslide	T	10	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	-
204	Accidents from machinery used for recreation	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
204*f*	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
205	Other machinery accidents	T	16	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	2
		F	1	-	-	-	-	-	1	-	-	-
205*e*	Traumatism by cutting or piercing instruments	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
205*f*	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
205*g*	Traumatism by crushing, landslide	T	5	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	1	-	-	-
205*m*	Other accidents	T	7	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
206	Railroad and automobile collisions	T	11	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	2
		F	3	-	-	-	1	-	-	-	-	1
206*m*	Other accidents	T	11	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	2
		F	3	-	-	-	1	-	-	-	-	1
207	Other railroad accidents	T	55	-	-	-	-	-	-	-	-	-
		M	42	-	-	1	-	-	2	1	5	-
		F	13	-	-	-	-	-	1	2	-	1
207*b*	Burns (conflagration excepted)	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
207*d*	Drowning	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
207*e*	Traumatism by cutting or piercing instruments	T	10	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
207*f*	Traumatism by fall	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
207*g*	Traumatism by crushing, landslide	T	19	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	2	1	1	-
		F	3	-	-	-	-	-	-	-	-	1
207*m*	Other accidents	T	22	-	-	-	-	-	-	-	-	-
		M	16	-	-	1	-	-	-	-	4	-
		F	6	-	-	-	-	-	1	2	-	-
208	Street car and automobile collisions	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
208*m*	Other accidents	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
209	Other street car accidents	T	16	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1
209*f*	Traumatism by fall	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1
209*g*	Traumatism by crushing, landslide	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
209*m*	Other accidents	T	11	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	-	1	3	3	1	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	2	1	1	1	2	3	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	3	5	2	5	6	4	3	1	-	-	-	-	-	-
	1	1	-	1	1	-	-	1	1	2	1	-	-	-	-	-	-
207b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	1	-	1	1	2	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	2	1	2	1	1	1	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	1	1	3	1	2	1	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
208m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	1	2	1	2	-	2	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-
209f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
209g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	1	1	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
210	Automobile accidents	T	645	–	–	–	–	–	–	–	–	–
		M	481	1	1	1	9	6	35	10	33	37
		F	164	2	1	4	5	3	10	2	9	14
210*b*	Burns (conflagration excepted)	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
210*d*	Drowning	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
210*e*	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
210*f*	Traumatism by fall	T	14	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	2	–
		F	2	–	–	–	–	–	–	–	1	–
210*g*	Traumatism by crushing, landslide	T	63	–	–	–	–	–	–	–	–	–
		M	55	–	–	–	1	2	11	1	1	1
		F	8	–	–	1	–	–	–	1	–	1
210*m*	Other accidents	T	558	–	–	–	–	–	–	–	–	–
		M	405	1	1	1	8	4	24	9	30	34
		F	153	2	1	3	5	3	10	1	8	13
211	Motorcycle accidents	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–
211*f*	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
211*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	20	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	1	2	4	–
		F	4	–	–	–	–	–	–	1	–	1
212*f*	Traumatism by fall	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	1	1	2	–
		F	1	–	–	–	–	–	–	–	–	–
212*m*	Other accidents	T	8	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	2	–
		F	3	–	–	–	–	–	–	1	–	1
213	Water transportation accidents	T	63	–	–	–	–	–	–	–	–	–
		M	57	–	–	–	–	–	1	1	6	7
		F	6	–	–	–	–	–	–	–	–	1
213*b*	Burns (conflagration excepted)	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
213*d*	Drowning	T	53	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	1	1	6	7
		F	6	–	–	–	–	–	–	–	–	1
213*f*	Traumatism by fall	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–
214*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
214*m*	Other accidents	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	26	–	–	–	–	–	–	–	–	–
		M	14	1	1	1	–	–	–	–	–	–
		F	12	2	–	–	–	–	–	–	–	–
199	Sudden death	T	4	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	22	–	–	–	–	–	–	–	–	–
		M	12	–	1	1	–	–	–	–	–	–
		F	10	2	–	–	–	–	–	–	–	–
200*a*	Ill-defined	T	17	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	–	–	–	–	–	–
		F	8	1	–	–	–	–	–	–	–	–
200*b*	Not specified or unknown	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown
210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	32	16	19	25	29	47	27	41	49	29	20	10	1	3	–	–	–
	13	9	2	4	7	7	15	14	17	12	6	6	2	–	–	–	–
210*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	1	3	–	–	–	1	1	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	4	1	7	2	5	8	5	–	1	–	–	–	–	–
	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
210*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	29	14	14	20	25	36	25	36	39	23	19	9	1	3	–	–	–
	11	8	2	4	7	7	14	12	16	12	6	6	2	–	–	–	–
211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	2	2	1	–	2	–	1	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
212*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	4	6	6	3	5	3	2	3	1	–	–	–	–	–	–	–
	1	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
213*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	4	4	5	3	4	1	–	3	1	–	–	–	–	–	–	–
	1	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	5	1	1	1	–	1	–	–	–	–	–
	2	1	–	–	2	1	–	1	–	–	1	1	–	1	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	4	1	1	1	–	1	–	–	–	–	–
	2	–	–	–	2	1	–	–	–	–	1	1	–	1	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	3	1	1	1	–	1	–	–	–	–	–
	2	–	–	–	1	1	–	–	–	–	1	1	–	1	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 15

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
	All Causes	T	1,066	82	72	87	75	86	75	108	105	114	92	99	71
		M	611	46	38	47	40	56	43	66	64	62	51	59	39
		F	455	36	34	40	35	30	32	42	41	52	41	40	32
I.	Infectious and Parasitic Diseases	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	9	4	6	6	8	–	2	5	8	–	3	5
		F	13	–	1	–	3	1	2	–	–	2	2	2	–
1	Typhoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11a	With respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11b	Without respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	Tuberculosis (total)	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	6	4	5	6	4	–	2	4	7	–	3	4
		F	10	–	1	–	3	–	1	–	–	1	2	2	–
23	Tuberculosis of the respiratory system	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	6	4	5	6	4	–	2	4	5	–	3	4
		F	7	–	1	–	3	–	1	–	–	–	–	2	–
24	Tuberculosis of the meninges and central nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	1	–	–
30	Tuberculosis of the genito-urinary system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
31	Tuberculosis of other organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	2	–	–	1	–	–	–	–
		F	3	–	–	–	–	1	1	–	–	1	–	–	–
34a	Congenital	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
34c	Unspecified	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	2	–	–	1	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	1	–	–	–
36	Purulent infection, septicemia, nonpuerperal	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	227	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	10	5	12	3	12	6	9	10	13	6	13	6
		F	122	13	7	11	4	9	9	11	10	15	13	13	7
45–53	Cancer and other malignant tumors (total)	T	208	–	–	–	–	–	–	–	–	–	–	–	–
		M	96	10	5	10	3	9	5	9	9	13	6	11	6
		F	112	12	5	10	3	7	9	11	9	14	12	13	7
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	1	–	1	1	–	1	2	–	2	2
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
45a	Lip	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	Tongue	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	2	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
45d	Jaw	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	1	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45e	Other and unspecified parts of buccal cavity	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
45f	Pharynx	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
	46	**4**	**4**	**4**	**1**	**11**	**11**	**15**	**57**	**86**	**152**	**151**	**244**	**205**	**66**	**9**	-	-
	27	1	2	3	-	7	7	9	35	60	107	86	131	106	29	1	-	-
	19	3	2	1	1	4	4	6	22	26	45	65	113	99	37	8	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	1	1	-	2	9	28	8	3	1	-	-	-	-
	1	-	-	-	-	-	-	-	4	2	2	1	1	2	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	7	26	7	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	1	1	1	1	2	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	6	25	7	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	1	-	1	-	1	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
34*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	1	-	-	1	5	15	18	36	23	6	-	-	-
	1	-	1	-	-	1	-	1	1	7	14	32	40	17	4	3	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	12	17	35	23	6	-	-	-
	1	-	1	-	-	-	-	1	1	4	12	29	40	16	4	3	-	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	4	5	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
45*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	8	1	4	2	3	2	6	3	7	4	4	2
		F	47	3	2	8	1	1	4	5	4	6	6	7	–
46a	Esophagus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
46b	Stomach and duodenum	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	–	3	–	–	2	2	2	2	1	–	–
		F	11	1	–	2	–	–	–	1	2	2	2	1	–
46c	Intestine (except duodenum, rectum and anus)	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	–	–	1	1	–	–	1	3	1	3	1
		F	13	–	1	2	–	–	–	1	2	2	1	4	–
46d	Rectum and anus	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	1	–	2	–	–	1	1	–
		F	11	–	–	2	–	1	3	–	–	2	2	1	–
46e	Liver and biliary passages	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	1	1	–	–
		F	6	1	1	1	1	–	–	1	–	–	1	–	–
46f	Pancreas	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	–	1	–	–	1
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
46g	Mesentery and peritoneum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	1	–	2	–	1	1
		F	5	–	–	–	–	1	–	1	–	1	–	1	1
47a	Larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47b	Lungs and pleura	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	1	–	2	–	–	1
		F	5	–	–	–	–	1	–	1	–	1	–	1	1
48	Cancer and other malignant tumors of the uterus	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	1	1	–	–	2	1	–	1	–	1	–	2
49a	Cancer and other malignant tumors of the ovary and Fallopian tube	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	2	–	–	–	–	1	1	–	1	1	–	–
50	Cancer and other malignant tumors of the breast	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	27	3	1	1	1	1	3	3	3	4	2	4	1
51	Cancer and other malignant tumors of the male genito-urinary organs	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	2	2	1	4	–	–	4	2	2	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	1	1	1	–	–	1	2	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	–	2	–	–	3	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	–	1	–	1	–	–	–	1
		F	4	1	–	–	–	–	–	–	–	1	–	–	2
53	Cancer and other malignant tumors of other or unspecified organs	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	1	–	2	–	–	–	2	–
		F	12	2	1	1	1	1	–	–	1	1	2	1	1
53a	Kidneys and suprarenals (female)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
53b	Bladder (female)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
53c	Brain	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	1	–	1	–	–	–	2	–
		F	3	–	–	–	–	–	–	–	1	1	1	–	–
53d	Bones (except jaw)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
53e	Others	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	1	–	–	–	–	–
		F	6	1	1	–	1	–	–	–	–	–	1	1	1

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	9	20	9	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	10	22	9	2	1	-	-
46a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	3	6	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	8	-	1	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	8	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	4	5	-	-	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	1	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	3	6	-	1	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	4	-	-	1	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	6	8	10	-	-	1	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	8	6	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	5	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	3	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-
	1	-	1	-	-	-	-	1	1	-	-	3	2	2	-	1	-	-
53a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex	Total	January	February	March	April	May	June	July	August	September	October	November	December
			Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months												
54	Nonmalignant tumors	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	2	-	1	1	-	1	-	-	2	-
		F	5	1	1	-	-	1	-	-	1	1	-	-	-
54a	Of the ovary	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
54b	Of the uterus	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-
54d	Of the brain	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	2	-	1	1	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
54e	Of other organs	T	4	-	-	-	-		-	-	-	-	-	-	-
		M	2	-	-	-		-	-	-	1	-	-	1	-
		F	2	-	1	-			-	-	1	-	-	-	-
55	Tumors of which the nature is not specified	T	7	-	-	-	-		-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	5	-	1	1	1	1	-	-	-	-	1	-	-
55b	Of the uterus	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
55d	Of the brain	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	3	-	-	1	1	1	-	-	-	-	-	-	-
55e	Of other organs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	2	2	-	-	1	3	2	1	-	-	-	1
		F	21	2	4	4	2	1	2	-	1	-	2	2	1
57	Chronic rheumatism, osteoarthritis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
59	Diabetes mellitus	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	2	2	-	-	1	3	2	1	-	-	-	1
		F	14	1	3	2	1	1	1	-	-	-	2	2	1
66	Diseases of the thyroid and parathyroid glands	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	1	2	-	-	1	-	1	-	-	-	-
66b	Exophthalmic goiter	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	1	1	-	-	1	-	1	-	-	-	-
66e	Others	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
IV.	Diseases of the Blood and Blood-making Organs	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	-	5	1	-	-	3	-	1	2	1	-
		F	3	-	-	-	-	-	-	-	-	1	-	2	-
70a	Primary purpuras	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
71a	Pernicious anemia	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
72	Leukemias and pseudoleukemias	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	-	4	1	-	-	2	-	-	2	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	2	-
72a	True leukemias	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	2	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	2	-
72b	Pseudoleukemias (Hodgkin's disease)	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	-	2	-	-	-	1	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
73	Diseases of the spleen	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	Chronic Poisonings and Intoxications	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
75	Alcoholism (acute or chronic)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1938.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-
54*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
54*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-
55*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
55*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
55*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	4	5	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	3	8	5	1	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	4	5	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	2	4	3	1	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
66*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
66*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	1	1	2	6	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
70*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	2	3	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
72*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
72*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed List Int. No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	2	2	1	4	5	2	6	3	5	7	5	1
		F	31	2	2	2	2	4	3	4	–	3	4	1	4
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	1	2	1	3	4	2	4	1	4	6	4	1
		F	29	2	2	2	2	2	3	4	–	3	4	1	4
82*a*	Cerebral hemorrhage	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	–	1	3	3	2	3	1	3	6	2	1
		F	27	2	2	2	2	2	3	3	–	3	3	1	4
82*b*	Cerebral embolism and thrombosis	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	1	–	1	–	1	–	2	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–
82*d*	Hemiplegia and other paralysis, cause unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
83	General paralysis of the insane	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	1	–	2	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87*b*	Other diseases of the nervous system	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
89	Diseases of the ear and of the mastoid process	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
89*a*	Diseases of the ear	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
89*b*	Diseases of the mastoid process	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	234	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	6	9	8	8	10	12	21	15	8	12	14	10
		F	101	9	9	6	6	6	7	16	10	9	9	7	7
90	Pericarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
91	Acute endocarditis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
91*a*	Specified as acute	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
91*b*	Unspecified (under 45 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92	Chronic endocarditis, valvular diseases	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	2	–	2	1	–	1	3	2	1
		F	14	1	1	1	1	2	1	3	1	2	1	–	–
92*a*	Endocarditis specified as chronic and valvular disease	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	2	–	2	1	–	1	3	2	1
		F	13	1	1	1	1	2	1	2	1	2	1	–	–
92*b*	Endocarditis unspecified (45 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
93	Diseases of the myocardium	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	–	2	–	3	–	5	1	1	2	–	5
		F	31	4	3	4	2	–	2	3	2	3	2	3	3
93*a*	Acute myocarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
93*c*	Chronic myocarditis and myocardial degeneration	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	2	–	3	–	2	1	–	1	–	2
		F	20	3	1	3	2	–	1	2	2	2	1	2	1
93*d*	Other diseases of myocardium	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	3	–	1	1	–	2
		F	11	1	2	1	–	–	1	1	–	1	1	1	2
94	Diseases of the coronary arteries and angina pectoris	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	1	4	5	4	4	4	9	7	4	4	6	2
		F	26	4	2	1	1	–	2	6	3	1	3	2	1
94*a*	Angina pectoris	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–	–	2	–
		F	4	–	–	–	1	–	–	1	2	–	–	–	–
94*b*	Diseases of the coronary arteries	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	1	4	5	4	4	4	8	7	4	4	4	2
		F	22	4	2	1	–	–	2	5	1	1	3	2	1

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
	AGE OF DECEDENTS (YEARS).																	
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	1	1	7	3	17	7	4	-	-	-
82	-	-	-	-	-	-	-	-	-	-	1	4	6	14	6	-	-	-
	-	-	-	-	-	1	-	-	1	1	2	1	16	7	4	-	-	-
82*a*	-	-	-	-	-	-	-	-	-	-	-	3	6	14	6	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82*b*	-	-	-	-	-	-	-	-	-	1	1	1	12	7	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	5	13	6	-	-	-
82*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87*b*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	2	7	15	22	36	37	11	1	-	-
90	-	-	-	-	-	-	1	-	1	3	3	8	29	37	16	3	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
91	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
91*a*	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
91*b*	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92*a*	-	-	-	-	-	-	-	-	-	1	3	1	2	3	2	1	-	-
	-	-	-	-	-	-	-	-	1	-	1	1	3	5	3	-	-	-
92*b*	-	-	-	-	-	-	-	-	-	1	3	1	2	3	2	1	-	-
	-	-	-	-	-	-	-	-	1	-	1	1	3	4	3	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
93*a*	-	-	-	1	-	-	-	-	-	-	-	4	5	9	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	10	11	5	2	-	-
93*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
93*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	-	-	-	1	-	-	-	-	-	-	-	3	1	6	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	8	6	4	1	-	-
94*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-
94*b*	-	-	-	-	-	-	-	-	-	-	-	2	2	5	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	8	11	16	13	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	8	10	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	8	11	15	12	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	6	9	3	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
95b	Other and unspecified diseases of the heart	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	2	1	2	3	6	4	6	2	2	5	–
		F	24	–	3	–	–	4	2	4	4	3	2	1	1
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	–	–	1	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–	1	1	1
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	4	3	4	5	1	1	2	1	5	5	1
		F	28	3	5	3	2	2	2	1	1	2	–	3	4
104	Diseases of the nasal fossae and annexae	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107a	Bronchopneumonia	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	3	2	1	–	–	1	1	2	2	–
		F	14	1	3	2	–	1	1	–	1	2	–	2	1
108	Lobar pneumonia	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	2	–	1	3	1	1	–	–	2	1	1
		F	10	1	2	1	2	1	–	1	–	–	–	1	1
110	Pleurisy	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
111a	Pulmonary embolism and thrombosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
111b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
112	Asthma	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
114b	Other diseases of the respiratory system (tuberculosis excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	2	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
IX.	Diseases of the Digestive System	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	4	3	1	6	2	2	5	5	3	4	6	5
		F	38	5	–	6	4	2	3	3	4	3	6	1	1
115a	Diseases of the pharynx and tonsils	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	1	1	–	–	–	–
		F	2	–	–	2	–	–	–	–	–	–	–	–	–
116	Diseases of the esophagus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	–	–	1	1	1	1	–	–	1	3	1
		F	3	1	–	1	–	–	–	–	1	–	–	–	–
117a	Stomach	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	–	1	1	–	–	1	1	1
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
117b	Duodenum	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	1	–	–	–	–	–	2	–
		F	2	–	–	1	–	–	–	–	1	–	–	–	–
118	Other diseases of the stomach (cancer excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
120b	Ulceration of intestines (2 years and over)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	2	–	–	–
		F	3	–	–	1	–	–	–	–	–	1	1	–	–
121	Appendicitis	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	1	–	–	1	3	1	1	–	–
		F	7	2	–	1	–	–	1	–	2	–	–	–	1
122	Hernia, intestinal obstruction	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	2	–	–	2	–	–	–	1	1
		F	7	1	–	1	1	1	–	1	–	–	2	–	–
122a	Hernia	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	2	–	–	–	–	1
		F	4	–	–	–	1	1	–	1	–	–	1	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
95*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	4	4	10	12	3	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	2	7	9	3	1	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	2	-	1	4	7	1	5	5	2	-	-	-
	3	1	-	-	1	-	-	-	3	2	2	-	6	6	4	-	-	-
104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	1	2	4	-	-	2	-	-	-	-
	3	1	-	-	-	-	-	-	2	-	-	-	3	2	3	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-
	-	-	-	-	1	-	-	-	-	1	2	-	3	2	1	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
111*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
114*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	2	1	8	10	9	10	3	1	-	-	-
	3	-	-	-	-	2	2	2	5	2	2	6	9	4	1	-	-	-
115*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	4	4	2	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
117*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
117*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	4	-	2	-	-	-	-	-
	-	-	-	-	-	2	-	-	2	-	-	1	2	-	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
	1	-	-	-	-	-	1	-	-	-	-	-	3	2	-	-	-	-
122*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months.												
122b	Intestinal obstruction	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	–	–	–	–	–	–	1	–
		F	3	1	–	1	–	–	–	–	–	–	1	–	–
124b	Cirrhosis of the liver, not specified as alcoholic	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	1	–	–	–	1	–	–	2	1
		F	2	–	–	–	–	–	1	–	–	–	–	1	–
125	Other diseases of the liver (including yellow atrophy of liver)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	1	–	–	1	–	–	–	–	1	–	–	–
125a	Yellow atrophy of liver	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
125b	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	1	–	–	–	–	1	–	–	–
126	Biliary calculi	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	8	–	–	–	1	1	1	1	1	1	2	–	–
127	Other diseases of the gall bladder and biliary passages	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis, cause not specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
X.	Diseases of the Genito-urinary System	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	7	2	3	2	1	5	6	5	4	5	1	2
		F	28	–	2	4	4	2	1	1	4	2	1	4	3
130	Acute nephritis (including unspecified under 10 years of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
131	Chronic nephritis	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	3	1	1	–	1	2	3	2	1	4	–	1
		F	22	–	2	2	4	1	1	1	3	2	1	3	2
132	Nephritis, unspecified (10 years and over)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
133a	Pyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
133b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134a	Calculi of the kidneys and ureters	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
135a	Cystitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	2	–	–	–	2	3	3	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	2	–	1	–	–	1	–	–	–	–
139a	Cysts of the ovary	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	2	–	–	–	–	1	–	–	–	–
139c	Diseases of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	1	–	1	1	–	1	–	–
140	Abortion with septic conditions	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
125a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	3	5	5	10	13	5	-	-	-
	-	-	-	-	-	-	-	1	-	2	8	4	4	7	2	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	4	4	4	-	-	-
	-	-	-	-	-	-	-	1	-	1	4	4	4	6	2	-	-	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	5	8	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex.	Total.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
142b	Ectopic gestation, without mention of septic conditions	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
144b	Other puerperal hemorrhages	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
146	Puerperal albuminuria and eclampsia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
XII.	Diseases of the Skin and Cellular Tissue	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	-	-	1	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
151	Furuncle, carbuncle	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
152	Phlegmon, acute abscess	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	Congenital Malformations	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	2	-	-	1	-
		F	5	-	1	1	2	-	-	-	1	-	-	-	-
157	Congenital malformations (stillbirths not included)	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	2	-	-	1	-
		F	5	-	1	1	2	-	-	-	1	-	-	-	-
157a	Congenital hydrocephalus	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	1	-	-	-	-	-	-	-	-
157d	Others	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	2	-	-	1	-
		F	3	-	-	1	1	-	-	-	1	-	-	-	-
XV.	Diseases of Early Infancy	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	2	2	-	-	1	1	2	1	1	2	1	-
		F	7	-	-	1	2	-	-	1	1	-	-	1	1
158	Congenital debility	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
159	Premature birth	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	2	1	-	-	1	-	-	1	-	2	1	-
		F	4	-	-	-	1	-	-	1	1	-	-	-	1
160b	Injury at birth, without Cesarean operation	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	-	1	1	-	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
161	Other diseases peculiar to early infancy	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
161a	Atelectasis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
161d	Others	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
XVI.	Senility	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
XVII.	Violent and Accidental Deaths	T	153	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	-	5	6	6	8	11	9	14	18	7	9	8
		F	52	2	3	2	4	1	3	4	7	15	3	4	4
163–171	Suicide (total)	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	2	1	1	2	2	3	1	2	2	2	-
		F	5	1	-	-	3	-	-	1	-	-	-	-	-
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	1	-	-	1	-	-	1	-	-
		F	2	-	-	-	2	-	-	-	-	-	-	-	-
163b	Barbituric acid and all derivatives	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
163c	Cresol compounds group	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163d	Mercury compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
163x	All other poisons or kinds not stated	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
142b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
144b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	2	2	4	26	17	17	17	8	5	–	–	–	–
	1	–	1	1	–	1	–	2	6	4	9	7	10	6	3	1	–	–
163–171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	5	3	6	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
163b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
163c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
163x	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death	Sex	Total	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months.												
164b	Suicide by automobile exhaust gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	1	–	1	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
166	Suicide by drowning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
167	Suicide by firearms	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	2	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
172–175	Homicide (total)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
173	Homicide by firearms	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
174	Homicide by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176–198, 201–214	Accidents (total)	T	127	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	–	3	5	5	6	9	6	12	16	5	7	7
		F	46	1	3	2	1	1	3	3	7	15	3	3	4
178b	Accidental absorption of automobile exhaust gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179	Other acute accidental poisonings (gas excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	1	–	–	–	–	–
179a	Arsenical group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
179f	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
180	Conflagration	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
181	Accidental burns (conflagration excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
182	Accidental mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
183	Accidental drowning	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	1	1	–	3	8	–	–	–
		F	12	–	–	–	–	–	–	–	2	10	–	–	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
186a	Accidental traumatism by fall	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	–	–	–	1	2	2	1	2	1
		F	10	1	1	–	–	–	–	–	2	1	1	2	2
188	Injuries by animals	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	1	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	2	–	1	–
194a	Foreign body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
164b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
172–175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198,	1	-	1	1	-	2	2	4	20	13	11	14	7	5	-	-	-	-
201–214	1	-	1	1	-	1	-	2	3	4	7	6	10	6	3	1	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	1	-	3	1	2	2	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	4	1	4	2	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
186a	-	-	-	-	-	-	1	-	1	2	1	1	1	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	-	-
188	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
194*b*	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	2	–	1	–
206*g*	Railroad and automobile collisions, by crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
207	Other railroad accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
207*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
210	Automobile accidents	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	–	2	4	2	2	5	3	3	4	3	2	4
		F	13	–	2	1	–	1	1	1	2	1	2	–	2
210*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*g*	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*m*	Other accidents	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	–	2	4	2	2	4	3	3	4	2	2	3
		F	13	–	2	1	–	1	1	1	2	1	2	–	2
211*f*	Motorcycle accidents (traumatism by fall)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	Other land transportation accidents (fall)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	3	2	2	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*b*	Burns (conflagration excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	Drowning	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	3	–	2	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
206g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	9	7	6	4	5	1	-	-	-	-
	1	-	-	-	-	-	-	-	2	2	2	3	2	1	-	-	-	-
210f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	7	7	6	3	5	1	-	-	-	-
	1	-	-	-	-	-	-	-	2	2	2	3	2	1	-	-	-	-
211f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	4	-	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	4	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 16

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes	T	455	44	39	45	30	36	44	45	43	58	25	21	25
		M	284	25	25	31	15	25	28	27	30	32	15	12	19
		F	171	19	14	14	15	11	16	18	13	26	10	9	6
I.	Infectious and Parasitic Diseases	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	2	1	–	2	2	1	4	–	–	–	1
		F	6	–	1	–	3	1	–	–	1	–	–	–	–
11	Influenza	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
11*a*	With respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
11*b*	Without respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
17*a*	Equine encephalomyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
23–32	Tuberculosis (total)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	2	1	–	1	1	1	1	–	–	–	1
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	2	1	–	1	1	–	1	–	–	–	1
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34*c*	Syphilis, unspecified	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	–	3	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	6	5	3	3	6	1	3	2	2	4	3
		F	17	6	3	2	–	1	–	1	1	2	1	–	–
45–53	Cancer and other malignant tumors (total)	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	6	4	3	3	4	1	3	2	2	4	2
		F	14	5	2	2	–	1	–	1	1	1	1	–	–
45*c*	Cancer and other malignant tumors of the mouth	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	3	2	2	1	3	–	2	–	1	2	1
		F	6	2	1	–	–	1	–	1	–	–	1	–	–
46*b*	Stomach and duodenum	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	1	–	1	–	2	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
46*c*	Intestine (except duodenum, rectum and anus)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	1	–	–	2	–	–	–	1	1	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
46*d*	Rectum and anus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	1	–	–	–	–	–	–	–
46*e*	Liver and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
46*f*	Pancreas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	Lungs and pleura	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*c*	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	3	–	1	–	–	–	–	–	–	–	–	–
49*a*	Cancer and other malignant tumors of the ovary and Fallopian tube	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	–
51*c*	Cancer and other malignant tumors of the prostate	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	1	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
53	Cancer and other malignant tumors of other or unspecified organs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	1	2	1	–	–	2	–	–	1
		F	2	–	1	1	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	15	-	-	-	-	2	7	8	31	28	79	81	90	74	38	2	-	-
	4	-	-	-	-	1	3	6	26	22	63	54	51	34	19	1	-	-
	11	-	-	-	-	1	4	2	5	6	16	27	39	40	19	1	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	1	5	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
11b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
17a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	1	2	3	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	4	11	13	9	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	6	3	3	1	-	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	10	11	9	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	3	3	1	-	-	-
45c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	5	7	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
53b	Bladder (female)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
53e	Others	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	1	2	1	–	–	2	–	–	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
54	Nonmalignant tumors	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
54b	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Tumors of which the nature is not specified	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	–	–	–	–	1
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
55b	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
55d	Of the brain	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55e	Of other organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	1	–	–	–	–	–
		F	8	1	1	–	1	–	2	1	–	1	–	–	1
59	Diabetes mellitus	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	1	–	–	–	–	–
		F	6	1	1	–	–	–	1	1	–	1	–	–	1
66b	Exophthalmic goiter	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
IV.	Diseases of the Blood and Bloodmaking Organs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
71a	Pernicious anemia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	2	3	1	1	1	2	4	2	3	–	1
		F	23	1	–	6	4	–	2	4	2	2	1	1	–
78b	Encephalitis (nonepidemic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79a	Simple meningitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	2	2	1	1	1	–	3	1	3	–	1
		F	23	1	–	6	4	–	2	4	2	2	1	1	–
82a	Cerebral hemorrhage	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	1	–	–	1	–	3	1	2	–	1
		F	23	1	–	6	4	–	2	4	2	2	1	1	–
82b	Cerebral embolism and thrombosis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
89a	Diseases of the ear	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	6	6	9	4	6	10	7	8	11	3	5	6
		F	52	6	2	4	5	7	6	6	3	6	4	1	2
92	Chronic endocarditis, valvular diseases	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	2	–	–	1	–	1	2	–	–	–
		F	5	2	–	–	–	–	–	1	–	2	–	–	–
92a	Endocarditis specified as chronic and valvular disease	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	2	–	–	1	–	1	2	–	–	–
		F	3	1	–	–	–	–	–	1	–	1	–	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1938.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	3	2	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	4	4	2	6	1	1	-	-
79a	-	-	-	-	-	-	-	-	1	-	2	2	4	8	6	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
82b	-	-	-	-	-	-	-	-	-	-	1	4	1	3	1	1	-	-
	-	-	-	-	-	-	-	-	1	-	2	2	4	8	6	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	19	15	24	11	8	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	5	19	19	7	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-

Detailed Int. List No	Table 16 — Cause of Death	Sex	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months: Total	January	February	March	April	May	June	July	August	September	October	November	December
92b	Endocarditis unspecified (45 years and over)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
93	Diseases of the myocardium	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	2	2	–	1	4	2	3	3	–	1	3
		F	24	1	1	2	2	4	4	3	2	1	1	1	2
93a	Acute myocarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	2	–	–	3	1	1	1	–	1	2
		F	16	1	–	2	1	4	2	3	1	–	–	1	1
93d	Other diseases of myocardium	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	1	1	1	2	–	–	1
		F	8	–	1	–	1	–	2	–	1	1	1	–	1
94	Disease of the coronary arteries and angina pectoris	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	3	1	3	2	2	4	3	3	5	3	3	1
		F	9	–	1	–	1	1	1	1	1	1	2	–	–
94a	Angina pectoris	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
94b	Diseases of the coronary arteries	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	3	1	3	1	2	4	3	3	5	2	3	1
		F	8	–	1	–	1	1	–	1	1	1	2	–	–
95b	Other and unspecified diseases of the heart	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	3	2	2	3	1	1	1	1	–	1	2
		F	13	3	–	2	1	2	1	1	–	2	1	–	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	1	8	3	1	2	–	1	2	–	1	2
		F	7	–	2	–	–	–	1	1	–	1	–	1	1
107a	Bronchopneumonia	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	4	1	–	–	–	1	1	–	–	2
		F	4	–	1	–	–	–	–	–	–	1	–	1	1
108	Lobar pneumonia	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	3	1	–	1	–	–	1	–	1	–
		F	2	–	1	–	–	–	1	–	–	–	–	–	–
109	Pneumonia, unspecified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
111b	Pulmonary edema	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
112	Asthma	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	2	–	–	3	1	1	2	5	3	–	2
		F	9	–	2	–	1	–	1	1	1	1	2	–	–
115a	Diseases of the pharynx and tonsils	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
117	Ulcer of the stomach and duodenum	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	–	2	1	–	1	1	3	–	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
117a	Stomach	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	–	2	1	–	1	1	2	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
117b	Duodenum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
120b	Ulceration of intestines	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	1	1	–	–	1
		F	3	–	–	–	–	–	–	–	1	1	1	–	–
122a	Hernia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124b	Cirrhosis of the liver, not specified as alcoholic	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	7	2	4	4	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	9	11	3	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	1	4	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	7	7	1	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	10	7	11	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	10	7	9	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	6	6	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	1	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	4	1	-	7	2	2	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	4	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	-	-	3	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	3	1	8	3	2	2	1	-	-	-
	1	-	-	-	-	1	2	-	-	-	1	1	1	1	1	-	-	-
115a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	5	1	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	4	1	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 16

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
126	Biliary calculi	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–
129	Peritonitis, cause not specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Diseases of the Genito-Urinary System	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	–	2	1	–	–	2	1	–	3	–	2
		F	8	1	3	–	–	–	1	1	1	–	–	1	–
130	Acute nephritis (including unspecified under 10 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Chronic nephritis	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	2	1	–	–	–	–	–	3	–	1
		F	7	1	2	–	–	–	1	1	1	–	–	1	–
132	Nephritis, unspecified (10 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
133*a*	Pyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
134*b*	Calculi of the bladder	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
145*a*	Puerperal septicemia and pyemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
151	Furuncle, carbuncle	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
152	Phlegmon, acute abscess	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	Diseases of Early Infancy	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	10	2	–	–	–	2	2	1	–	–	–	3	–
159	Premature birth	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	9	2	–	–	–	1	2	1	–	–	–	3	–
160*b*	Injury at birth, without Cesarean operation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII.	Violent and Accidental Deaths	T	89	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	6	4	3	3	7	6	11	7	10	1	2	1
		F	28	2	–	2	–	–	1	2	4	12	1	2	2
163–171	Suicide (total)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	1	–	1	–	1	1	2	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
164*a*	Suicide by illuminating gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	–	2	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
166	Suicide by drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
167	Suicide by firearms	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176–198, 201–214	Accidents (total)	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	52	5	3	2	3	6	6	10	6	8	1	1	1
		F	26	2	–	2	–	–	1	2	4	12	1	1	1

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: **1938.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	5	3	2	-	-	-
130	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-
133*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
134*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
145*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
151	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*b*	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	2	5	13	7	12	7	6	5	2	-	-	-
163–171	-	-	-	-	-	-	2	1	3	4	4	7	4	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164*a*	-	-	-	-	-	-	-	-	2	1	1	-	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
176–198, 210–214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	2	5	11	6	11	7	4	3	1	-	-	-
	-	-	-	-	-	-	2	1	3	4	3	6	4	2	1	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
176	Attack by venomous animals	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*b*	Acute accidental poisoning by barbituric acid	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Conflagration	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
181	Accidental burns (conflagration excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
183	Accidental drowning	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	1	–	–	2	3	2	2	–	–	–
		F	10	–	–	–	–	–	–	–	1	9	–	–	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	Accidental traumatism by fall	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	2	–	–	1	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	2	–	–	–	–
187	Cataclysm	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	1	1	1	–	–	–	1	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
194*a*	Foreign body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194*b*	Others	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	1	–	1	–	–	–	1	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
205*m*	Other machinery accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207	Other railroad accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
207*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
207*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
207*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210	Automobile accidents	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	1	–	–	–	4	3	2	1	–	1	1
		F	8	1	–	1	–	–	1	1	1	1	1	–	1
210*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*g*	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*m*	Other accidents	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	1	–	–	–	4	2	2	1	–	1	–
		F	8	1	–	1	–	–	1	1	1	1	1	–	1
212*f*	Other land transportation accidents (fall)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	Water transportation accidents (drowning)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	2	–	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
214*m*	Air transportation accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200*a*	Cause of death ill-defined	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1938.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	1	1	2	1	2	-	-	-	-	-
	-	-	-	-	-	-	2	-	1	1	1	3	2	-	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
205m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
207c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	3	1	4	2	1	3	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-
210f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	3	1	3	2	-	3	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-
212f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
214m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	**49,285**	**72**	**51**	**30**	**115**	**79**	**5**	**130**	**70**	**119**
(1)	Typhoid and paratyphoid fever (1, 2)	13	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	13	–	–	–	–	–	–	1	–	–
(5)	Scarlet fever (8)	24	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	35	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	19	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	155	–	–	–	–	3	–	1	–	1
(10)	Tuberculosis of the respiratory system (23)	1,536	1	–	1	3	1	–	3	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	40	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	99	–	1	–	1	–	–	–	–	–
(12)	Syphilis (34)	198	–	–	–	1	–	–	1	–	1
(13)	Malaria (38)	1	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	22	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	7	–	–	–	–	1	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	18	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	6,875	11	7	3	15	9	2	21	8	17
(17)	Rheumatism (56, 57, 58)	70	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1,436	2	–	1	4	4	2	2	1	3
(19)	Alcoholism (acute or chronic) (75)	173	–	–	–	–	1	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,292	9	7	6	10	6	1	15	9	11
(24)	Acute endocarditis (91)	86	–	–	–	–	–	–	–	1	–
(24)	Angina pectoris (94a)	278	–	–	1	4	–	–	–	4	3
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	15,932	31	15	4	37	19	–	32	27	35
(25)	Arteriosclerosis (97)	894	2	1	2	3	2	–	1	1	–
(26)	Bronchitis (106)	107	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,868	1	2	3	2	1	–	2	3	10
(27)	Lobar pneumonia (108)	1,312	–	–	–	3	3	–	2	2	2
(27)	Pneumonia (unspecified) (109)	36	–	–	–	–	–	–	–	1	–
(28)	Other respiratory diseases (104, 105, 110–114)	307	–	–	–	1	2	–	1	1	1
(29)	Diarrhea and enteritis (under 2 years) (119)	122	–	1	–	–	–	–	1	–	1
(30)	Appendicitis (121)	450	–	–	–	–	–	–	2	–	3
(31)	Cirrhosis of the liver (124)	436	–	–	–	–	–	–	–	–	4
(32)	Diseases of the stomach (117, 118)	346	–	–	–	–	2	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	371	–	–	–	–	–	–	1	–	–
(33)	Nephritis (130–132)	3,010	2	6	–	13	5	–	21	1	10
(34)	Diseases of the female genital organs, not specified as venereal (139)	90	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	61	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	171	–	–	–	–	–	–	1	1	–
(38)	Congenital malformations (157)	387	1	–	1	1	2	–	1	–	1
(38)	Congenital debility (158)	20	1	–	–	–	–	–	1	–	–
(38)	Premature birth (159)	898	1	3	–	3	1	–	6	1	1
(39)	Senility (162)	28	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	586	–	1	3	2	3	–	1	–	3
(41)	Homicide (172–175)	61	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2,943	2	6	3	5	8	–	5	6	4
(42)	*Burns (conflagration excepted) (181)*	116	–	–	–	1	1	–	–	–	–
(42)	*Accidental drowning (183)*	242	–	–	1	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	1,207	1	3	1	2	3	–	2	2	1
(42)	*Railroad and automobile collisions (206)*	11	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	55	–	–	–	–	–	–	–	–	1
(42)	*Street car and automobile collisions (208)*	2	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	16	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	645	1	2	–	–	4	–	2	2	–
(42)	*All others*	649	–	1	1	2	–	–	1	2	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	3,433	8	1	2	7	6	–	6	3	6
(43)	Cause of death not specified or ill-defined (199, 200)	26	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	364	**25**	**19**	**11**	**30**	**128**	**265**	**48**	**38**	**41**	**91**	**31**	**9**	**29**	**30**	**33**	**236**	**20**	**23**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
(10)	14	1	–	–	3	1	6	–	–	1	2	2	–	–	–	–	7	2	–
(11)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	49	2	3	1	2	19	44	9	4	6	11	4	5	1	4	4	34	3	4
(17)	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	2	–	–
(18)	6	1	–	–	1	2	4	2	–	1	4	–	–	1	–	1	10	1	–
(19)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(22)	34	2	3	1	3	6	19	3	5	2	9	4	1	2	4	3	25	2	4
(24)	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(24)	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	3	–	–
(24)	109	12	4	1	8	43	92	12	14	15	33	9	3	9	5	8	62	6	7
(25)	13	–	–	1	–	1	7	–	2	2	1	1	–	–	–	2	6	1	–
(26)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(27)	18	1	–	1	3	4	4	3	1	3	5	2	–	–	2	1	8	2	–
(27)	9	–	–	–	1	3	9	1	1	–	2	2	–	1	2	1	8	–	–
(27)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	5	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	3	–	–
(29)	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(30)	5	–	–	–	1	2	1	–	–	–	1	–	–	2	–	1	1	–	–
(31)	3	–	–	–	–	–	3	1	–	1	1	–	–	–	–	–	1	–	–
(32)	3	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–
(32)	2	–	1	–	–	2	2	1	–	–	4	–	–	–	1	–	3	–	–
(33)	24	2	1	3	1	16	16	4	–	1	2	2	–	5	5	1	20	–	4
(34)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–
(38)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1
(38)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(38)	4	–	–	–	–	4	4	1	1	1	3	1	–	–	–	2	4	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	6	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	2	–	–
(41)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	23	–	3	2	1	6	16	3	4	1	4	1	–	3	–	3	16	1	2
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	3	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–
(42)	9	–	–	1	1	3	5	–	–	1	2	1	–	2	–	–	8	–	1
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	5	–	2	–	–	–	4	1	3	–	–	–	–	–	–	–	4	1	1
(42)	4	–	–	1	–	3	1	1	–	–	2	–	–	1	–	2	4	–	–
	29	2	1	–	4	7	27	4	3	6	5	2	–	3	6	5	14	2	1
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica	Blackstone.	Blandford.	Bolton.	Bostron.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**6**	**276**	**78**	**47**	**5**	**6**	**9,620**	**36**	**6**	**9**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	2	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	1	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	7	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	4	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	1	–	–	–
(8)	Influenza (11)	–	1	–	1	–	–	14	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	10	2	1	–	–	441	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	10	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	1	–	–	–	26	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	51	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	1	1	–	–	–	5	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	1	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	40	16	7	1	–	1,400	5	–	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	13	–	–	–
(18)	Diabetes mellitus (59)	–	10	1	–	–	–	242	1	–	–
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	–	101	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	30	6	4	–	–	741	7	2	1
(24)	Acute endocarditis (91)	–	1	–	–	–	–	13	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	22	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	89	26	13	–	2	3,017	9	4	3
(25)	Arteriosclerosis (97)	–	1	1	–	–	1	96	–	–	–
(26)	Bronchitis (106)	–	1	–	–	–	–	14	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	10	5	4	–	–	437	2	–	–
(27)	Lobar pneumonia (108)	1	4	3	1	–	–	309	1	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	11	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	1	–	–	65	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	34	–	–	–
(30)	Appendicitis (121)	–	1	1	–	–	–	79	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	2	–	–	–	111	–	–	–
(32)	Diseases of the stomach (117, 118)	–	1	–	1	–	1	63	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	77	2	–	1
(33)	Nephritis (130–132)	–	23	4	6	1	1	449	1	–	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	17	–	–	–
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	16	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	1	–	–	–	27	–	–	–
(38)	Congenital malformations (157)	–	2	–	–	1	–	67	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	2	–	–	–
(38)	Premature birth (159)	–	3	–	1	–	–	190	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	1	–	–	–
(40)	Suicide (163–171)	–	7	1	–	–	–	92	1	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	17	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	13	5	3	2	1	659	4	–	–
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	–	28	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	1	1	–	33	2	–	–
(42)	*Traumatism by fall (186a)*	–	7	2	2	1	–	300	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	4	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	12	1	–	–
(42)	*Street car and automobile collisions (208)*	–	1	–	–	–	–	1	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	11	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	2	–	–	–	118	1	–	–
(42)	*All others*	–	2	1	–	–	1	152	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	23	2	4	–	–	675	2	–	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	16	**163**	**13**	**103**	**13**	**750**	**15**	**635**	**10**	**29**	**1,316**	**78**	**7**	**26**	**9**	**42**	**35**	**81**	**444**
(1)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1
(6)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(8)	–	–	–	1	–	3	–	1	–	–	3	–	–	2	–	1	–	–	2
(10)	1	7	–	4	–	20	–	9	–	–	56	1	–	1	–	–	–	4	21
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(11)	–	–	–	1	–	2	–	1	–	–	3	–	1	–	–	–	–	–	1
(12)	–	2	–	–	–	2	–	1	–	–	8	–	–	–	–	–	–	–	4
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(15)	2	29	2	12	–	116	3	108	1	3	180	9	1	1	1	5	7	4	59
(17)	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	1	–
(18)	–	5	–	3	–	22	2	20	–	–	37	1	–	–	–	1	–	5	10
(19)	–	–	–	–	–	2	–	–	–	–	18	1	–	–	–	–	–	–	2
(22)	1	7	1	5	1	72	–	85	–	7	107	13	–	8	2	2	6	11	38
(24)	–	–	–	–	–	1	–	1	–	1	4	1	–	–	–	–	–	–	1
(24)	–	–	–	1	–	7	–	8	–	–	8	–	–	–	–	1	–	1	1
(24)	4	63	3	41	6	258	5	217	3	7	427	27	1	4	3	18	14	23	133
(25)	1	1	–	4	–	5	–	4	–	–	23	1	1	1	–	–	1	1	11
(26)	–	1	–	1	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–
(27)	1	8	–	1	1	27	1	25	1	–	65	3	1	–	–	1	–	6	17
(27)	1	2	–	1	–	17	–	16	–	1	36	3	–	1	1	3	1	2	14
(27)	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	1	4	–	–	–	6	–	3	–	–	10	–	–	–	–	–	–	–	1
(29)	–	1	–	–	–	1	–	2	–	–	3	1	–	–	–	–	–	–	1
(30)	–	–	–	–	1	2	–	4	1	–	15	–	–	–	–	–	–	–	6
(31)	–	–	–	1	–	8	1	8	–	–	17	1	–	–	–	1	–	–	10
(32)	–	2	–	–	–	7	–	8	–	–	9	1	–	–	–	–	–	2	4
(32)	–	–	–	1	–	3	1	1	1	–	10	–	–	1	–	–	–	–	8
(33)	–	7	3	7	1	30	–	25	2	–	68	6	–	2	–	1	1	4	24
(34)	–	–	1	–	–	–	–	3	–	–	3	–	–	–	–	–	1	–	1
(35)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1
(36)	–	–	–	–	–	–	–	4	–	–	9	–	–	–	–	–	–	–	2
(38)	–	2	–	–	1	4	–	1	–	1	12	1	1	–	2	1	–	–	6
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	2	–	1	–	14	–	8	–	–	28	1	–	–	–	1	–	1	6
(39)	–	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–
(40)	2	2	–	–	2	12	1	8	–	–	18	–	–	–	–	–	–	–	2
(41)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3
(42)	1	9	1	7	–	52	1	30	1	5	57	3	–	2	–	4	1	4	25
(42)	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	3
(42)	–	2	–	1	–	4	–	2	–	1	5	–	–	1	–	3	–	–	1
(42)	–	2	–	4	–	22	–	11	–	1	23	2	–	–	–	–	–	2	13
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	–	1	–	10	–	8	1	2	17	–	–	–	–	1	–	1	7
(42)	1	2	1	1	–	14	1	8	–	1	12	1	–	1	–	–	–	–	1
	1	9	1	11	–	49	–	29	–	3	66	4	1	3	–	1	3	10	28
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	**24**	**12**	**7**	**373**	**6**	**22**	**130**	**36**	**19**	**80**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	1	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	1	–	–	–	–	–	1
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	–	–	20	–	1	2	–	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	1	–	–	–	–	1	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	2	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	1	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	1	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	1	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	2	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	4	2	1	48	1	2	11	6	3	11
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	1	–	–	–	–
(18)	Diabetes mellitus (59)	–	–	–	4	–	1	3	3	–	4
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	2	1	28	–	1	15	4	2	17
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	1	–	–
(24)	Angina pectoris (94a)	–	–	1	–	–	1	–	–	–	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	10	1	3	130	2	5	45	8	4	21
(25)	Arteriosclerosis (97)	–	–	–	1	2	–	4	–	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	9	–	2	3	4	1	2
(27)	Lobar pneumonia (108)	–	–	–	10	–	–	6	2	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	4	–	1	1	–	–	2
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	1	–	1	–	–	–	–
(30)	Appendicitis (121)	–	1	–	3	–	2	–	1	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	3	–	–	1	–	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	1	1	–	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	2	–	–	24	–	2	6	2	2	6
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	2	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	1	–	–	–
(38)	Congenital malformations (157)	–	–	–	5	–	1	1	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	–	11	–	–	–	–	–	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	11	–	–	3	–	–	2
(41)	Homicide (172–175)	–	–	–	2	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	2	–	21	1	1	11	3	2	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	3	–	–	–	–	1	–
(42)	*Accidental drowning (183)*	1	–	–	2	1	–	1	–	–	–
(42)	*Traumatism by fall (186a)*	2	–	–	6	–	–	3	2	1	2
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	–	4	–	1	2	1	–	–
(42)	*All others*	–	1	–	5	–	–	5	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116,120, 123, 125–129, 133–138, 151–156, 160, 161)	3	1	1	23	–	–	14	–	2	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	12	10	57	5	157	98	169	34	27	27	19	11	62	54	10	33	62	7	26
(1)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(10)	–	–	1	–	3	3	7	–	–	1	–	–	1	4	–	1	2	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	4	–	7	–	30	7	18	5	3	3	–	1	13	8	1	5	6	–	6
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(18)	–	–	2	1	3	2	3	2	1	2	1	–	1	1	–	–	2	–	–
(19)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(22)	1	1	7	1	7	14	14	2	1	1	–	1	4	7	2	4	6	–	2
(24)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(24)	4	4	23	1	54	31	57	12	14	9	10	3	21	11	2	15	22	4	13
(25)	–	–	–	–	5	5	8	1	1	1	–	–	3	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(27)	–	–	–	–	5	5	7	–	–	–	–	–	4	4	–	1	3	–	–
(27)	1	–	–	–	2	–	3	1	–	–	–	2	–	3	–	1	1	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(28)	–	–	–	–	2	–	3	–	–	–	1	–	–	–	–	–	–	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(30)	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
(31)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
(32)	1	–	–	–	2	2	–	2	–	1	–	–	–	1	–	–	–	–	–
(32)	–	–	–	–	1	1	1	–	–	–	1	–	–	–	2	–	1	1	–
(33)	–	2	6	1	13	7	10	1	1	–	1	–	3	7	1	–	5	–	1
(34)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(38)	–	–	1	1	1	2	2	1	–	1	1	–	–	1	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(38)	–	–	–	–	4	4	2	1	–	2	–	–	2	1	–	–	1	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	1	–	1	1	4	2	–	–	–	–	1	–	–	1	2	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	5	–	11	1	10	2	1	4	2	1	6	1	–	1	8	–	–
(42)	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(42)	–	–	3	–	2	1	2	–	–	–	2	–	2	–	–	1	5	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	1	–	6	–	4	–	–	2	–	–	2	–	–	–	2	–	–
(42)	–	–	1	–	3	–	3	2	–	2	–	1	–	–	–	–	1	–	–
	–	–	1	–	6	9	15	2	2	1	2	2	1	3	1	3	3	–	1
(43)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Eastham.	Easthampton	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	A. Causes.[2]	**10**	**121**	**69**	**24**	**8**	**3**	**17**	**19**	**468**	**131**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	1	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	1	–	–	1	2
(10)	Tuberculosis of the respiratory system (23)	–	6	3	–	–	–	–	–	15	5
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	2	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	–	1	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	22	4	3	1	–	1	2	70	21
(17)	Rheumatism (56, 57, 58)	–	–	2	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	2	6	2	1	–	–	–	19	6
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	6	8	1	1	–	2	–	39	14
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	1
(24)	Angina pectoris (94a)	–	3	–	1	–	–	–	–	2	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	4	34	22	7	1	–	5	7	144	40
(25)	Arteriosclerosis (97)	1	1	–	2	–	–	1	–	5	4
(26)	Bronchitis (106)	–	–	–	2	–	–	–	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	3	4	–	–	–	1	–	16	2
(27)	Lobar pneumonia (108)	–	5	1	–	1	–	1	1	22	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	2	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	1	–
(30)	Appendicitis (121)	–	–	2	–	–	–	1	–	6	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	–	–	2	2
(32)	Diseases of the stomach (117, 118)	–	1	2	–	–	–	–	1	3	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	–	1	–	5	1
(33)	Nephritis (130–132)	–	12	4	1	–	–	1	7	36	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	1	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	1	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	–	–	–	–	3	–
(38)	Congenital malformations (157)	–	1	–	–	–	–	–	–	5	3
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	2	–
(38)	Premature birth (159)	1	1	1	1	1	–	–	–	8	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	2	2	1	–	–	–	4	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	7	4	–	1	1	1	1	19	7
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	2	–
(42)	*Accidental drowning (183)*	–	2	–	–	–	–	1	–	2	3
(42)	*Traumatism by fall (186a)*	–	2	1	–	–	1	–	1	9	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	2	1	–	1	–	–	–	3	1
(42)	*All others*	–	1	2	–	–	–	–	–	3	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	13	4	2	–	1	2	–	33	13
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,384	95	437	4	53	259	75	28	205	–	33	11	292	5	–	79	15	5	87
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(6)	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(8)	5	–	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
(10)	63	2	16	–	2	3	2	–	7	–	–	–	9	–	–	2	–	–	–
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(12)	5	1	–	–	–	2	2	1	1	–	–	–	–	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–
(15)	174	10	54	–	8	47	9	3	29	–	7	2	48	1	–	10	1	1	11
(17)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(18)	50	2	17	–	2	6	–	–	1	–	1	–	4	–	–	3	–	–	–
(19)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	91	17	40	–	3	25	8	6	21	–	5	1	28	–	–	3	2	–	11
(24)	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(24)	4	–	–	–	2	4	–	–	–	–	–	1	3	–	–	1	–	–	1
(24)	490	22	152	–	15	85	24	9	64	–	12	2	88	3	–	18	5	1	27
(25)	13	1	2	–	4	6	–	–	–	–	–	–	10	–	–	–	–	–	4
(26)	1	1	1	–	–	1	1	1	–	–	–	–	2	–	–	–	–	–	–
(27)	48	2	11	–	1	5	1	2	12	–	1	2	2	1	–	7	–	–	2
(27)	37	3	12	2	–	6	4	–	3	–	–	1	10	–	–	1	–	1	3
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	8	–	1	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–	1
(29)	11	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
(30)	15	1	4	–	–	–	1	–	2	–	1	–	2	–	–	–	1	–	2
(31)	12	1	4	–	–	4	1	–	2	–	2	–	1	–	–	1	–	–	–
(32)	13	2	4	–	3	1	–	–	1	–	1	–	2	–	–	1	–	–	1
(32)	11	1	2	–	1	6	1	–	3	–	–	–	2	–	–	1	–	–	–
(33)	104	9	25	1	1	6	6	1	18	–	1	2	18	–	–	9	1	1	9
(34)	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(35)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(36)	5	–	3	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–
(38)	8	–	8	–	1	3	1	–	3	–	–	–	3	–	–	3	–	–	1
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	32	2	8	–	1	4	1	2	6	–	–	–	5	–	–	4	–	–	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	6	–	8	–	–	3	–	1	2	–	–	–	6	–	–	2	1	–	1
(41)	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	61	11	37	–	3	9	1	1	10	–	–	–	27	–	–	6	2	–	4
(42)	6	–	3	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–
(42)	9	6	1	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–
(42)	16	2	16	–	–	4	1	–	2	–	–	–	10	–	–	2	–	–	2
(42)	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(42)	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	15	1	7	–	2	4	–	–	2	–	–	–	1	–	–	1	–	–	2
(42)	14	1	9	–	1	1	–	–	1	–	–	–	12	–	–	2	2	–	–
	91	6	23	1	4	29	8	–	14	–	2	–	12	–	–	5	1	1	4
(43)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	**180**	–	**45**	**31**	**21**	**11**	**17**	**16**	**8**	**37**
(1)	Typhoid and paratyphoid fever (1, 2)	2	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	1	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	1	–	1
(10)	Tuberculosis of the respiratory system (23)	–	–	–	–	2	–	–	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	1	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	26	–	6	6	2	1	1	3	–	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	5	–	3	2	–	1	1	–	–	1
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	12	–	4	4	3	1	1	3	–	3
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	4	–	1	–	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	55	–	14	10	11	4	9	5	4	10
(25)	Arteriosclerosis (97)	5	–	–	1	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	8	–	1	–	–	1	1	–	–	1
(27)	Lobar pneumonia (108)	5	–	3	–	1	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	1	–	–	–	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	2	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	4	–	–	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	1	–	–	1	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	2	–	–	–	–	1	1	1
(33)	Nephritis (130–132)	11	–	4	2	–	2	1	2	2	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	–	–	–	–	–	–	–	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations(157)	1	–	–	–	–	1	–	–	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	4	–	2	2	–	–	1	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–	1
(40)	Suicide (163–171)	2	–	–	1	–	–	–	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	8	–	2	–	1	–	–	–	–	7
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	2	–	–	–	–	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	1	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	3	–	2	–	–	–	–	–	–	5
(42)	*All others*	2	–	–	–	1	–	–	–	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	18	–	2	1	–	–	2	–	1	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	26	**24**	**9**	**38**	**24**	**616**	–	**5**	**89**	**16**	**52**	**45**	**4**	**37**	**638**	**38**	**47**	**12**	**97**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	5	–	–	–	–
(10)	–	1	–	1	3	19	–	–	–	–	–	3	–	1	21	1	2	–	3
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–
(11)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	4	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	2	2	7	1	72	–	2	11	2	8	3	–	4	85	7	6	–	9
(17)	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(18)	1	–	–	2	1	21	–	–	2	–	2	2	–	2	18	1	6	1	1
(19)	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(22)	1	2	2	1	2	59	–	–	6	–	2	6	–	5	41	3	5	2	8
(24)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–
(24)	–	1	–	1	–	1	–	–	–	–	1	–	–	–	1	–	1	–	1
(24)	12	8	2	10	7	193	–	1	34	10	25	14	2	13	190	13	14	3	36
(25)	4	1	–	–	1	7	–	–	4	–	–	–	–	–	2	2	–	–	1
(26)	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	–	–	–	1
(27)	2	1	–	1	1	22	–	–	–	–	–	–	–	–	33	4	2	–	3
(27)	1	–	1	–	1	13	–	1	1	–	4	–	–	–	22	2	–	–	3
(27)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	2	1	–	–	–	–	–	–	–	–	3	–	–	–	–
(29)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	–	–	–	–	–	6	–	1	2	–	–	1	–	2	11	–	1	–	–
(31)	–	–	–	–	–	5	–	–	3	–	–	–	–	–	8	–	–	–	1
(32)	–	–	–	–	–	6	–	–	1	–	–	–	–	–	7	–	–	–	–
(32)	–	–	–	–	–	7	–	–	–	–	1	–	–	–	4	–	–	–	1
(33)	1	–	1	5	–	29	–	–	7	2	2	–	2	3	56	2	4	3	6
(34)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
(35)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	2	–	–	–	1
(36)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	1
(38)	–	1	–	–	–	2	–	–	–	–	–	1	–	–	4	–	1	–	–
(38)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
(38)	–	1	–	1	–	19	–	–	–	–	–	2	–	1	6	–	–	1	3
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	1	1	13	–	–	2	–	–	1	–	1	13	–	1	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	2	1	1	1	40	–	–	5	1	2	4	–	3	46	2	1	–	11
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1
(42)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1
(42)	1	–	–	–	–	16	–	–	3	–	1	1	–	1	19	–	–	–	5
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	1	–	–	–	13	–	–	1	1	1	1	–	1	10	–	–	–	3
(42)	–	1	1	–	1	10	–	–	1	–	–	1	–	1	14	2	–	–	1
	1	3	–	2	3	60	–	–	6	1	5	7	–	2	48	1	2	2	5
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	**39**	**9**	**58**	**37**	**22**	**23**	**16**	**925**	**46**	**45**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	1	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	1	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	4	–	–
(8)	Influenza (11)	–	–	–	1	–	–	–	2	–	2
(10)	Tuberculosis of the respiratory system (23)	–	–	–	–	–	–	–	32	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	1	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	–	2	1	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	6	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	7	2	8	7	7	7	2	125	7	9
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	2	–	1	1	–	–	–	30	2	2
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	3	6	2	2	1	2	77	6	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	1	–	–	–
(24)	Angina pectoris (94a)	–	1	–	–	–	–	–	22	1	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	14	2	21	13	6	9	5	264	12	15
(25)	Arteriosclerosis (97)	–	–	1	–	2	1	1	17	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	2	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	–	3	2	–	–	–	31	1	1
(27)	Lobar pneumonia (108)	–	–	–	–	–	–	–	20	–	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	1	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	6	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	2	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	14	1	–
(31)	Cirrhosis of the liver (124)	–	–	1	1	1	1	–	18	1	–
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	–	–	6	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	9	1	–
(33)	Nephritis (130–132)	5	1	5	3	1	–	2	67	6	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	3	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	1	–	–	–	–	6	–	–
(38)	Congenital malformations (157)	–	–	–	1	–	1	–	15	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	–	–	–	1	–	–	11	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	1	–	–	1	10	–	–
(41)	Homicide (172–175)	–	–	1	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	4	–	5	1	1	2	–	37	4	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	2	–	–
(42)	*Traumatism by fall (186a)*	1	–	3	–	1	1	–	19	3	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	2	1	–	–	–	7	1	–
(42)	*All others*	2	–	–	–	–	1	–	9	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	1	–	5	1	1	1	1	81	1	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOWELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.
	46	232	9	108	4	15	26	38	1,383	62	19	1,118	25	661	42	77	126	24	210
(1)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	–	–	–	–	–	–	–	3	–	–	4	–	1	–	–	–	1	2
(10)	–	7	–	3	–	–	–	–	50	6	–	40	1	19	–	2	1	–	4
(11)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–
(12)	–	1	–	1	–	–	–	–	4	–	–	5	–	1	–	1	–	1	2
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(15)	5	32	4	18	1	2	7	7	173	9	2	161	2	80	4	12	24	5	33
(17)	–	–	–	–	–	–	–	–	4	–	–	1	–	1	–	–	–	–	–
(18)	1	4	–	2	–	–	–	–	45	–	2	40	3	22	1	3	2	1	4
(19)	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	1
(22)	4	17	–	12	–	3	4	6	105	5	2	89	2	51	2	9	13	2	16
(24)	–	–	–	–	–	–	–	–	4	–	–	2	–	2	–	–	–	–	–
(24)	–	–	–	–	–	–	–	–	17	–	–	11	–	6	1	–	1	–	–
(24)	14	89	4	37	2	4	7	10	432	17	6	380	8	238	17	27	45	9	79
(25)	–	5	–	2	–	–	1	1	86	–	–	35	–	17	1	1	4	–	4
(26)	–	–	–	1	–	–	–	–	6	–	–	6	–	–	–	1	–	–	–
(27)	3	8	–	2	–	2	2	–	67	2	1	33	1	18	1	1	6	1	5
(27)	1	4	–	–	–	–	–	1	31	1	–	33	1	18	–	1	3	–	6
(27)	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	10	–	–	3	–	3	3	–	–	–	2
(29)	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
(30)	–	2	–	–	–	–	1	1	22	–	–	10	–	6	–	3	2	–	3
(31)	–	1	–	–	–	–	–	–	15	–	–	12	1	5	1	–	–	–	2
(32)	–	–	–	–	–	–	–	–	6	1	–	7	–	6	1	1	–	–	1
(32)	–	1	1	–	–	–	–	–	12	–	–	5	–	7	–	–	1	–	2
(33)	6	18	–	7	1	–	1	2	62	6	2	64	3	34	3	3	6	2	12
(34)	–	1	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	1	–
(35)	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
(36)	–	1	–	–	–	–	–	–	4	–	–	3	–	3	–	–	1	–	–
(38)	2	1	–	–	–	–	1	–	7	–	–	6	–	5	–	–	–	–	3
(38)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(38)	1	7	–	2	–	1	–	–	30	2	–	12	–	4	–	–	3	–	4
(39)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
(40)	–	5	–	3	–	–	–	2	6	–	1	7	–	8	–	–	4	–	2
(41)	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
(42)	6	11	–	8	–	2	–	1	65	4	2	55	2	48	3	6	7	–	13
(42)	1	1	–	–	–	–	–	–	7	–	–	3	–	–	–	–	1	–	–
(42)	1	1	–	1	–	–	–	–	6	–	–	2	–	4	1	3	–	–	–
(42)	4	5	–	1	–	–	–	–	30	2	2	29	1	16	–	–	3	–	7
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	2	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	2	–	2	–	1	13	1	–	11	1	15	1	–	1	–	2
(42)	–	3	–	2	–	–	–	–	7	1	–	8	–	13	1	3	2	–	4
	1	17	–	8	–	1	1	6	96	8	1	82	1	52	3	6	2	1	9
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	**50**	**3**	**28**	**76**	**25**	**579**	**36**	**303**	**19**	**39**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	1	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	1	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	–	4	–	14	1	10	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	2	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	1	–	1	–	–
(12)	Syphilis (34)	–	–	1	1	–	2	–	1	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–53)	9	–	3	11	9	86	6	38	2	4
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	1	–	–	–	–
(18)	Diabetes mellitus (59)	2	–	2	1	–	8	1	9	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	1	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	–	6	6	–	38	2	21	2	6
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	3	–	–
(24)	Angina pectoris (94a)	–	–	–	–	1	4	–	1	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	21	–	12	22	9	220	10	111	4	8
(25)	Arteriosclerosis (97)	–	–	–	1	–	4	3	7	–	–
(26)	Bronchitis (106)	–	–	–	1	–	3	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	4	1	13	2	7	1	3
(27)	Lobar pneumonia (108)	1	–	–	2	1	17	3	8	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	3	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	4	–	2	1	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	1	–	3	–	–	–	–
(30)	Appendicitis (121)	–	–	–	1	–	4	–	1	–	2
(31)	Cirrhosis of the liver (124)	–	–	–	2	–	4	–	2	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	1	1	4	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	2	–	5	–	1
(33)	Nephritis (130–132)	3	–	–	5	1	45	1	21	–	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	2	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	1	–	–	–	–	6	–	2	–	–
(38)	Congenital debility (158)	–	–	–	–	–	1	–	–	–	–
(38)	Premature birth (159)	1	–	–	3	–	11	1	5	–	–
(39)	Senility (162)	–	–	1	–	–	–	–	1	–	–
(40)	Suicide (163–171)	–	–	–	–	1	9	–	3	1	1
(41)	Homicide (172–175)	–	–	–	1	–	–	–	–	3	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	–	2	3	1	30	2	11	–	4
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	1	–	–	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	2	–	1	–	–
(42)	*Traumatism by fall (186a)*	1	–	2	–	1	13	1	4	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	1	–	2	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	2	–	9	–	2	–	1
(42)	*All others*	–	–	–	1	–	4	1	2	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	4	–	1	5	1	38	3	23	2	3
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Important Causes Allocated to Each Municipality: 1938.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	253	**137**	**2**	**30**	**163**	**64**	**13**	**20**	**225**	**3**	**59**	**89**	**5**	**1**	–	**30**	**55**	**142**	**139**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–
(10)	3	2	–	1	2	1	–	–	6	–	1	2	–	–	–	–	–	3	6
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
(12)	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	42	15	–	6	25	11	1	2	35	–	7	9	–	–	–	3	7	19	21
(17)	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(18)	9	5	–	–	4	1	–	–	3	–	3	2	–	–	–	–	3	4	3
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	26	13	–	1	15	5	–	–	19	–	5	7	2	1	–	1	9	14	15
(24)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(24)	7	4	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	2
(24)	70	44	–	9	42	17	6	5	79	2	26	25	–	–	–	14	16	54	43
(25)	6	7	–	1	8	2	–	–	8	–	–	4	–	–	–	1	2	1	1
(26)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	6	5	–	1	8	2	–	–	8	–	–	4	–	–	–	–	3	4	7
(27)	4	1	1	1	6	2	–	2	7	–	–	2	–	–	–	–	–	4	2
(27)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	4	2	–	1	1	2	1	–	–	–	–	–	–	–	–	–	1	1	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	4	1	–	–	1	–	–	–	4	–	1	1	–	–	–	–	–	1	3
(31)	1	–	–	–	1	–	–	–	1	1	–	1	–	–	–	3	–	1	1
(32)	2	1	–	1	4	–	–	1	–	–	–	–	–	–	–	–	1	–	3
(32)	1	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	–
(33)	24	11	–	2	12	5	2	2	10	–	5	10	1	–	–	5	2	11	4
(34)	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–
(35)	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
(36)	2	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(38)	3	2	–	–	1	–	–	–	2	–	1	2	–	–	–	–	1	–	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	5	–	–	1	5	3	1	3	2	–	–	1	–	–	–	1	–	4	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	4	1	–	–	2	1	–	–	1	–	3	–	–	–	–	–	–	1	3
(41)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	8	4	–	2	9	5	1	2	14	–	6	4	–	–	–	2	3	7	10
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	3	–
(42)	5	4	–	–	8	2	1	–	5	–	2	–	–	–	–	–	1	1	5
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	1	2	–	2	4	–	4	1	–	–	–	1	1	1	3
(42)	3	–	–	1	–	1	–	–	2	–	–	2	–	–	–	1	–	2	2
	15	13	1	2	12	7	–	2	14	–	1	7	1	–	–	–	6	12	10
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	–	**1,288**	**8**	**15**	**5**	**29**	**180**	**713**	**15**	**275**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	8	–	1	–	–	–	2	1	3
(10)	Tuberculosis of the respiratory system (23)	–	40	–	–	–	1	8	9	–	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	2	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	4	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	–	7	–	–	–	–	–	5	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	1	–	–
(14)	Erysipelas (15)	–	2	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	1	1	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	1	–	–	–	–	–	–	–	–
(15)	Cancer andother malignant tumors (45–53)	–	158	1	3	–	5	31	99	2	34
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	–	1	–	1
(18)	Diabetes mellitus (59)	–	51	–	–	–	1	4	27	1	13
(19)	Alcoholism (acute or chronic) (75)	–	2	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	148	1	3	–	–	25	77	1	28
(24)	Acute endocarditis (91)	–	3	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	1	–	1	1	–	–	5	–	3
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	–	411	3	3	1	11	63	246	4	71
(25)	Arteriosclerosis (97)	–	38	–	–	–	–	3	11	–	1
(26)	Bronchitis (106)	–	1	–	–	–	–	1	3	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	48	1	2	–	–	7	24	1	11
(27)	Lobar pneumonia (108)	–	16	–	–	1	1	8	19	–	7
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	1
(28)	Other respiratory diseases (104, 105, 110–114)	–	12	–	–	–	–	–	2	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	5	–	–	–	–	1	4	–	–
(30)	Appendicitis (121)	–	10	–	–	–	–	1	6	–	5
(31)	Cirrhosis of the liver (124)	–	10	–	–	–	–	–	6	–	4
(32)	Diseases of the stomach (117, 118)	–	12	–	–	1	–	1	7	–	3
(32)	Hernia, intestinal obstruction (122)	–	9	–	1	–	–	1	5	–	2
(33)	Nephritis (130–132)	–	72	–	–	–	4	5	29	–	33
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	6	–	–	–	1	–	–	1	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	9	–	–	–	–	1	1	–	1
(38)	Congenital malformations (157)	–	13	–	–	–	–	–	8	–	2
(38)	Congenital debilty (158)	–	–	–	–	–	–	–	–	–	1
(38)	Premature birth (159)	–	18	–	–	–	1	2	9	–	8
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	13	–	–	1	2	3	9	–	5
(41)	Homicide (172–175)	–	3	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	56	1	1	–	2	7	34	2	13
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	1	–	–	2
(42)	*Accidental drowning (183)*	–	10	–	1	–	–	1	1	–	1
(42)	*Traumatism by fall (186a)*	–	17	–	–	–	–	2	20	2	5
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	9	–	–	–	2	2	7	–	1
(42)	*All others*	–	19	–	–	–	–	1	5	–	4
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	90	–	–	–	–	7	61	2	17
(43)	Cause of death not specified or ill-defined (199, 200)	–	6	–	–	–	–	1	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	91	**128**	**52**	**18**	**239**	**39**	**105**	**34**	**37**	**23**	**163**	**26**	**7**	**83**	**31**	**9**	**43**	**111**	**8**
(1)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–	1	–	–
(10)	–	5	3	–	8	–	2	1	1	–	6	–	–	–	–	–	1	1	–
(11)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(12)	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	17	18	5	3	31	8	12	–	7	3	29	1	1	13	7	1	7	11	2
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	2	7	–	–	6	1	2	2	–	1	2	1	–	3	1	–	–	1	–
(19)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(22)	11	18	3	–	23	6	7	6	–	1	17	2	2	13	1	–	9	13	–
(24)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(24)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
(24)	25	30	20	4	87	17	44	15	16	6	40	11	1	30	12	2	10	35	4
(25)	1	3	1	–	3	–	1	–	–	–	1	2	–	–	2	–	–	2	–
(26)	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
(27)	6	1	3	1	8	–	5	1	–	2	4	–	–	3	1	–	3	4	–
(27)	1	5	2	1	10	–	3	–	2	1	3	–	–	2	1	1	2	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	1	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–	2	–
(29)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
(30)	1	2	–	–	2	–	1	–	–	–	3	–	–	1	–	–	–	1	–
(31)	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
(32)	1	2	–	–	–	–	1	–	2	–	1	–	1	–	–	–	–	–	–
(32)	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(33)	6	12	5	1	10	1	5	5	2	1	12	2	–	2	3	–	2	18	–
(34)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(35)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	1	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	1	–
(38)	–	3	2	1	3	–	1	–	–	–	1	–	–	–	–	–	–	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(38)	2	2	1	–	2	1	3	–	–	–	2	–	–	2	1	–	–	3	–
(39)	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	1	1	1	1	–	1	–	2	1	3	–	–	1	1	–	–	–	–
(41)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	9	7	3	2	11	3	7	–	2	3	16	–	–	6	–	4	3	8	2
(42)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
(42)	1	2	1	1	2	1	1	–	–	–	3	–	–	1	–	1	–	2	–
(42)	4	4	2	1	4	–	5	–	–	1	4	–	–	2	–	–	–	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	–	–	–	3	2	–	–	2	1	8	–	–	–	–	2	1	1	–
(42)	2	1	–	–	2	–	1	–	–	–	1	–	–	3	–	1	2	1	1
(43)	3	5	2	3	24	–	8	1	2	1	15	3	–	4	1	1	1	6	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	**228**	**7**	**20**	**49**	**2**	**10**	**8**	**522**	**2**	**17**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	1	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	–	–	–	–	–	3	–	–
(10)	Tuberculosis of the respiratory system (23)	12	–	–	–	–	–	–	12	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	2	–	–	–	–	–	–	4	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	30	–	1	7	1	–	2	81	1	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	11	–	–	–	–	2	–	21	–	–
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	18	–	3	6	–	–	2	46	–	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	1	–	–	2	–	–	–	2	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	69	4	10	13	–	2	3	144	–	7
(25)	Arteriosclerosis (97)	6	1	2	2	–	1	–	6	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	3	1	–	2	–	–	–	13	–	–
(27)	Lobar pneumonia (108)	3	–	–	–	–	–	–	11	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	–	–	–	–	2	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	1	–	–
(30)	Appendicitis (121)	7	–	–	–	–	–	–	11	–	–
(31)	Cirrhosis of the liver (124)	3	–	–	1	–	–	–	3	–	–
(32)	Diseases of the stomach (117, 118)	3	1	–	2	–	1	–	3	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	2	–	–	–	5	–	–
(33)	Nephritis (130–132)	11	–	–	6	1	2	–	51	1	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	4	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	1	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	1	–	–	–	–	5	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	–	4	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	3	–	1	–	–	–	–	10	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	–	2	–	–	–	6	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	19	–	2	1	–	–	1	30	–	–
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	1	–	–	–	–	2	–	–
(42)	*Traumatism by fall (186a)*	10	–	1	1	–	–	–	15	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	4	–	–	–	–	–	1	5	–	–
(42)	*All others*	4	–	–	–	–	–	–	8	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	20	–	–	3	–	2	–	40	–	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	Quincy.	Randolph.	Raynham.	Reading.	Rehoboth.	Revere.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	165	**13**	–	**12**	**48**	**763**	**99**	**29**	**113**	**26**	**310**	**6**	**15**	**101**	**59**	**3**	**30**	**17**	**5**
(1)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	4	–	–	–	2	30	3	1	1	1	6	–	2	2	2	–	–	–	–
(11)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	3	–	–	1	1	2	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	28	3	–	2	10	104	14	6	20	2	53	1	2	11	7	–	5	3	1
(17)	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	7	–	–	2	1	38	1	–	3	–	16	–	2	2	1	–	–	–	1
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	10	1	–	1	4	68	10	3	8	4	26	–	1	12	4	1	3	–	1
(24)	2	–	–	–	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–
(24)	1	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–
(24)	48	4	–	2	11	229	38	10	43	9	98	2	4	39	23	2	9	7	1
(25)	5	3	–	1	1	5	–	–	–	–	3	–	–	4	1	–	–	–	–
(26)	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
(27)	8	–	–	1	–	34	3	2	2	–	14	–	–	6	–	–	1	–	–
(27)	–	1	–	–	4	21	3	–	1	2	5	–	1	2	1	–	–	1	–
(27)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	7	–	1	1	1	1	–	–	2	1	–	–	–	–
(29)	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
(30)	2	–	–	–	1	4	–	–	1	–	1	–	–	–	–	–	–	–	–
(31)	2	–	–	–	–	6	1	–	–	–	5	–	–	–	–	–	–	–	–
(32)	1	–	–	–	–	2	–	–	1	–	4	–	–	–	–	–	–	1	–
(32)	3	–	–	–	–	1	–	–	–	–	3	–	1	1	1	–	1	–	–
(33)	15	–	–	1	3	40	5	–	4	2	8	1	–	10	5	–	4	1	1
(34)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	1	–	–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–	–
(38)	–	–	–	–	–	5	1	–	2	–	2	–	–	2	–	–	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	4	–	–	–	–	18	–	–	2	–	9	–	–	–	–	–	–	2	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	–	–	1	1	12	1	–	1	–	–	–	–	1	1	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	11	–	–	–	3	56	6	2	7	1	25	1	1	2	4	–	4	2	–
(42)	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–
(42)	–	–	–	–	–	3	–	–	–	–	–	–	1	–	2	–	–	–	–
(42)	1	–	–	–	1	28	1	1	3	–	9	1	–	1	2	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	–	–	–	–	12	2	1	3	–	7	–	–	–	–	–	–	–	–
(42)	7	–	–	–	2	11	2	–	1	–	7	–	–	1	–	–	2	2	–
	11	1	–	1	4	56	10	2	11	2	22	1	1	4	7	–	2	–	–
(43)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	**18**	**490**	**36**	**5**	**19**	**137**	**2**	**58**	**38**	**61**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	1
(6)	Whooping cough (9)	–	1	–	–	–	1	–	–	–	–
(7)	Diphtheria (10)	–	1	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	2	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	5	11	2	1	–	2	–	–	1	6
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	1	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	71	3	1	1	16	–	7	6	6
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	11	1	–	–	5	–	2	3	2
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	1	–	1	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	46	3	–	2	12	–	3	6	7
(24)	Acute endocarditis (91)	–	1	–	–	–	1	–	–	–	–
(24)	Angina pectoris (94a)	–	2	–	–	1	–	–	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	4	164	14	2	1	45	–	25	12	15
(25)	Arteriosclerosis (97)	–	12	–	–	–	5	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	21	1	–	–	8	–	1	2	–
(27)	Lobar pneumonia (108)	–	13	2	–	–	1	–	1	2	4
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	7	–	–	–	1	–	–	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	4	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	2	–	–	–	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	–	–	1	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	1	–	–	2	–	1
(32)	Hernia, intestinal obstruction (122)	–	5	–	–	–	3	–	–	–	–
(33)	Nephritis (130–132)	1	29	1	1	4	8	–	1	2	5
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	4	–	–	–	1	–	–	–	–
(38)	Congenital malformations (157)	–	1	1	–	–	2	–	2	–	–
(38)	Congenital debility (158)	–	–	1	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	7	2	–	–	4	–	2	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	1	–
(40)	Suicide (163–171)	1	6	–	–	–	1	–	–	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	29	2	–	6	8	1	4	1	5
(42)	*Burns (conflagration excepted) (181)*	–	2	–	–	–	–	–	1	–	–
(42)	*Accidental drowning (183)*	1	2	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	9	–	–	2	2	–	2	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	1	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	1	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	9	1	–	1	–	–	–	–	2
(42)	*All others*	–	6	1	–	2	5	1	1	1	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33,35–37,39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	2	36	3	–	3	9	1	5	1	5
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	22	**28**	**9**	**27**	**83**	**4**	**66**	**1,186**	**69**	**11**	**24**	**134**	**9**	**73**	**1,597**	**25**	**29**	**107**	**95**
(1)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(6)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–
(7)	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	3	–	–	–	–	–	2	5	–	–	–	–
(10)	–	–	–	–	2	–	1	29	2	1	–	5	–	2	36	1	–	1	3
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	4	–	–	–	1	–	–	2	–	–	1	–
(12)	–	–	–	–	–	–	–	5	–	–	–	–	–	–	12	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	4	4	2	13	1	11	170	12	2	2	20	–	7	207	4	3	21	15
(17)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	2	–	–	–	–
(18)	–	–	–	–	–	–	5	30	2	–	–	6	1	3	37	–	1	3	5
(19)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–
(22)	1	2	1	1	11	–	2	80	6	1	4	14	–	7	143	1	1	5	6
(24)	–	–	–	–	–	–	–	5	–	–	–	–	–	–	3	–	–	–	–
(24)	–	–	–	–	1	–	–	5	–	–	–	1	–	–	4	–	–	–	–
(24)	12	12	1	9	26	1	15	386	16	5	11	40	3	27	545	8	11	40	38
(25)	1	–	–	–	4	–	1	36	1	–	1	–	–	2	26	1	1	1	5
(26)	–	–	–	–	–	–	–	5	–	–	–	–	–	–	4	–	–	–	–
(27)	2	–	–	3	4	1	1	46	1	–	–	4	1	3	36	1	1	4	1
(27)	–	–	–	–	6	–	2	24	1	1	1	7	2	1	41	2	1	2	1
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	7	–	–	1	–	–	–	10	–	–	1	–
(29)	–	–	–	–	–	–	1	2	1	–	–	–	–	–	1	–	–	–	1
(30)	–	–	–	–	–	–	1	10	–	–	–	1	–	1	18	–	–	–	–
(31)	–	–	–	–	–	–	–	15	–	–	–	–	–	2	10	–	1	–	–
(32)	–	–	–	–	–	–	1	5	–	–	–	1	–	–	13	–	–	2	1
(32)	–	–	–	–	1	–	–	12	–	–	–	–	–	–	13	1	–	2	1
(33)	3	8	–	3	1	1	8	68	5	–	–	6	1	2	123	1	3	6	7
(34)	–	–	–	–	–	–	–	3	1	–	–	1	–	–	2	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(36)	–	–	–	–	–	–	–	7	–	–	–	–	–	–	5	–	–	1	–
(38)	–	–	–	–	1	–	–	18	–	–	–	–	–	1	9	–	–	–	–
(38)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	1	2	2	–	2	25	4	–	1	5	–	3	34	–	–	1	1
(39)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
(40)	–	–	–	–	–	–	2	16	–	–	–	1	–	3	24	–	–	2	–
(41)	–	–	–	–	–	–	–	3	1	–	–	–	1	–	5	–	–	–	–
(42)	–	–	2	3	6	–	8	74	9	–	1	9	–	2	97	2	4	11	3
(42)	–	–	–	–	–	–	–	3	1	–	–	–	–	–	3	–	–	–	–
(42)	–	–	–	–	1	–	5	2	–	–	1	–	–	–	8	–	1	1	–
(42)	–	–	1	2	–	–	1	36	6	–	–	5	–	1	39	–	2	5	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	3	–	2	17	–	–	–	3	–	–	24	1	1	2	1
(42)	–	–	1	1	2	–	–	15	2	–	–	1	–	1	19	1	–	3	–
	–	2	–	3	3	–	4	82	7	1	2	10	–	5	118	3	2	3	7
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	**13**	**25**	**17**	**10**	**22**	**105**	**56**	**412**	**57**	**36**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	1	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	1	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	–	–	–	–	–	3	–	6	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	1	1	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	4	3	1	4	17	9	47	8	7
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1	–	–	–	1	3	–	12	1	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	3	5	1	1	12	4	37	9	3
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	1	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	2	2	1	1	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	14	7	5	6	33	9	143	19	9
(25)	Arteriosclerosis (97)	1	–	–	–	–	3	2	16	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	3	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	1	3	3	2	17	3	3
(27)	Lobar pneumonia (108)	–	1	–	–	–	2	4	11	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	1	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	1	–	–	–	–
(30)	Appendicitis (121)	–	1	–	–	1	–	–	3	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	2	1	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	2	–	2	1	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	5	–	–
(33)	Nephritis (130–132)	1	–	–	1	1	5	5	24	3	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	1	–	1
(38)	Congenital malformations (157)	1	–	1	–	–	–	–	3	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	–	–	–	4	–	16	–	–
(39)	Senility (162)	–	–	–	–	–	1	1	–	–	–
(40)	Suicide (163–171)	2	–	–	–	2	3	2	5	–	1
(41)	Homicide (172–175)	–	–	–	1	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	–	1	–	–	3	8	18	4	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	1	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	4	2	–	–
(42)	*Traumatism by fall (186a)*	1	–	1	–	–	2	1	8	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	–	–	1	2	1	1
(42)	*All others*	–	–	–	–	–	–	1	5	2	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	1	–	–	3	4	6	35	2	3
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	–	**18**	**2**	**7**	**24**	**11**	**22**	**6**	**25**	**57**	**191**	**3**	**73**	**415**	**99**	**87**	**42**	**1**	**5**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–
(10)	–	–	–	–	–	1	–	–	–	1	5	–	1	10	6	2	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	3	–	4	3	1	2	–	3	6	28	–	10	64	16	8	3	–	1
(17)	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(18)	–	1	–	–	2	–	1	–	–	1	7	–	–	18	2	3	3	–	1
(19)	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
(22)	–	2	–	1	2	1	2	1	4	7	19	–	7	39	7	9	5	–	–
(24)	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
(24)	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	–
(24)	–	5	1	–	9	1	8	2	8	19	54	1	14	111	32	31	16	–	2
(25)	–	3	–	–	–	3	–	–	4	1	9	–	2	10	2	–	2	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
(27)	–	–	–	1	–	1	–	–	–	1	3	–	3	19	2	8	1	–	–
(27)	–	–	–	–	1	–	–	–	–	2	3	–	3	18	3	3	1	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	2	–	1	5	–	1	–	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
(30)	–	–	–	–	–	–	–	–	–	1	1	–	2	3	2	–	–	–	–
(31)	–	–	–	–	–	–	–	–	–	–	2	1	1	3	–	1	–	–	–
(32)	–	–	–	–	–	–	1	1	–	–	4	–	1	1	–	1	–	–	–
(32)	–	–	–	–	1	–	–	–	1	1	3	1	1	1	–	–	–	–	–
(33)	–	2	–	–	3	–	2	1	2	6	12	–	7	20	6	7	5	–	–
(34)	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–
(38)	–	–	–	–	–	–	1	–	–	2	1	–	1	5	–	1	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	3	–	1	5	1	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	1	2	–	1	6	3	1	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	1	–	1	1	1	3	–	1	2	10	–	7	27	4	2	3	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–
(42)	–	1	–	–	1	1	–	–	–	1	5	–	1	15	3	1	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	1	1	–	3	7	–	–	2	–	–
(42)	–	–	–	–	–	–	2	–	–	–	4	–	3	1	1	–	–	–	1
	–	–	1	–	–	2	2	1	1	4	11	–	7	27	12	5	2	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	**349**	**42**	**107**	**116**	**20**	**10**	**14**	**22**	**41**	**27**
(1)	Typhoid and paratyphoid fever (1, 2)	1	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	2	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	11	–	5	2	1	–	–	1	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	1	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	1	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	46	4	16	10	1	–	3	1	8	5
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (59)	15	1	1	7	–	1	–	–	2	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	35	5	11	9	4	2	2	–	3	–
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	1	–	–	–	–	–	–	–	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	109	10	32	37	4	4	6	10	13	14
(25)	Arteriosclerosis (97)	2	2	–	2	5	–	–	1	–	–
(26)	Bronchitis (106)	–	–	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	12	4	6	3	1	1	–	–	4	1
(27)	Lobar pneumonia (108)	8	–	3	5	–	–	–	–	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	5	–	1	4	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	2	–	2	3	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	2	1	1	2	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	2	1	–	–	–	1	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	1	1	–	1	–	–	–	–	2	–
(33)	Nephritis (130–132)	25	1	6	3	–	–	–	3	1	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	3	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	1	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	2	–	2	–	–	–	–	1	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	10	1	3	2	2	–	–	–	1	1
(39)	Senility (162)	–	–	4	–	–	–	–	–	–	–
(40)	Suicide (163–171)	6	–	1	1	–	–	–	–	–	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	18	6	3	10	1	1	1	2	1	–
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	2	1	1	1	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	7	3	1	6	1	1	1	1	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	1	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	4	–	1	3	–	–	–	1	–	–
(42)	*All others*	3	2	–	–	–	–	–	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	25	3	7	15	1	–	2	3	1	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1938.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	22	**154**	**10**	**8**	**52**	**206**	**43**	**3**	**23**	**25**	**73**	**33**	**270**	**14**	**98**	**26**	**20**	**39**	**51**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–
(10)	2	3	–	–	3	6	3	–	–	1	2	1	7	1	1	1	–	2	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(12)	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	2	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	3	21	1	1	4	20	10	1	4	3	8	5	28	4	12	6	2	6	8
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(18)	1	14	1	–	2	10	4	–	–	1	–	–	11	–	3	1	–	1	1
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(22)	–	17	–	1	8	16	3	–	2	2	13	5	14	3	9	–	2	4	5
(24)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
(24)	–	–	–	–	1	2	–	1	–	–	–	–	1	–	–	–	–	–	–
(24)	9	53	3	2	20	75	11	–	7	10	21	10	107	1	41	9	7	10	12
(25)	–	3	–	1	1	–	–	–	1	–	1	–	7	–	2	–	1	1	1
(26)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
(27)	1	1	1	–	1	9	–	–	–	–	2	2	8	1	3	2	–	–	5
(27)	2	4	1	1	1	7	–	–	–	1	2	–	5	1	4	1	2	2	2
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
(30)	–	1	–	1	1	–	–	–	–	1	1	–	3	–	2	–	–	1	–
(31)	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
(32)	–	2	–	–	1	2	–	–	–	–	2	–	–	1	–	–	–	1	–
(32)	–	2	–	–	–	3	–	–	–	–	–	–	3	1	–	–	1	–	–
(33)	3	6	–	–	3	14	–	–	5	1	2	4	22	–	4	1	3	4	4
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
(35)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(38)	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(38)	–	3	–	–	1	7	1	–	–	–	–	1	3	–	2	1	–	–	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	3	–	–	–	7	–	–	1	–	–	1	7	–	1	–	1	–	–
(41)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	9	1	1	2	7	5	1	–	2	13	3	19	–	6	–	–	3	4
(42)	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	7	1	2	–	–	–	–	–	2
(42)	–	1	–	1	–	1	3	1	–	1	1	–	7	–	5	–	–	1	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	–	–	2	4	–	–	–	1	4	1	3	–	–	–	–	–	–
(42)	–	2	1	–	–	2	2	–	–	–	1	1	4	–	1	–	–	2	–
	1	9	2	–	3	12	3	–	1	3	3	1	14	1	4	2	1	2	4
(43)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Important Causes Allocated to Each Municipality: 1938. Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	**101**	**127**	**3**	**199**	**201**	**2,160**	**5**	**23**	**33**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	1	–	–	–
(6)	Whooping cough (9)	1	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	2	–	–	–
(8)	Influenza (11)	–	1	–	–	1	3	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	1	–	3	6	61	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	1	7	–	–	1
(12)	Syphilis (34)	–	–	–	–	1	7	–	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	2	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	2	–	–	–
(15)	Cancer and other malignant tumors (45–53)	21	24	–	31	21	290	–	6	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	1	3	–	–	–
(18)	Diabetes mellitus (59)	5	2	1	6	4	55	–	2	2
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	1	3	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	11	12	–	10	25	172	1	1	3
(24)	Acute endocarditis (91)	–	–	–	–	1	1	–	–	–
(24)	Angina pectoris (94a)	1	1	–	5	1	15	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b) 95)	22	40	–	74	54	714	1	3	13
(25)	Arteriosclerosis (97)	6	3	–	3	3	26	–	–	–
(26)	Bronchitis (106)	–	–	–	1	–	8	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	7	2	1	6	6	109	–	–	3
(27)	Lobar pneumonia (108)	2	1	–	4	6	66	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	1	3	11	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	1	5	–	–	1
(30)	Appendicitis (121)	1	1	1	4	4	19	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	4	2	19	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	1	2	14	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	–	1	18	–	1	–
(33)	Nephritis (130–132)	5	11	–	18	11	158	–	2	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	1	5	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	3	–	1	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	1	10	–	–	–
(38)	Congenital malformations (157)	2	2	–	1	2	17	–	2	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	5	1	–	4	4	33	–	1	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	1	–	4	5	21	1	–	–
(41)	Homicide (172–175)	–	–	–	–	–	4	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	5	9	–	9	10	125	1	2	1
(42)	*Burns (conflagration excepted) (181)*	1	1	–	–	1	2	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	–	4	8	1	–	–
(42)	*Traumatism by fall (186a)*	1	2	–	4	2	62	–	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	1	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	1	–	1	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	4	–	2	–	27	–	1	–
(42)	*All others*	1	1	–	1	2	25	–	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	4	11	–	10	22	150	1	1	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

TABLE 18 WHICH FOLLOWS HAS BEEN PREPARED FROM THE LIST OF OCCUPATIONS PUBLISHED BY THE BUREAU OF THE CENSUS AND SHOWS DEATHS FROM IMPORTANT CAUSES BY OCCUPATIONS

Abridged Int. List No.	Table 18 — ause of Death.[1]	The State.	Allocated Deaths: Abstractors, notaries and justices of the peace.	Accountants and auditors	Actors.	Agents, advertising.	Agents, express companies.	Agents, insurance.	Agents, purchasing.	Agents, real estate.
	All Causes.[2]	**19,141**	**1**	**80**	**13**	**12**	**1**	**127**	**7**	**137**
(1)	Typhoid and paratyphoid fever (1, 2)	7	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	1	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	2	–	–	–	–	–	–	–	–
(8)	Influenza (11)	51	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1,014	–	2	1	–	–	6	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	7	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	53	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	124	–	–	1	–	–	–	–	–
(13)	Malaria (38)	1	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	10	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	7	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	2,844	–	10	1	2	1	16	–	17
(17)	Rheumatism (56, 57, 58)	19	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	423	–	1	–	–	–	–	–	5
(19)	Alcoholism (acute or chronic) (75)	132	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1,398	–	8	1	–	–	12	–	13
(24)	Acute endocarditis (91)	45	–	1	–	–	–	2	–	–
(24)	Angina pectoris (94a)	141	–	–	–	1	–	–	–	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	6,160	1	33	3	3	–	52	5	57
(25)	Arteriosclerosis (97)	137	–	–	–	–	–	1	–	1
(26)	Bronchitis (106)	35	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	529	–	3	–	–	–	2	–	5
(27)	Lobar pneumonia (108)	644	–	2	1	1	–	1	–	3
(27)	Pneumonia, unspecified (109)	8	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	132	–	1	–	–	–	1	–	–
(30)	Appendicitis (121)	211	–	–	1	1	–	2	–	–
(31)	Cirrhosis of the liver (124)	268	–	1	–	–	–	1	–	1
(32)	Hernia, intestinal obstruction (122)	249	–	–	–	–	–	3	–	–
(32)	Diseases of the stomach (117, 118)	141	–	2	–	–	–	2	–	–
(33)	Nephritis (130–132)	1,126	–	2	1	1	–	9	1	7
(34)	Diseases of the female genital organs, not specified as venereal (139)	14	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	10	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	13	–	–	–	–	–	–	–	–
(39)	Senility (162)	3	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	426	–	2	2	–	–	–	–	3
(41)	Homicide (172–175)	37	–	–	–	–	–	–	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1,426	–	6	1	1	–	3	–	6
(42)	*Burns (conflagration excepted) (181)*	57	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	108	–	–	–	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	402	–	2	–	–	–	–	–	1
(42)	*Railroad and automobile collisions (206)*	9	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	33	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	10	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries(210)*	393	–	1	1	1	–	1	–	2
(42)	*All others*	414	–	3	–	–	–	1	–	3
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	1,282	–	6	–	2	–	13	1	15
(43)	Cause of death not specified or ill-defined (199, 200)	11	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Agents, sales.	Agents (n. e. s.)[3]	Agricultural foremen and overseers.	Agricultural laborers.	Agricultural proprietors.	Architects, designers and draftsmen.	Artists, sculptors and teachers of art.	Auctioneers.	Authors.	Baggagemen.	Bakers.	Bankers and bank officials.	Barbers, hairdressers and manicurists.	Billiard room, dance hall, etc., keepers.	Blacksmiths, forgemen and hammermen.	Boarding and lodging house keepers.
	3	59	11	200	575	64	36	2	8	8	93	40	181	7	85	33
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–
(10)	–	4	1	6	18	3	–	–	–	1	3	–	3	–	5	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(12)	–	1	–	2	3	–	1	–	–	–	–	–	1	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	8	1	21	81	8	4	1	–	3	11	6	29	–	17	5
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	–	4	10	1	1	–	1	–	2	–	7	–	1	2
(19)	–	–	–	1	1	–	–	–	–	–	1	–	3	–	1	–
(22)	–	7	–	18	54	7	3	–	–	2	7	2	18	1	7	3
(24)	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–
(24)	–	–	–	2	3	–	–	–	–	–	–	1	1	–	–	–
(24)	1	21	2	59	201	20	13	1	1	2	35	18	57	5	31	7
(25)	–	1	–	2	7	–	–	–	–	–	–	–	–	–	1	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	1	1	4	11	1	3	–	–	–	3	–	4	–	1	1
(27)	–	1	–	5	20	2	1	–	–	–	5	1	7	–	3	1
(27)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	2	6	–	–	–	–	–	1	–	1	–	–	1
(30)	–	–	–	–	8	2	–	–	–	–	2	–	2	–	–	–
(31)	–	–	–	2	3	–	–	–	–	–	3	–	1	–	–	–
(32)	–	–	–	2	9	3	1	–	–	–	2	1	6	–	–	1
(32)	–	–	–	5	5	–	1	–	–	–	–	1	–	–	–	–
(33)	–	4	3	11	41	6	4	–	2	–	8	1	13	–	6	3
(34)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	2	1	8	13	3	2	–	1	–	2	1	1	–	4	–
(41)	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
(42)	1	1	–	25	38	3	–	–	–	–	5	3	10	–	4	4
(42)	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	2
(42)	–	1	–	3	3	–	–	–	–	–	–	1	–	–	–	1
(42)	–	–	–	6	8	1	–	–	–	–	1	1	3	–	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	8	15	–	–	–	–	–	2	1	2	–	1	–
(42)	–	–	–	7	10	1	–	–	–	–	2	–	4	–	1	–
	1	7	2	17	37	3	2	–	2	–	2	5	13	1	3	4
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths								
		Boatmen, canal men and lock keepers.	Boilermakers.	Boiler washers and engine hostlers.	Bookkeepers and cashiers.	Bootblacks.	Brakemen.	Brass molders, founders and casters.	Brick and stone masons and tile layers.	Buffers and polishers.
	All Causes.[2]	**3**	**21**	**3**	**157**	**5**	**24**	**11**	**148**	**9**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)									
(10)	Tuberculosis of the respiratory system (23)	–	–	–	1	–	–	–	–	–
		–	2	1	9	–	1	2	7	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	5	–	29	1	3	1	21	1
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	–	–	4	–	–	–	3	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	–	–	12	1	2	–	10	1
(24)	Acute endocarditis (91)	–	–	–	1	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	–	2	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	4	1	44	3	12	3	53	1
(25)	Arteriosclerosis (97)	–	–	–	5	–	–	–	2	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	6	–	1	2	5	–
(27)	Lobar pneumonia (108)	–	2	–	4	–	–	1	5	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	2	1
(30)	Appendicitis (121)	–	2	–	2	–	–	–	1	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	2	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	2	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	1	–
(33)	Nephritis (130–132)	–	1	–	10	–	2	–	10	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	2	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	1	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	3	–	–	–	1	1
(41)	Homicide (172–175)	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	4	–	8	–	2	–	10	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	1	–	1	–	–	–	7	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	2	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries(210)*	–	2	–	3	–	–	–	2	–
(42)	*All others*	–	1	–	4	–	–	–	1	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	–	–	1	14	–	1	1	9	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Builders and building contractors.	Cabinetmakers.	Canvassers.	Captains, masters, mates and pilots.	Carpenters.	Cement finishers.	Cemetery keepers.	Charwomen and cleaners.	Chauffeurs (including bus drivers).	Chemists, assayists and metallurgists.	Clergymen.	Clerks in stores.	Clerks, others (n. e. s.)[3].	Clerks, railway mail.	Clerks, shipping.	Collectors.
	95	**52**	**3**	**23**	**474**	**9**	**10**	**38**	**247**	**21**	**94**	**12**	**665**	**8**	**109**	**15**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	1	1	1	–	–	–	3	–	2	–
(10)	2	2	–	–	16	1	–	1	19	1	3	–	51	1	7	–
(11)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–
(12)	–	–	–	1	1	–	–	–	3	–	–	–	2	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(15)	20	6	–	3	89	4	2	2	26	4	9	3	109	–	10	2
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	3	4	–	1	7	–	1	1	6	–	5	–	18	–	–	–
(19)	–	–	–	–	1	–	–	1	3	–	–	–	5	–	1	–
(22)	7	3	1	1	28	–	1	2	8	4	7	3	34	2	9	1
(24)	–	–	–	–	1	–	–	–	2	–	1	–	4	–	1	–
(24)	–	–	–	–	2	–	–	–	–	1	–	–	3	–	–	–
(24)	29	19	–	10	152	2	2	13	75	7	33	2	187	1	44	5
(25)	–	–	–	–	7	–	1	–	–	–	–	–	4	–	–	–
(26)	1	1	–	–	2	–	–	1	–	–	–	–	1	1	1	–
(27)	1	1	–	–	5	1	–	1	5	–	2	–	20	–	4	–
(27)	1	1	1	1	12	–	–	2	12	1	3	–	23	1	5	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(28)	–	1	–	–	1	–	–	–	1	–	3	–	4	–	1	–
(30)	1	–	–	–	2	–	–	–	3	1	2	1	16	–	–	2
(31)	4	1	–	–	4	–	–	–	4	–	–	–	8	–	1	–
(32)	3	–	–	–	8	–	–	–	5	–	–	–	8	–	3	–
(32)	1	–	1	–	4	–	–	1	2	–	–	–	5	–	1	–
(33)	7	3	–	3	27	–	–	1	25	1	9	–	27	–	3	2
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	2	–	–	11	–	–	2	10	–	–	–	14	–	4	1
(41)	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–
(42)	8	4	–	2	56	1	–	8	24	1	3	1	38	2	6	1
(42)	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1
(42)	–	–	–	–	5	–	–	1	1	–	2	–	1	–	–	–
(42)	5	1	–	–	27	1	–	6	6	–	–	–	13	1	1	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–
(42)	–	1	–	–	9	–	–	1	8	1	1	1	12	–	–	–
(42)	2	1	–	2	11	–	–	–	9	–	–	–	9	–	4	–
	6	4	–	1	33	–	2	1	12	–	13	2	70	–	5	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: College presidents and professors.	Commercial brokers and commission men.	Commercial travelers.	Compositors, linotypers and typesetters.	Conductors.	Cooks.	Coopers.	Coppersmiths.	Craftsmen, derrickmen, hoistmen, etc.
	All Causes.[2]	**12**	**5**	**21**	**126**	**46**	**222**	**15**	**6**	**11**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)									
(10)	Tuberculosis of the respiratory system (23)	–	–	–	1	–	–	–	–	–
		–	1	1	9	2	16	1	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	1	–	–	–	–
(12)	Syphilis (34)	–	–	–	1	–	5	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	1	2	18	5	35	3	1	1
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	–	1	1	4	5	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	2	1	5	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	–	4	4	–	18	1	–	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	1	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	1	5	54	16	56	5	4	5
(25)	Arteriosclerosis (97)	–	–	–	–	–	3	1	–	–
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	2	1	8	–	–	–
(27)	Lobar pneumonia (108)	–	1	1	4	–	6	1	–	1
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	1	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	1	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	1	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	1	3	6	1	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	3	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	1	2	–	–	–
(33)	Nephritis (130–132)	–	1	1	3	7	11	–	1	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	4	–	4	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	1	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	–	4	10	2	17	–	–	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	4	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	1	3	1	4	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	1	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	1	–	–	1	–	–	–
(42)	*Automobile accidents and injuries(210)*	–	–	1	4	–	5	–	–	–
(42)	*All others*	–	–	1	1	–	2	–	–	1
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	3	–	2	7	3	20	1	–	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Credit men.	Dealers, automobiles and accessories.	Dealers, books, music, news, etc.	Dealers, candy and confectionery.	Dealers, cigars and tobacco.	Dealers, coal and wood.	Dealers, department stores.	Dealers, drugs and medicines.	Dealers, five and ten cent and variety stores.	Dealers, food, groceries, etc.	Dealers, furniture, carpets etc.	Dealers, gasoline and oil filling stations.	Dealers, hardware, implements and wagons.	Dealers, ice.	Dealers, jewelry.	Dealers, junk and rags.
	6	**16**	**21**	**14**	**8**	**28**	**77**	**62**	**31**	**373**	**18**	**25**	**16**	**21**	**3**	**34**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
(10)	1	–	1	–	–	–	2	–	–	11	1	2	–	1	–	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(15)	–	5	4	3	2	1	10	8	9	60	4	1	1	1	–	10
(17)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(18)	–	1	–	2	2	1	3	1	4	13	1	–	–	–	–	–
(19)	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–
(22)	1	2	–	2	–	8	8	7	3	26	3	7	3	1	–	5
(24)	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(24)	–	1	–	–	–	–	1	1	–	3	–	–	–	–	–	–
(24)	3	5	7	2	1	10	25	24	11	134	6	6	6	10	1	8
(25)	–	–	–	–	–	–	1	2	–	4	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(27)	–	–	1	1	1	–	2	3	1	6	2	–	2	2	–	3
(27)	–	–	1	–	–	–	3	2	1	7	–	1	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–
(30)	–	–	–	–	–	–	–	1	–	4	–	1	–	1	–	–
(31)	–	–	1	–	–	1	3	–	1	6	–	1	–	–	–	–
(32)	–	1	–	–	2	–	1	–	–	3	–	–	–	–	–	–
(32)	1	–	1	–	–	–	–	–	–	4	1	1	–	–	–	1
(33)	–	–	1	2	–	3	8	2	–	26	–	–	1	1	2	3
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	1	–	–	–	5	2	–	7	–	1	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	3	1	–	2	–	5	1	20	–	3	–	2	–	2
(42)	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(42)	–	–	–	–	–	1	–	2	1	5	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–	8	–	1	–	1	–	1
(42)	–	–	2	1	–	1	–	1	–	4	–	1	–	–	–	1
	–	1	–	1	–	1	4	1	–	20	–	1	2	2	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Table 18

Abridged Int. List No.	Cause of Death [1]	Allocated Deaths: Dealers, livestock and farm products.	Dealers, lumber.	Dealers, opticians.	Dealers, others (n. e. s).[3]	Decorators, drapers and window dressers.	Deliverymen (including milkmen).	Demonstrators.	Dentists.	Detectives.
	All Causes.[2]	12	12	11	252	5	40	3	55	5
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	1	–	1	–	–	–
(10)	Tuberculosis of the respiratory system (23)	2	–	1	3	–	3	–	3	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	3	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	3	1	37	–	7	1	3	–
(17)	Rheumatism (56, 57, 58)	–	–	1	1	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	2	–	13	–	1	–	1	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	1	–	25	1	–	1	3	1
(24)	Acute endocarditis (91)	–	–	–	–	–	1	–	–	–
(24)	Angina pectoris (94a)	–	–	–	1	–	–	–	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	3	6	85	2	10	–	21	3
(25)	Arteriosclerosis (97)	–	–	–	2	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	6	–	1	–	2	–
(27)	Lobar pneumonia (108)	1	–	–	6	–	7	–	2	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	4	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	5	–	1	–	1	–
(31)	Cirrhosis of the liver (124)	–	–	–	6	–	1	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	3	–	–	–	3	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	3	–	–	–	–	–
(33)	Nephritis (130–132)	–	–	–	13	–	1	–	3	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	1	–	10	–	1	–	4	–
(41)	Homicide (172–175)	–	–	–	1	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	1	1	8	–	4	–	1	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	2	–	1	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	3	–	2	–	–	–
(42)	*All others*	1	1	1	2	–	1	–	1	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	1	1	1	15	2	1	1	7	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Directors, managers and officials, motion picture production.	Draymen, teamsters and carriage drivers.	Dressmakers and seamstresses (not in factory).	Dyers.	Editors and reporters.	Electricians.	Electrotypers and stereotypers.	Elevator tenders.	Employment office keepers.	Enamelers, lacquerers and japanners.	Engineers, civil, and surveyors.	Engineers, electrical.	Engineers, locomotive.	Engineers, mechanical.	Engineers, mining.	Engineers, stationary.
	1	**114**	**133**	**26**	**36**	**100**	**12**	**39**	**4**	**3**	**52**	**27**	**42**	**45**	**8**	**173**
(1)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	7	3	–	2	7	1	5	–	–	2	1	1	1	–	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(12)	–	3	2	–	–	2	–	–	–	1	1	–	–	–	–	–
(13)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	18	23	5	2	9	1	4	–	–	7	2	7	8	2	23
(17)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	–	–	1	2	–	–	–	–	2	–	2	–	–	9
(19)	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(22)	–	5	15	1	3	6	–	2	1	–	5	1	4	2	1	9
(24)	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
(24)	–	3	–	–	–	–	–	–	–	–	–	–	–	2	–	3
(24)	–	35	43	4	16	40	9	16	–	2	12	12	14	17	1	69
(25)	–	–	2	1	–	1	–	–	–	–	–	–	–	1	–	1
(26)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	3	8	–	1	2	–	1	–	–	–	–	1	–	–	8
(27)	–	6	3	1	1	2	–	2	1	–	3	–	1	–	–	6
(27)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(30)	–	1	2	–	–	–	–	–	–	–	2	–	–	–	–	2
(31)	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	4
(32)	–	–	–	–	–	2	–	1	–	–	2	1	2	–	1	1
(32)	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(33)	–	6	13	3	3	7	–	4	–	–	7	3	6	1	–	12
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	1	–	–	1	–	–	–	–	5	2	1	1	–	4
(41)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	11	8	4	2	11	–	–	–	–	3	1	1	2	–	8
(42)	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	–	4	5	–	2	4	–	–	–	–	1	–	–	–	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	1	–	–	1	–	–	–	–	2	1	–	–	–	–
(42)	–	3	1	4	–	5	–	–	–	–	–	–	–	2	–	5
	–	9	3	5	4	2	–	3	1	–	1	4	2	8	3	12
(43)	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Engravers.	Filers.	Firemen, fire department.	Firemen, locomotive.	Firemen (n. e. s.).[3]	Fishermen and oystermen.	Foremen and overseers, building and construction.	Foremen and overseers, chemical and allied industries.	Foremen and overseers clay, glass and stone industries.
	All Causes.[2]	**15**	**4**	**70**	**10**	**105**	**69**	**4**	**7**	**3**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	1	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	1	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	4	–	3	5	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	3	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	1	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	5	1	9	1	19	7	2	3	–
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	1	3	–	1	3	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	–	7	–	5	5	–	–	1
(24)	Acute endocarditis (91)	–	–	–	–	–	2	–	–	–
(24)	Angina pectoris (94a)	–	1	–	–	–	–	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	–	21	3	32	18	–	1	2
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	1	–	1	1	–	1	–
(27)	Lobar pneumonia (108)	1	–	4	–	3	1	–	–	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	1	–	1	1	–	–	–
(30)	Appendicitis (121)	–	–	–	–	1	1	–	–	–
(31)	Cirrhosis of the liver (124)	1	1	4	–	2	1	–	–	–
(32)	Diseases of the stomach (117, 118)	1	–	1	–	–	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	2	1	–	–	–
(33)	Nephritis (130–132)	–	–	2	3	6	3	1	–	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	–	4	2	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	–	8	1	10	15	–	2	–
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	1	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	1	2	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	3	–	1	3	–	2	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	1	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	1	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	2	–	–	–	–
(42)	*All others*	–	–	4	–	3	10	–	–	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	1	–	5	–	9	2	–	–	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Foremen and overseers, clothing industry.	Foremen and overseers, domestic and personal service.	Foremen and overseers, food and allied industries.	Foremen and overseers, iron, metals, machinery industries.	Foremen and overseers, leather industry.	Foremen and overseers, lumber industry.	Foremen and overseers, other industries(n.e.s.).[3]	Foremen and overseers, paper, printing and allied industries.	Foremen and overseers, public service.	Foremen and overseers, textile industry.	Foremen and overseers, trade.	Foremen and overseers, transportation and communication.	Foremen and overseers, unknown industry.	Foresters, forest rangers and timber cruisers.	Furnace men, smelter men and pourers.
	2	6	17	36	28	5	80	12	27	59	11	64	14	5	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	1	–	1	–	–	1	1	1	1	–	4	2	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(12)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	2	2	–	3	1	12	–	1	13	1	12	3	–	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(18)	–	–	–	3	–	1	1	–	–	3	–	3	2	–	–
(19)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(22)	–	–	2	5	1	–	7	1	4	4	–	6	–	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
(24)	1	1	8	15	12	1	31	5	12	25	6	25	5	2	2
(25)	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	–	2	–	1	1	–	1	1	1	–	–	–	1
(27)	–	1	1	–	–	1	2	1	2	2	–	–	–	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	1	–	–	–	–	–	2	1	–	–	1	–	–	–	–
(31)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(32)	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
(32)	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
(33)	–	–	–	–	2	–	4	1	1	2	–	3	–	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(40)	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	4	3	–	4	1	1	1	2	6	1	3	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	1	–	–	2	–	1	–	1	3	1	–	–
(42)	–	–	–	3	2	–	–	–	–	–	1	–	–	1	–
	–	1	–	3	2	–	8	–	1	3	–	4	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Garbage men and scavengers.	Goldsmiths and silversmiths.	Grinders.	Guards, watchmen and doorkeepers.	Healers (n. e. s.).[3]	Heaters.	Hotel keepers and managers.	Housekeepers and stewards.	Inspectors (n. e. s.).[3]
	All Causes.[2]	**1**	**10**	**11**	**259**	**19**	**1**	**51**	**186**	**26**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	1	2	6	–	–	1	4	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	1	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	2	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	3	–	42	2	1	4	31	4
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (59)	–	1	–	8	2	–	4	9	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	3	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	–	–	23	–	–	6	30	5
(24)	Acute endocarditis (91)	–	–	–	–	1	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	2	2	–	–	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	–	4	3	83	5	–	21	62	7
(25)	Arteriosclerosis (97)	–	–	–	6	–	–	–	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	6	–	–	1	3	–
(27)	Lobar pneumonia (108)	–	–	2	7	2	–	3	9	2
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	3	–	–	–	2	–
(30)	Appendicitis (121)	–	–	–	1	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	7	1	–	1	2	–
(32)	Diseases of the stomach (117, 118)	–	–	–	3	–	–	1	1	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	3	–	–	–	3	–
(33)	Nephritis (130–132)	–	1	2	20	2	–	4	5	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	4	–	–	1	2	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	–	–	19	1	–	2	9	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	3	–	–	–	1	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	–	–	3	1
(42)	*Traumatism by fall (186a)*	–	–	–	10	–	–	–	4	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	1	–	–
(42)	*Automobile accidents and injuries(210)*	–	–	–	2	1	–	–	1	–
(42)	*All others*	–	–	–	3	–	–	1	–	1
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	–	–	2	12	1	–	2	8	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Inventors.	Iron molders, founders and casters.	Janitors and sextons.	Jewelers and lapidaries (factory).	Jewelers and watchmakers (not in factory).	Keepers of penal and charitable institutions.	Keepers of pleasure resorts, race tracks, etc.	Laborers, fishing and forestry.	Laborers, domestic, personal and professional service.	Laborers, extraction of minerals.	Laborers, manufacturing and mechanical industries.	Laborers, others (n. e. s.).[3]	Laborers, public service.	Laborers, trade.	Laborers, transportation and communication.
	7	**32**	**305**	**5**	**64**	**11**	**4**	**24**	**42**	**12**	**340**	**806**	**537**	**70**	**216**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–
(10)	–	1	4	–	–	–	–	1	2	–	24	57	24	5	16
(11)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(11)	–	1	2	–	–	–	–	–	–	–	–	1	4	–	1
(12)	–	–	1	–	1	–	–	–	–	–	2	5	3	–	3
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	3	52	–	15	4	–	4	3	2	48	105	52	8	24
(17)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
(18)	–	–	4	–	1	1	–	–	–	–	6	17	7	1	2
(19)	–	–	3	–	–	–	–	–	–	–	2	14	11	–	4
(22)	2	2	16	2	8	–	–	2	1	1	24	63	32	4	10
(24)	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1
(24)	–	–	4	–	1	–	–	–	–	–	1	10	5	–	–
(24)	4	13	114	–	24	2	2	8	12	3	104	205	161	22	61
(25)	–	–	6	–	2	–	–	–	–	1	2	10	2	–	1
(26)	–	–	–	–	–	–	–	–	–	–	1	5	1	–	2
(27)	–	2	9	–	–	2	1	1	2	1	11	28	21	–	8
(27)	–	4	11	1	3	–	–	–	3	1	17	39	30	2	8
(27)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	4	5	6	1	4
(30)	–	–	1	–	1	1	–	–	–	–	3	2	3	2	5
(31)	–	–	7	–	–	–	–	–	3	2	5	10	10	4	5
(32)	–	1	3	–	1	–	–	2	1	–	8	6	11	–	1
(32)	–	–	3	1	–	–	–	1	–	–	1	3	3	2	–
(33)	–	2	14	–	3	–	–	1	3	1	22	38	32	2	10
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	3	–	–	–	–	1	1	–	10	9	15	1	3
(41)	–	–	1	–	–	–	–	–	1	–	1	5	1	–	–
(42)	–	1	22	1	2	1	1	3	7	–	32	99	69	13	34
(42)	–	–	1	–	–	–	–	–	–	–	1	5	2	–	3
(42)	–	–	–	–	–	–	–	–	1	–	–	11	7	1	–
(42)	–	–	9	–	–	1	–	–	4	–	8	18	15	3	8
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	4	1	–	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(42)	–	–	6	1	1	–	1	1	2	–	10	30	25	5	9
(42)	–	1	6	–	1	–	–	2	–	–	13	31	18	4	10
	1	1	24	–	2	–	–	–	3	–	10	63	31	3	12
(43)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Launderers and laundresses.	Lawyers, judges and justices.	Librarians, assistants and attendants.	Lithographers.	Loan brokers and pawn brokers.	Longshoremen and stevedores.	Loom fixers.	Machinists.	Mail carriers.
	All Causes.[2]	**21**	**106**	**25**	**7**	**4**	**55**	**49**	**547**	**34**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	2	3	–	2	–	8	2	34	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	1	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	3	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	13	5	2	2	6	10	77	6
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	1	1	–
(18)	Diabetes mellitus (59)	–	3	–	1	1	–	2	4	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	3	–	2	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	13	3	1	–	4	4	36	2
(24)	Acute endocarditis (91)	–	1	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	1	–	–	–	–	–	11	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	38	11	1	–	11	19	193	13
(25)	Arteriosclerosis (97)	–	2	–	–	–	–	–	6	–
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	4	2	–	–	3	–	6	–
(27)	Lobar pneumonia (108)	1	2	–	–	–	2	4	25	1
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	2	–	–	–	2	–	1	1
(30)	Appendicitis (121)	–	–	–	–	1	2	–	4	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	1	15	–
(32)	Diseases of the stomach (117, 118)	–	3	–	–	–	–	1	7	2
(32)	Hernia, intestinal obstruction (122)	–	2	–	–	–	–	–	3	–
(33)	Nephritis (130–132)	1	8	–	–	–	–	3	42	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	3	–	–	–	–	–	11	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	2	2	–	–	8	–	33	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	1	–
(42)	*Accidental drowning (183)*	–	1	–	–	–	1	–	3	–
(42)	*Traumatism by fall (186a)*	–	–	2	–	–	3	–	10	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	1	–	2	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries(210)*	1	1	–	–	–	2	–	7	1
(42)	*All others*	–	–	–	–	–	1	–	10	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	3	3	1	–	–	6	1	31	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Managers and officials, domestic and personal service.	Managers and officials, extraction of minerals.	Managers and officials, forestry.	Managers and officials, manufacturing and mechanical industries.	Managers and officials, others (n. e. s.).[3]	Managers and officials, professional service.	Managers and officials, public service.	Managers and officials, trade.	Managers and officials, transportation and communication.	Marshals and constables.	Meat Cutters.	Mechanics (n. e. s.)[3]	Messenger and office boys and girls.	Messengers, express.	Messengers, telegraph.
	3	**3**	**4**	**155**	**69**	**2**	**2**	**31**	**44**	**5**	**77**	**231**	**8**	**5**	**1**
(1)	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
(10)	–	–	–	2	–	–	–	1	–	–	2	21	1	–	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(15)	–	–	–	22	9	–	1	2	6	2	12	32	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–
(19)	–	–	–	1	1	–	–	–	–	–	1	3	–	–	–
(22)	1	–	1	21	4	–	–	2	5	–	3	10	2	1	–
(24)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	1	–	–	–	2	–	–	1	3	–	–	–
(24)	2	3	1	54	22	1	1	12	17	–	23	59	3	3	–
(25)	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(27)	–	–	–	3	1	–	–	–	–	1	2	5	–	–	–
(27)	–	–	1	5	2	–	–	1	1	–	2	7	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	1	–	–	–	–	–	2	2	–	–	–
(30)	–	–	–	–	3	–	–	–	–	–	–	3	–	–	–
(31)	–	–	–	2	3	–	–	–	2	–	4	3	–	–	–
(32)	–	–	–	1	1	–	–	–	2	–	–	6	–	–	–
(32)	–	–	–	–	1	–	–	–	1	–	2	5	–	–	–
(33)	–	–	1	9	6	1	–	3	4	–	10	18	–	1	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	5	3	–	–	–	1	–	–	8	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	5	3	–	–	3	1	1	7	27	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(42)	–	–	–	2	–	–	–	1	–	1	2	6	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	2	2	–	–	1	1	–	4	8	–	–	–
(42)	–	–	–	1	1	–	–	1	–	–	1	10	1	–	–
	–	–	–	15	8	–	–	4	3	1	3	11	1	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Milliners.	Millwrights.	Motormen.	Motor truck and tractor drivers.	Musicians and teachers of music.	Newsboys.	Nurses (not trained included).	Office appliance operators.	Officials and inspectors (City).
	All Causes.[2]	**19**	**19**	**32**	**130**	**87**	**3**	**170**	**4**	**83**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	–	1	–	13	5	–	18	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	2	1	–	–	–	–
(12)	Syphilis (34)	–	–	1	1	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–53)	4	6	5	14	17	–	40	1	10
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	2	–	2	2	1	–	5	–	6
(19)	Alcoholism (acute or chronic) (75)	–	–	1	4	1	–	2	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	1	3	6	8	1	9	–	13
(24)	Acute endocarditis (91)	–	–	–	–	1	–	2	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	3	10	28	20	1	34	1	26
(25)	Arteriosclerosis (97)	–	–	–	1	1	–	2	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	3	8	–	5	–	1
(27)	Lobar pneumonia (108)	1	–	2	6	3	–	4	1	5
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	2	–	–	1	–	–
(30)	Appendicitis (121)	–	–	1	2	–	–	3	–	1
(31)	Cirrhosis of the liver (124)	–	–	1	2	2	–	2	–	–
(32)	Diseases of the stomach (117, 118)	–	1	1	1	–	–	–	–	2
(32)	Hernia, intestinal obstruction (122)	1	1	–	1	–	–	–	–	–
(33)	Nephritis (130–132)	–	2	1	5	4	1	7	–	8
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	–	3	5	–	3	–	–
(41)	Homicide (172–175)	–	–	–	1	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	2	–	24	4	–	10	1	4
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	1	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	2	1	–	1	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	4	1	–	5	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries(210)*	–	–	–	7	–	–	4	–	2
(42)	*All others*	–	2	–	10	1	–	–	1	1
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	1	2	4	9	6	–	16	–	3
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Officials and inspectors (County).	Officials and inspectors (State).	Officials and inspectors (United States).	Officials of lodges, societies, etc.	Oilers of machinery.	Operatives, domestic, personal and professional service.	Operatives, manufacturing and mechanical industries.	Operatives, others (n. e. s.).[3]	Operatives, public service.	Operatives, trade.	Operatives, transportation and communication.	Operators and manufacturers (n. e. s.).[3]	Osteopaths.	Other molders, founders and casters (n. e. s.).[3]	Other occupations, domestic and personal service (n. e. s.).[3]
	9	**14**	**22**	**12**	**12**	**77**	**2,579**	**75**	**18**	**10**	**74**	**311**	**3**	**22**	**91**
(1)	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	11	–	–	–	–	–	–	–	–
(10)	–	–	–	–	2	15	167	4	1	1	2	6	–	3	9
(11)	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(11)	–	–	–	1	–	–	11	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	20	2	–	–	–	3	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(15)	–	2	1	2	2	13	413	2	2	1	13	46	–	4	8
(17)	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(18)	–	1	2	–	–	–	47	–	–	–	1	12	–	–	3
(19)	–	–	–	–	–	–	9	4	–	–	1	–	–	–	3
(22)	1	3	3	–	2	5	166	–	3	–	5	25	–	–	4
(24)	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(24)	–	–	1	–	1	1	23	–	–	–	1	1	–	–	–
(24)	4	4	9	5	2	26	831	19	7	5	28	122	–	5	28
(25)	1	–	–	–	–	–	10	2	–	–	1	–	–	–	–
(26)	–	1	–	–	–	–	5	–	–	–	–	1	–	–	–
(27)	–	1	–	–	–	–	72	3	–	1	2	3	–	3	6
(27)	1	–	–	1	1	4	69	3	2	–	4	5	–	–	4
(27)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(28)	–	–	–	–	–	–	22	1	–	–	–	–	–	1	1
(30)	–	–	–	–	–	1	37	–	–	–	1	2	–	1	–
(31)	–	–	1	–	–	1	31	1	–	–	1	7	–	–	5
(32)	–	–	–	1	–	–	38	1	–	–	1	2	–	1	2
(32)	–	–	1	–	–	–	17	2	–	–	–	2	–	–	1
(33)	1	1	2	–	1	1	147	–	2	–	4	20	1	–	4
(34)	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	–	–	1	69	5	–	–	2	8	1	–	3
(41)	–	–	–	–	–	–	7	–	–	–	–	–	–	1	–
(42)	1	–	1	–	–	6	165	17	–	2	6	20	1	1	7
(42)	–	–	–	–	–	1	9	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	14	5	–	–	–	1	–	–	–
(42)	–	–	–	–	–	1	44	3	–	1	1	5	1	–	4
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	2	44	2	–	1	3	7	–	1	1
(42)	1	–	1	–	–	2	52	4	–	–	1	7	–	–	2
	–	–	1	1	1	3	165	8	1	–	1	23	–	1	2
(43)	–	–	–	–	–	–	5	1	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Other occupations, professional (n. e. s.)[3]	Other occupations, public service (n. e. s.)[3]	Painters, glaziers and varnishers. (Building).	Painters, glaziers and varnishers. (Factory).	Paper hangers.	Pattern and model makers.	Photographers.	Physicians and surgeons.	Piano and organ tuners.
	All Causes.[2]	**56**	**34**	**397**	**25**	**15**	**17**	**31**	**131**	**6**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	1	–
(10)	Tuberculosis of the respiratory system (23)	4	2	20	–	1	1	1	3	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	3	–	–	–	1	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	1	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis(18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	7	6	72	6	5	5	6	12	1
(17)	Rheumatism (56, 57, 58)	–	–	1	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	2	1	5	–	–	1	–	4	–
(19)	Alcoholism (acute or chronic) (75)	–	–	8	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	1	27	3	–	3	1	12	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	1	–	5	–	1	–	–	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	17	11	124	7	6	4	11	59	3
(25)	Arteriosclerosis (97)	–	–	3	–	–	–	–	1	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	12	–	–	–	–	4	–
(27)	Lobar pneumonia (108)	1	2	14	1	–	–	–	5	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	1	–	–	–	–	1	–
(30)	Appendicitis (121)	2	–	6	1	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	1	–	6	–
(32)	Diseases of the stomach (117, 118)	–	–	6	–	–	–	1	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	–	–	1	–
(33)	Nephritis (130–132)	3	1	24	3	–	–	2	6	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	1	13	1	–	1	2	3	–
(41)	Homicide (172–175)	1	–	1	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	7	5	27	1	1	–	2	2	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	1	1	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	1	2	14	–	1	–	–	2	–
(42)	*Railroad and automobile collisions (206)*	–	–	2	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	1	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries(210)*	2	1	4	–	–	–	–	–	–
(42)	*All others*	3	1	5	1	–	–	2	–	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	4	3	24	2	1	1	4	9	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Plasterers.	Plumbers and gas and steam fitters.	Policemen.	Porters.	Postmasters.	Pressmen and plate printers.	Probation and truant officers.	Promoters and brokers not specified.	Radio announcers, directors, managers, etc.	Radio operators.	Religious workers.	Restaurant, cafe and lunch room keepers.	Rollers and roll hands.	Roofers and slaters.	Sailors and deck hands (not in navy).	Salesmen and saleswomen.
	20	155	129	50	13	7	3	14	1	2	48	80	1	44	35	865
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3
(10)	2	4	4	8	2	–	–	1	–	–	2	3	–	1	7	48
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	2	–	–	–	–	–	–	–	–	–	2	–	1	1	6
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(15)	4	17	21	7	–	1	–	2	–	–	7	9	–	7	6	120
(17)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(18)	1	1	2	1	–	–	–	1	–	1	2	3	–	–	–	13
(19)	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–	4
(22)	2	9	10	4	1	–	–	1	–	–	3	14	–	2	1	49
(24)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	5
(24)	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	5
(24)	4	62	39	7	5	2	2	5	1	–	19	23	1	8	2	305
(25)	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	5
(26)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(27)	–	6	2	2	1	–	–	–	–	–	2	2	–	2	1	31
(27)	–	5	3	6	1	–	–	–	–	1	2	4	–	2	–	34
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	4
(30)	–	1	4	1	–	–	–	–	–	–	–	–	–	–	1	10
(31)	1	1	1	–	–	–	–	–	–	–	2	2	–	2	1	9
(32)	–	3	1	–	–	–	–	–	–	–	–	2	–	–	–	11
(32)	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	8
(33)	2	13	9	2	1	–	–	2	–	–	1	4	–	–	1	49
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	3	1	2	–	–	–	–	–	–	–	3	–	1	1	28
(41)	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	11	11	3	2	1	–	1	–	–	–	4	–	12	11	58
(42)	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2
(42)	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	4
(42)	–	2	3	1	1	1	–	–	–	–	–	–	–	10	1	19
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	3	4	1	–	–	–	1	–	–	–	1	–	–	–	17
(42)	1	5	3	1	–	–	–	–	–	–	–	2	–	1	9	16
	1	15	11	3	–	2	–	–	–	–	6	4	–	3	1	57
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Sawyers.	Servants, domestic and personal service (n.e.s.).[3]	Sheriffs.	Shoemakers and cobblers (not in factory).	Showmen.	Skilled occupations (n. e. s.).[3]	Social and welfare workers.	Soldiers, sailors and marines.	Stage hands and circus helpers.
	All Causes.[2]	**7**	**370**	**3**	**40**	**16**	**6**	**19**	**47**	**5**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	38	–	1	1	1	–	4	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	6	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	3	–	1	1	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	5	59	–	10	3	1	5	6	–
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	8	–	–	–	–	–	2	–
(19)	Alcoholism (acute or chronic) (75)	–	2	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	34	–	4	–	–	2	2	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	1	–	1	1	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	1	105	1	10	6	1	2	11	2
(25)	Arteriosclerosis (97)	–	3	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	17	1	3	–	1	–	–	–
(27)	Lobar pneumonia (108)	–	4	–	–	–	–	2	1	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	1	–	–
(30)	Appendicitis (121)	–	6	–	–	1	–	–	1	–
(31)	Cirrhosis of the liver (124)	–	1	–	1	1	–	1	1	–
(32)	Diseases of the stomach (117, 118)	–	6	–	–	–	–	–	3	–
(32)	Hernia, intestinal obstruction (122)	–	3	–	1	–	–	–	–	–
(33)	Nephritis (130–132)	1	20	1	2	–	2	–	2	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	3	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	1	–	1	–	–	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	24	–	1	1	–	2	4	1
(42)	*Burns (conflagration excepted) (181)*	–	2	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	3	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	4	–	1	1	–	–	1	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	13	–	–	–	–	2	1	–
(42)	*All others*	–	2	–	–	–	–	–	2	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	–	23	–	4	1	–	4	8	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1938.

Abridged Int. List No.	Stenographers and typists.	Stock brokers.	Stonecutters.	Street cleaners.	Structural iron workers (building).	Switchmen and flagmen.	Tailors and tailoresses.	Teachers, athletics, dancing, school, etc.	Technicians and laboratory assistants.	Telegraph and telephone linemen.	Telegraph operators.	Telephone operators.	Theatre ushers.	Theatrical owners, managers, etc.	Ticket and station agents.	Tinsmiths and sheet metal workers.
	45	32	54	3	11	37	79	242	12	20	11	39	3	8	7	42
(1)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(10)	5	2	15	–	2	–	3	6	2	2	1	4	–	–	–	2
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(12)	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	8	5	6	2	4	7	20	60	–	3	3	9	–	–	–	4
(17)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(18)	1	–	–	–	–	1	5	9	–	–	1	–	–	–	–	1
(19)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2
(22)	7	2	3	–	–	1	5	16	2	3	–	3	–	–	–	1
(24)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
(24)	6	10	16	–	1	13	25	60	4	5	6	5	1	6	4	11
(25)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(27)	2	1	3	1	–	3	1	5	–	1	–	2	–	–	–	3
(27)	3	–	1	–	1	1	–	5	–	1	–	1	–	–	–	2
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	1	–	–	–	–	–	2	–	1	–	2	–	–	–	1
(30)	3	1	1	–	–	–	1	5	–	–	–	–	–	–	–	–
(31)	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	1
(32)	–	–	–	–	1	–	2	2	–	2	–	–	–	–	–	–
(32)	1	–	–	–	–	2	2	–	1	–	–	–	–	–	–	1
(33)	1	5	1	–	–	2	1	18	2	–	–	4	–	1	1	2
(34)	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(40)	1	2	2	–	–	–	–	6	–	–	–	1	–	–	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	1	3	–	2	2	6	11	–	–	–	–	2	1	1	6
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	–	1	1	–	1	2	2	3	–	–	–	–	–	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	1	–	–	–	2	5	–	–	–	–	1	–	–	1
(42)	–	–	1	–	1	–	1	3	–	–	–	–	1	1	1	3
	4	1	–	–	–	3	6	26	–	2	–	6	–	–	1	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.
[3] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths from Important Causes by Occupations: 1938.							
		Toolmakers, die setters and sinkers.	Undertakers.	Upholsterers.	Veterinary surgeons.	Waiters and waitresses.	Weighers.	Wholesale dealers, importers and exporters.	Yardmen.
	All Causes.[2]	48	35	27	5	117	3	38	3
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	2	2	1	–	23	–	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	1	–	–	–
(12)	Syphilis (34)	–	–	1	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	7	2	6	1	13	–	8	–
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	1	1	–	2	–	3	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4	3	–	–	6	–	1	–
(24)	Acute endocarditis (91)	–	–	–	–	1	–	–	–
(24)	Angina pectoris (94a)	3	1	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	20	14	9	2	25	3	17	1
(25)	Arteriosclerosis (97)	1	–	1	–	1	–	1	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	2	1	–	5	–	1	1
(27)	Lobar pneumonia (108)	–	3	–	–	4	–	–	–
(27)	Pneumonia, unspecified (109)	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	1	–	–	–	1	–
(30)	Appendicitis (121)	–	3	1	–	1	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	2	–	1	–
(32)	Diseases of the stomach (117, 118)	1	–	–	1	2	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	–
(33)	Nephritis (130–132)	2	2	–	–	6	–	3	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	1	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	2	–	–	–	4	–	–	–
(41)	Homicide (172–175)	–	–	–	–	1	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	–	2	–	9	–	–	1
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	1	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	2	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	–	2	–	3	–	–	–
(42)	*All others*	–	–	–	–	3	–	–	–
	All other defined causes (3–7, 12–14, 16, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 119, 120, 123, 125–129, 133–138, 151–161)	2	2	3	–	9	–	1	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 19

Years.	Deaths from Principal Causes: 1914 to 1938.									
	All causes.	Diseases of the heart.	Cancer.	Cerebral hemorrhage, embolism and thrombosis.	Pneumonia.	Nephritis.	Tuberculosis of the respiratory system.	Diabetes.	Influenza.	Puerperal causes.
		90–95	45–53	82	107–109	130–132	23	59	11	140–150
1914	52,978	7,670	3,586	2,876	5,987	3,420	4,171	630	129	538
1915	53,131	7,164	3,708	3,691	6,448	3,530	4,194	673	232	462
1916	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	539	525
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	494	616
1918	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	13,783	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	2,872	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	1,623	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	153	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	569	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	742	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	277	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	519	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	718	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	326	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	520	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	1,185	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	270	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	432	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	360	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	584	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	268	317
1935[1]	49,634	14,835	6,351	4,167	3,992	3,307	1,813	1,303	322	325
1936[1]	51,435	16,087	6,599	4,273	4,220	3,186	1,733	1,388	280	270
1937[1]	51,739	16,233	6,669	4,350	4,174	3,099	1,761	1,495	432	252
1938[1]	49,285	16,296	6,875	4,292	3,216	3,010	1,536	1,436	155	232

[1] Allocated.

Table 20

Years.	Deaths from Principal Communicable Diseases: 1914 to 1938.									
	Scarlet fever.	Whooping cough.	Diphtheria.	Poliomyelitis.	Measles.	Epidemic cerebrospinal meningitis.	Typhoid fever.	Encephalitis lethargica.	Dysentery.	Smallpox.
	8	9	10	16	7	18	1	17	13	6
1914	246	225	652	45	149	5	268	–[1]	125	–
1915	182	283	720	32	149	9	246	–[1]	92	9
1916	127	346	629	452	392	10	172	–[1]	83	–
1917	120	243	838	51	371	13	178	–[1]	63	10
1918	78	729	608	37	532	115	160	–[1]	82	–
1919	122	323	593	15	183	71	107	–[1]	19	2
1920	214	546	591	144	352	39	95	–[1]	41	2
1921	191	201	607	48	179	49	119	81	41	–
1922	149	294	606	33	218	47	86	83	29	–
1923	155	493	579	35	321	41	70	85	14	–
1924	158	147	534	27	165	39	68	58	17	2
1925	117	269	333	52	337	35	73	99	19	–
1926	117	391	249	44	367	39	61	78	13	–
1927	144	149	268	169	87	43	44	61	19	–
1928	90	208	249	65	265	38	36	56	27	–
1929	71	137	256	21	121	79	41	44	18	1
1930	98	182	182	35	137	59	37	41	20	–
1931	101	88	130	114	64	30	30	24	15	–
1932	145	107	107	13	64	34	25	19	11	–
1933	108	97	86	32	27	25	22	16	9	–
1934	76	125	50	9	91	28	14	25	24	–
1935[2]	57	67	26	61	37	55	10	16	9	–
1936[2]	44	52	27	8	35	100	10	14	10	–
1937[2]	38	95	18	22	28	72	13	14	10	–
1938[2]	24	35	19	7	13	18	13	19	19	–

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 21 — Cause of Death.[1]	Number of Deaths.[2] 1938.[3]	1937.[3]	1936.[3]	1935.[3]	1934.	1933.	1932.
	All Causes [2]	**49,285**	**51,739**	**51,435**	**49,634**	**50,760**	**50,832**	**49,531**
I	Infectious and parasitic diseases	2,277	2,940	2,824	2,954	3,127	3,590	3,476
II	Cancer and other tumors	7,097	6,900	6,836	6,590	6,917	6,630	6,403
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,610	1,743	1,638	1,573	1,602	1,566	1,516
IV	Diseases of the blood and blood-making organs	415	430	374	392	425	397	463
V	Chronic poisonings and intoxications	184	202	214	223	276	234	215
VI	Diseases of the nervous system and of the organs of special sense	4,860	5,034	5,020	4,911	5,094	5,167	4,993
VII	Diseases of the circulatory system	17,392	17,458	17,320	16,038	15,976	15,437	14,652
VIII	Diseases of the respiratory system	3,630	4,583	4,689	4,428	4,079	4,558	4,250
IX	Diseases of the digestive system	2,487	2,709	2,629	2,539	2,837	2,809	2,801
X	Diseases of the genitourinary system	3,639	3,783	3,844	3,922	4,019	4,141	4,340
XI	Diseases of pregnancy, childbirth and the puerperal state	232	252	270	325	317	389	369
XII	Diseases of the skin and cellular tissue	61	64	83	92	102	106	89
XIII	Diseases of the bones and organs of locomotion	44	62	66	44	55	55	70
XIV	Congenital malformations	387	385	405	393	444	473	500
XV	Diseases of early infancy	1,326	1,386	1,493	1,473	1,541	1,654	1,794
XVI	Senility	28	33	54	50	42	56	56
XVII	Violent and accidental deaths	3,590	3,741	3,662	3,650	3,836	3,505	3,485
XVIII	Ill-defined causes of death	26	34	14	37	71	65	59
1	Typhoid and paratyphoid fever (1, 2)	13	15	11	10	14	24	25
3	Smallpox (6)	-	-	-	-	-	-	-
4	Measles (7)	13	28	35	37	91	27	64
5	Scarlet fever (8)	24	38	44	57	76	108	145
6	Whooping cough (9)	35	95	52	67	125	97	107
7	Diphtheria (10)	19	18	27	26	50	86	107
8	Influenza (11)	155	432	280	322	268	584	360
10	Tuberculosis of the respiratory system (23)	1,536	1,761	1,733	1,813	1,902	2,059	2,041
11	Tuberculous meningitis (24)	40	45	54	51	74	74	100
11	Other forms of tuberculosis (25-32)	99	81	111	97	140	148	160
13	Malaria (38)	1	2	-	1	2	2	4
14	Acute poliomyelitis and polioencephalitis (16)	7	22	8	61	9	32	13
14	Epidemic cerebro-spinal meningitis (18)	18	72	100	55	28	25	34
15	Cancer and other malignant tumors (45-53)	6,875	6,669	6,599	6,351	6,675	6,382	6,153
18	Diabetes mellitus (59)	1,436	1,495	1,388	1,303	1,327	1,234	1,197
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,292	4,350	4,273	4,167	4,269	4,359	4,170
24	Acute endocarditis (91)	86	121	107	125	120	157	184
24	Angina pectoris (94a)	278	574	663	800	971	905	899
24	Other diseases of the heart (90, 92, 93, 94b, 95)	15,932	15,538	15,317	13,910	13,452	13,057	12,172
26	Acute bronchitis (106a)	38	42	45	63	47	68	60
26	Chronic bronchitis (106b)	35	37	37	39	50	72	47
27	Bronchopneumonia (including capillary bronchitis) (107)	1,868	2,291	2,233	2,232	2,005	2,166	2,054
27	Pneumonia (108, 109)	1,348	1,883	1,987	1,760	1,626	1,873	1,749
28	Other respiratory diseases (104, 105, 106c, 106d, 110-114)	341	330	387	334	351	379	340
29	Diarrhea and enteritis (under 2 years) (119)	122	124	153	219	194	161	229
30	Appendicitis (121)	450	568	490	484	588	623	601
31	Cirrhosis of the liver (124)	436	436	392	355	368	349	257
32	Diseases of the stomach (cancer excepted) (117,118)	346	346	354	312	355	333	349
32	Hernia, intestinal obstruction (122)	371	417	380	402	413	435	421
32	Acute nephritis and Bright's disease (130, 131)	2,945	3,019	3,119	3,222	3,247	3,394	3,575
16, 34	Diseases of the female genital organs (54a, 54b, 54c, 55a, 55b, 55c, 139)	170	192	186	187	188	182	202
35	Puerperal septicemia (140, 145)	61	67	80	104	93	103	96
36	Other diseases of pregnancy, childbirth, and the puerperal state (141-144, 146-150)	171	185	190	221	224	286	273
38	Congenital debility and malformations (157-159)	1,305	1,327	1,490	1,374	1,509	1,570	1,631
39	Senility (162)	28	33	54	50	42	56	56
40	Suicide (163-171)	586	642	555	570	598	597	639
41	Homicide (172-175)	61	85	72	74	93	110	91
42	Violent and accidental deaths (suicide and homicide excepted) (176-198, 201-214)	2,943	3,014	3,035	3,006	3,145	2,798	2,755
42	Other diseases (3-5, 12-15, 17, 19-22, 33-37, 39-44, 54d, 54e, 55d, 55e-58, 60-81, 83-89, 96-103, 115, 116, 120, 123, 125-129, 132-138, 151-156, 160, 161)	4,775	5,311	5,380	5,336	5,960	5,852	6,112
43	Unknown or ill-defined diseases (199, 200)	26	34	14	37	71	65	59

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1938.[3]	1937.[3]	1936.[3]	1935.[3]	1934.	1933.	1932.	1938[3].	1937[3].	1936[3].	1935[3].	1934.	1933.	1932.
	1,113.6	**1,174.8**	**1,173.5**	**1,140.8**	**1,169.8**	**1,177.2**	**1,152.6**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
I	51.5	66.7	64.4	67.9	72.1	83.1	80.9	4.6	5.7	5.5	6.0	6.2	7.0	7.0
II	160.4	156.7	156.0	151.5	159.4	153.5	149.0	14.4	13.3	13.3	13.3	13.6	13.0	12.9
III	36.4	59.6	37.4	36.1	36.9	36.3	35.2	3.3	3.4	3.2	3.2	3.2	3.1	3.1
IV	9.4	9.8	8.5	9.0	9.8	9.2	10.8	.8	.8	.7	.8	.8	.8	.9
V	4.1	4.6	4.9	5.1	6.4	5.4	5.0	.4	.4	.4	.4	.6	.5	.4
VI	109.8	114.3	114.5	112.9	117.4	119.6	116.2	9.9	9.7	9.8	9.9	10.0	10.2	10.1
VII	393.0	396.4	395.2	368.6	368.2	357.5	341.0	35.3	33.7	33.7	32.3	31.5	30.4	29.6
VIII	82.0	104.1	107.0	101.8	94.0	105.6	98.9	7.4	8.9	9.1	8.9	8.0	9.0	8.6
IX	56.2	61.5	60.0	58.4	65.4	65.1	65.2	5.0	5.2	5.1	5.1	5.6	5.5	5.7
X	82.2	85.9	87.7	90.1	92.6	95.9	101.0	7.4	7.3	7.5	7.9	7.9	8.1	8.8
XI	5.2	5.7	6.1	7.5	7.3	9.0	8.6	.5	.5	.5	.6	.6	.8	.8
XII	1.4	1.4	1.9	2.1	2.4	2.4	2.1	.1	.1	.2	.2	.2	.2	.2
XIII	1.0	1.4	1.5	1.0	1.3	1.3	1.6	.1	.1	.1	.1	.1	.1	.1
XIV	8.7	8.7	9.2	9.0	10.2	11.0	11.6	.8	.8	.8	.8	.9	.9	1.0
XV	30.0	31.5	34.1	33.9	35.5	38.3	41.7	2.7	2.7	2.9	3.0	3.0	3.3	3.6
XVI	.6	.8	1.2	1.1	.9	1.3	1.3	[5]	.1	.1	.1	.1	.1	.1
XVII	81.1	84.9	83.6	83.9	88.4	81.2	81.1	7.3	7.2	7.1	7.3	7.6	6.9	7.0
XVIII	.6	.8	.3	.9	1.6	1.5	1.4	[5]	.1	[5]	.1	.1	.1	.1
1	.3	.3	.3	.2	.3	.6	.6	[5]	[5]	[5]	[5]	[5]	[5]	.1
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	.3	.6	.8	.9	2.1	.6	1.5	[5]	.1	.1	.1	.2	.1	.1
5	.5	.9	1.0	1.3	1.7	2.5	3.4	.1	.1	.1	.1	.2	.2	.3
6	.8	2.2	1.2	1.5	2.9	2.2	2.5	.1	.2	.1	.1	.2	.2	.2
7	.4	.4	.6	.6	1.2	2.0	2.5	.1	[5]	.1	.1	.1	.2	.2
8	3.5	9.8	6.4	7.4	6.2	13.6	8.4	.3	.8	.5	.6	.5	1.1	.7
10	34.7	40.0	39.5	41.7	43.8	47.7	47.5	3.1	3.4	3.4	3.7	3.7	4.1	4.1
11	.9	1.0	1.2	1.2	1.7	1.7	2.3	.1	.1	.1	.1	.1	.1	.2
11	2.3	1.8	2.5	2.2	3.2	3.4	3.7	.2	.2	.2	.2	.3	.3	.3
13	[4]	[4]	-	[4]	[4]	[4]	.1	[5]	[5]	-	[5]	[5]	[5]	[5]
14	.1	.5	.2	1.4	.2	.7	.3	[5]	[5]	[5]	.1	[5]	.1	[5]
14	.4	1.6	2.3	1.3	.6	.6	.8	[5]	.1	.2	.1	.1	[5]	.1
15	155.3	151.4	150.6	146.0	153.8	147.8	143.2	13.9	12.9	12.8	12.8	13.2	12.5	12.4
18	32.4	33.9	31 7	29.9	30.6	28.6	27.8	2.9	2.9	2.7	2.6	2.6	2.4	2.4
22	97.0	98.8	97.5	95.8	98.4	100.9	97.0	8.7	8.4	8.3	8.4	8.4	8.6	8.4
24	1.9	2.8	2.5	2.9	2.8	3.6	4.3	.2	.2	.2	.3	.2	.3	.4
24	6.3	13.0	15.1	18.4	22.4	21.0	20.9	.6	1.1	1.3	1.6	1.9	1.8	1.8
24	360.0	352.8	349.5	319.7	310.0	302.4	283.3	32.3	30.0	29.8	28.0	26.5	25.7	24.6
26	.9	1.0	1.0	1.4	1.1	1.6	1.4	.1	.1	.1	.1	.1	.1	.1
26	.8	.8	.8	.9	1.2	1.7	1.1	.1	.1	.1	.1	.1	.1	.1
27	42.2	52.0	50.9	51.3	46.2	50.1	47.8	3.8	4.4	4.3	4.5	4.0	4.3	4.1
27	30.5	42.8	45.3	40.5	37.5	43.4	40.7	2.7	3.6	3.9	3.6	3.2	3.7	3.6
28	7.7	7.5	8.8	7.7	8.1	8.8	7.9	.7	.6	.8	.7	.7	.7	.7
29	2.8	2.8	3.5	5.0	4.5	3.7	5.3	.2	.2	.3	.4	.4	.3	.5
30	10.2	12.9	11.2	11.1	13.5	14.4	14.0	.9	1.1	.9	1.0	1.2	1.2	1.2
31	9.9	9.9	8.9	8.1	8.5	8.1	6.0	.9	.9	.8	.7	.7	.7	.5
32	7.8	7.9	8.1	7.2	8.2	7.7	8.1	.7	.7	.7	.6	.7	.7	.7
32	8.4	9.5	8.7	9.2	9.5	10.1	9.8	.8	.8	.7	.8	.8	.9	.9
32	66.5	68.6	71.2	74.1	74.8	78.6	83.2	6.0	5.8	6.1	6.5	6.4	6.7	7.2
16,34	3.8	4.4	4.3	4.3	4.3	4.2	4.7	.3	.4	.4	.4	.4	.4	.4
35	1.4	1.5	1.8	2.4	2.1	2.4	2.2	.1	.1	.1	.2	.2	.2	.2
36	3.8	4.2	4.3	5.1	5.2	6.6	6.3	.3	.4	.4	.4	.4	.6	.6
38	29.5	30.1	34.0	31.6	34.8	36.4	38.0	2.6	2.6	2.9	2.8	3.0	3.1	3.3
39	.6	.8	1.2	1.1	1.0	1.3	1.3	.1	.1	.1	.1	.1	.1	.1
40	13.2	14.6	12.7	13.1	13.8	13.8	14.9	1.2	1.2	1.1	1.1	1.2	1.2	1.3
41	1.4	1.9	1.7	1.7	2.1	2.6	2.1	.1	.2	.1	.1	.2	.2	.2
42	66.5	68.4	69.2	69.1	72.5	64.8	64.1	6.0	5.8	5.9	6.1	6.2	5.5	5.6
42	107.9	120.6	122.7	122.6	137.4	135.5	142.2	9.7	10.3	10.4	10.8	11.7	11.5	12.3
43	.6	.8	.3	.9	1.6	1.5	1.4	.1	.1	[5]	.1	.1	.1	.1

[2] Exclusive of stillbirths.
[3] Allocated.
[4] Less than one-tenth of 1 per 100,000.
[5] Less than one-tenth of 1 per cent.

Table 22

DEATHS RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS **1910** TO **1935.**

YEARS.	All causes.[2]	Typhoid fever.* **1**	Smallpox.* **6**	Measles.* **7**	Scarlet fever.* **8**	Diphtheria and croup.* **10**	Tuberculosis of the respiratory system.* **23**	Cancer. **45–53**	Nephritis, Bright's disease, etc. **130, 131, 132**
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925 . .	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930 . .	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6
1935 . .	1,167.2	.3	–	1.0	1.5	1.0	42.5	149.9	75.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 23

DEATHS PRODUCED BY EXTERNAL CAUSES. **1914** TO **1938.**

YEARS.	Total.	Traumatism by fall. **186a**	Automobile (including railroad and street car collisions). **206, 208 210**	Drowning. **183, 213d**	Burns (conflagration excepted). **181**	Absorption of poisonous gas. **178**	Excessive heat. **191**	Excessive cold. **190**	Suicide. **163–171**	Homicide. **172–175**
1914 . . .	3,070	587	193	304	312	186	17	32	495	106
1915 . . .	3,206	621	265	362	274	197	17	11	515	113
1916 . . .	3,402	682	314	318	282	260	26	27	455	115
1917 . . .	3,584	630	415	315	309	272	91	27	493	106
1918 . . .	3,442	563	495	276	302	295	14	17	492	93
1919 . . .	3,242	535	532	292	296	207	26	13	445	102
1920 . . .	2,938	529	457	224	282	207	15	9	391	78
1921 . . .	2,996	523	526	301	202	140	31	9	472	116
1922 . . .	3,140	611	500	269	243	183	12	3	458	102
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	248	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	238	137	71	24	28	598	93
1935 . . .	3,006[1]	1,109	824	232	143	72	21	28	570	74
1936 . . .	3,035[1]	1,130	866	188	135	83	13	15	555	72
1937 . . .	3,014[1]	1,037	864	265	113	67	72	19	642	85
1938 . . .	2,943[1]	1,207	658	295	116	79	11	13	586	61

[1] Allocated.

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45–53	**Cancer (all causes)**	**6,875**	**425**	**1,982**	**694**	**60**	**2**	**651**	**1,656**	**1,350**	**54**	**1**
	Under 20 years	46	28	–	–	–	–	18	–	–	–	–
	20 to 29 years	56	18	8	–	–	–	14	13	–	3	–
	30 to 39 years	224	23	37	2	–	–	30	118	7	7	–
	40 to 49 years	685	48	192	13	7	–	66	316	33	9	1
	50 to 59 years	1,375	82	465	49	23	–	110	484	146	16	–
	60 to 69 years	2,052	113	707	181	11	1	179	448	400	12	–
	70 to 79 years	1,802	86	472	314	14	1	179	240	492	4	–
	80 years and over	635	27	101	135	5	–	55	37	272	3	–
45	Cancer of the buccal cavity and pharynx	248	38	106	68	3	–	4	12	17	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	14	2	6	2	1	–	–	2	1	–	–
	50 to 59 years	31	7	17	1	2	–	2	2	–	–	–
	60 to 69 years	98	16	50	20	–	–	1	6	5	–	–
	70 to 79 years	72	10	28	24	–	–	–	2	8	–	–
	80 years and over	33	3	5	21	–	–	1	–	3	–	–
45*a*	Cancer of the lip	24	–	12	11	–	–	–	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	–	1	–	–	–	–	–	–	–	–
	60 to 69 years	6	–	2	4	–	–	–	–	–	–	–
	70 to 79 years	9	–	7	2	–	–	–	–	–	–	–
	80 years and over	8	–	2	5	–	–	–	–	1	–	–
45*b*	Cancer of the tongue	74	18	29	17	1	–	1	5	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	5	1	3	1	–	–	–	–	–	–	–
	50 to 59 years	7	1	4	–	1	–	–	1	–	–	–
	60 to 69 years	33	11	14	4	–	–	1	3	–	–	–
	70 to 79 years	21	3	7	8	–	–	–	1	2	–	–
	80 years and over	8	2	1	4	–	–	–	–	1	–	–
45*c*	Cancer of the mouth	40	4	21	7	1	–	2	3	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	1	–	1	–	–	1	–	–	–
	50 to 59 years	5	1	3	–	–	–	1	–	–	–	–
	60 to 69 years	19	1	12	3	–	–	–	2	1	–	–
	70 to 79 years	10	2	5	2	–	–	–	–	1	–	–
	80 years and over	3	–	–	2	–	–	1	–	–	–	–
45*d*	Cancer of the jaw	36	5	17	7	–	–	–	1	6	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	–	–	–	–	–	–	1	–	–
	50 to 59 years	3	1	2	–	–	–	–	–	–	–	–
	60 to 69 years	13	1	10	–	–	–	–	1	1	–	–
	70 to 79 years	17	3	5	6	–	–	–	–	3	–	–
	80 years and over	2	–	–	1	–	–	–	–	1	–	–
45*e*	Cancer of other and unspecified parts of the buccal cavity	27	3	11	12	–	–	–	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	4	1	2	1	–	–	–	–	–	–	–
	50 to 59 years	6	1	4	1	–	–	–	–	–	–	–
	60 to 69 years	8	–	3	5	–	–	–	–	–	–	–
	70 to 79 years	5	1	–	3	–	–	–	–	1	–	–
	80 years and over	4	–	2	2	–	–	–	–	–	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45*f*	Cancer of the pharynx	47	8	16	14	1	–	1	3	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	–	–	–	–	–	1	–	–	–
	50 to 59 years	9	3	3	–	1	–	1	1	–	–	–
	60 to 69 years	19	3	9	4	–	–	–	–	3	–	–
	70 to 79 years	10	1	4	3	–	–	–	1	1	–	–
	80 years and over	8	1	–	7	–	–	–	–	–	–	–
46	Cancer of the digestive tract and peritoneum	3,424	230	1,135	377	41	1	258	667	700	15	–
	Under 20 years	5	3	–	–	–	–	2	–	–	–	–
	20 to 29 years	17	9	3	–	–	–	3	2	–	–	–
	30 to 39 years	75	11	20	1	–	–	10	33	–	–	–
	40 to 49 years	265	25	112	7	4	–	19	88	9	1	–
	50 to 59 years	633	49	269	31	16	–	36	179	49	4	–
	60 to 69 years	1,069	63	409	100	9	–	73	212	197	6	–
	70 to 79 years	1,023	58	263	177	9	1	93	133	286	3	–
	80 years and over	337	12	59	61	3	–	22	20	159	1	–
46*a*	Cancer of the esophagus	155	17	80	29	3	–	5	6	14	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	12	4	6	–	1	–	–	1	–	–	–
	50 to 59 years	36	3	24	3	–	–	2	3	–	1	–
	60 to 69 years	52	6	33	7	1	–	1	2	2	–	–
	70 to 79 years	41	4	12	14	–	–	2	–	9	–	–
	80 years and over	14	–	5	5	1	–	–	–	3	–	–
46*b*	Cancer of the stomach and duodenum	1,144	82	431	126	13	–	62	203	221	6	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	2	1	–	–	–	–	1	–	–	–
	30 to 39 years	29	6	6	–	–	–	2	15	–	–	–
	40 to 49 years	94	7	50	4	2	–	3	26	2	–	–
	50 to 59 years	224	22	101	15	3	–	10	58	14	1	–
	60 to 69 years	350	23	146	33	5	–	15	63	63	2	–
	70 to 79 years	324	17	101	56	3	–	25	35	85	2	–
	80 years and over	119	5	26	18	–	–	7	5	57	1	–
46*c*	Cancer of the intestines (except duodenum, rectum and anus)	1,002	52	271	97	14	–	94	224	244	6	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	6	3	1	–	–	–	1	1	–	–	–
	30 to 39 years	22	3	9	–	–	–	4	6	–	–	–
	40 to 49 years	73	4	25	2	–	–	8	30	3	1	–
	50 to 59 years	159	7	53	4	7	–	10	62	14	2	–
	60 to 69 years	298	15	109	22	1	–	28	68	53	2	–
	70 to 79 years	336	17	62	53	4	–	34	55	110	1	–
	80 years and over	108	3	12	16	2	–	9	2	64	–	–
46*d*	Cancer of the rectum and anus	485	37	173	63	6	–	43	80	82	1	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	4	3	1	–	–	–	–	–	–	–	–
	30 to 39 years	16	1	5	1	–	–	2	7	–	–	–
	40 to 49 years	33	4	14	–	1	–	4	7	3	–	–
	50 to 59 years	92	10	37	5	4	–	8	17	11	–	–
	60 to 69 years	162	9	59	26	1	–	9	28	29	1	–
	70 to 79 years	140	9	49	23	–	–	15	17	27	–	–
	80 years and over	37	1	8	8	–	–	4	4	12	–	–
46*e*	Cancer of the liver and biliary passages	380	22	106	33	1	1	33	93	90	1	–
	Under 20 years	2	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	3	1	–	–	–	–	1	1	–	–	–
	40 to 49 years	25	4	10	–	–	–	1	9	1	–	–
	50 to 59 years	73	3	34	1	–	–	4	29	2	–	–
	60 to 69 years	128	7	36	6	–	–	13	32	33	1	–
	70 to 79 years	115	4	22	17	1	1	12	18	40	–	–
	80 years and over	33	1	4	9	–	–	1	4	14	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
46*f*	Cancer of the pancreas	215	19	59	29	4	–	15	48	41	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	2	–	–	–	–	–	–	2	–	–	–
	40 to 49 years	20	2	5	1	–	–	3	9	–	–	–
	50 to 59 years	43	4	18	3	2	–	1	10	5	–	–
	60 to 69 years	64	3	19	6	1	–	5	15	15	–	–
	70 to 79 years	61	7	14	14	1	–	4	7	14	–	–
	80 years and over	23	2	3	5	–	–	1	5	7	–	–
46*g*	Cancer of the mesentery and peritoneum	41	1	14	–	–	–	6	12	8	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	3	–	–	–	–	–	1	2	–	–	–
	40 to 49 years	8	–	2	–	–	–	–	6	–	–	–
	50 to 59 years	6	–	2	–	–	–	1	–	3	–	–
	60 to 69 years	13	–	6	–	–	–	2	3	2	–	–
	70 to 79 years	6	–	3	–	–	–	1	1	1	–	–
	80 years and over	3	–	1	–	–	–	–	–	2	–	–
46*h*	Cancer of other organs under this title	2	–	1	–	–	–	–	1	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	2	–	1	–	–	–	–	1	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	365	36	188	46	3	–	14	38	39	1	–
	Under 20 years	4	2	–	–	–	–	2	–	–	–	–
	20 to 29 years	2	1	–	–	–	–	–	1	–	–	–
	30 to 39 years	7	3	1	–	–	–	–	2	1	–	–
	40 to 49 years	51	7	31	2	1	–	1	9	–	–	–
	50 to 59 years	114	7	71	8	1	–	3	13	10	1	–
	60 to 69 years	108	12	60	11	1	–	5	9	10	–	–
	70 to 79 years	58	2	19	20	–	–	2	4	11	–	–
	80 years and over	21	2	6	5	–	–	1	–	7	–	–
47*a*	Cancer of the larynx	91	8	53	16	–	–	2	3	9	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	6	1	4	–	–	–	–	1	–	–	–
	50 to 59 years	25	1	18	1	–	–	–	1	4	–	–
	60 to 69 years	34	4	21	5	–	–	1	1	2	–	–
	70 to 79 years	16	1	7	7	–	–	–	–	1	–	–
	80 years and over	10	1	3	3	–	–	1	–	2	–	–
47*b*	Cancer of the lungs and pleura	240	24	116	28	2	–	9	31	29	1	–
	Under 20 years	3	2	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	7	3	1	–	–	–	–	2	1	–	–
	40 to 49 years	41	5	24	2	1	–	1	8	–	–	–
	50 to 59 years	79	6	46	7	1	–	2	10	6	1	–
	60 to 69 years	64	6	33	6	–	–	4	7	8	–	–
	70 to 79 years	36	–	11	11	–	–	1	4	9	–	–
	80 years and over	9	1	1	2	–	–	–	–	5	–	–
47*c*	Cancer of the other respiratory organs	34	4	19	2	1	–	3	4	1	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	–	1	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	4	1	3	–	–	–	–	–	–	–	–
	50 to 59 years	10	–	7	–	–	–	1	2	–	–	–
	60 to 69 years	10	2	6	–	1	–	–	1	–	–	–
	70 to 79 years	6	1	1	2	–	–	1	–	1	–	–
	80 years and over	2	–	2	–	–	–	–	–	–	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
48	Cancer of the uterus	561	–	–	–	–	–	69	293	181	18	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	6	–	–	–	–	–	–	3	–	3	–
	30 to 39 years	37	–	–	–	–	–	6	24	4	3	–
	40 to 49 years	102	–	–	–	–	–	11	84	5	2	–
	50 to 59 years	154	–	–	–	–	–	15	98	35	6	–
	60 to 69 years	136	–	–	–	–	–	17	59	57	3	–
	70 to 79 years	92	–	–	–	–	–	13	21	57	1	–
	80 years and over	33	–	–	–	–	–	6	4	23	–	–
49	Cancer of other female genital organs	229	–	–	–	–	–	58	113	54	4	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	5	–	–	–	–	–	5	–	–	–	–
	30 to 39 years	13	–	–	–	–	–	2	10	–	1	–
	40 to 49 years	56	–	–	–	–	–	12	37	6	1	–
	50 to 59 years	52	–	–	–	–	–	12	32	6	2	–
	60 to 69 years	48	–	–	–	–	–	11	20	17	–	–
	70 to 79 years	41	–	–	–	–	–	12	12	17	–	–
	80 years and over	13	–	–	–	–	–	3	2	8	–	–
49*a*	Cancer of the ovary and Fallopian tube	198	–	–	–	–	–	46	105	43	4	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	4	–	–	–	–
	30 to 39 years	13	–	–	–	–	–	2	10	–	1	–
	40 to 49 years	53	–	–	–	–	–	11	35	6	1	–
	50 to 59 years	48	–	–	–	–	–	9	31	6	2	–
	60 to 69 years	46	–	–	–	–	–	9	20	17	–	–
	70 to 79 years	27	–	–	–	–	–	8	8	11	–	–
	80 years and over	6	–	–	–	–	–	2	1	3	–	–
49*b*	Cancer of the vagina and vulva	31	–	–	–	–	–	12	8	11	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	–	–	–	–	1	2	–	–	–
	50 to 59 years	4	–	–	–	–	–	3	1	–	–	–
	60 to 69 years	2	–	–	–	–	–	2	–	–	–	–
	70 to 79 years	14	–	–	–	–	–	4	4	6	–	–
	80 years and over	7	–	–	–	–	–	1	1	5	–	–
49*c*	Cancer of other female genital organs	–	–	–	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
	Cancer of the breast	771	3	5	–	–	–	165	362	227	8	1
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	–	1	–	–	–
	30 to 39 years	42	–	–	–	–	–	10	30	1	1	–
	40 to 49 years	97	–	1	–	–	–	19	67	7	2	1
	50 to 59 years	187	–	3	–	–	–	35	116	30	3	–
	60 to 69 years	222	–	1	–	–	–	52	94	73	2	–
	70 to 79 years	158	3	–	–	–	–	35	45	75	–	–
	80 years and over	64	–	–	–	–	–	14	9	41	–	–
51	Cancer of the male genito-urinary organs	558	53	341	154	10	–	–	–	–	–	–
	Under 20 years	2	2	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	1	2	–	–	–	–	–	–	–	–
	30 to 39 years	10	4	6	–	–	–	–	–	–	–	–
	40 to 49 years	25	10	14	1	–	–	–	–	–	–	–
	50 to 59 years	58	5	45	5	3	–	–	–	–	–	–
	60 to 69 years	184	18	129	37	–	–	–	–	–	–	–
	70 to 79 years	215	7	128	75	5	–	–	–	–	–	–
	80 years and over	61	6	17	36	2	–	–	–	–	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
51*a*	Cancer of the kidneys and suprarenals (male)	63	13	41	8	1	–	–	–	–	–	–
	Under 20 years	2	2	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	13	5	7	1	–	–	–	–	–	–	–
	50 to 59 years	16	1	14	–	1	–	–	–	–	–	–
	60 to 69 years	22	4	16	2	–	–	–	–	–	–	–
	70 to 79 years	8	1	3	4	–	–	–	–	–	–	–
	80 years and over	1	–	–	1	–	–	–	–	–	–	–
51*b*	Cancer of the bladder (male)	130	8	81	38	3	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	3	–	–	–	–	–	–	–	–
	50 to 59 years	13	1	9	2	1	–	–	–	–	–	–
	60 to 69 years	55	6	38	11	–	–	–	–	–	–	–
	70 to 79 years	48	1	26	19	2	–	–	–	–	–	–
	80 years and over	10	–	4	6	–	–	–	–	–	–	–
51*c*	Cancer of the prostate	336	25	199	106	6	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	1	–	–	–	–	–	–	–	–	–
	40 to 49 years	7	4	3	–	–	–	–	–	–	–	–
	50 to 59 years	24	2	18	3	1	–	–	–	–	–	–
	60 to 69 years	103	7	72	24	–	–	–	–	–	–	–
	70 to 79 years	152	5	94	50	3	–	–	–	–	–	–
	80 years and over	49	6	12	29	2	–	–	–	–	–	–
51*d*	Cancer of the testes	15	6	9	–	–	–	–	–	–	–	
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	1	2	–	–	–	–	–	–	–	–
	30 to 39 years	5	3	2	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	2	1	1	–	–	–	–	–	–	–	–
	60 to 69 years	1	–	1	–	–	–	–	–	–	–	–
	70 to 79 years	2	–	2	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51*e*	Cancer of the scrotum	3	1	1	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	–	1	–	–	–	–	–	–	–	–
	60 to 69 years	1	1	–	–	–	–	–	–	–	–	–
	70 to 79 years	1	–	–	1	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51*f*	Cancer of other male genitourinary organs	11	–	10	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	2	–	2	–	–	–	–	–	–	–	–
	60 to 69 years	2	–	2	–	–	–	–	–	–	–	–
	70 to 79 years	4	–	3	1	–	–	–	–	–	–	–
	80 years and over	1	–	1	–	–	–	–	–	–	–	–
52	Cancer of the skin	78	5	27	11	1	–	12	5	17	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	4	–	3	–	–	–	–	1	–	–	–
	50 to 59 years	10	–	8	1	–	–	–	–	1	–	–
	60 to 69 years	21	1	6	3	1	–	4	3	3	–	–
	70 to 79 years	18	1	5	1	–	–	6	1	4	–	–
	80 years and over	24	3	4	6	–	–	2	–	9	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1938.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
53	Cancer of other or unspecified organs	641	60	180	38	2	1	71	166	115	8	–
	Under 20 years	33	21	–	–	–	–	12	–	–	–	–
	20 to 29 years	22	7	3	–	–	–	6	6	–	–	–
	30 to 39 years	39	5	9	1	–	–	2	19	1	2	–
	40 to 49 years	71	4	25	1	1	–	4	28	5	3	–
	50 to 59 years	136	14	52	3	1	–	7	44	15	–	–
	60 to 69 years	166	3	52	10	–	1	16	45	38	1	–
	70 to 79 years	125	5	29	17	–	–	18	22	34	–	–
	80 years and over	49	1	10	6	–	–	6	2	22	2	–
53*a*	Cancer of the kidneys and suprarenals (female)	40	–	–	–	–	–	8	18	14	–	–
	Under 20 years	4	–	–	–	–	–	4	–	–	–	–
	20 to 29 years	3	–	–	–	–	–	–	3	–	–	–
	30 to 39 years	2	–	–	–	–	–	–	2	–	–	–
	40 to 49 years	4	–	–	–	–	–	–	2	2	–	–
	50 to 59 years	9	–	–	–	–	–	1	6	2	–	–
	60 to 69 years	12	–	–	–	–	–	2	5	5	–	–
	70 to 79 years	6	–	–	–	–	–	1	–	5	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53*b*	Cancer of the bladder (female)	73	–	–	–	–	–	13	31	29	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	–	1	–	–	–
	30 to 39 years	2	–	–	–	–	–	–	1	1	–	–
	40 to 49 years	3	–	–	–	–	–	–	2	1	–	–
	50 to 59 years	12	–	–	–	–	–	1	10	1	–	–
	60 to 69 years	22	–	–	–	–	–	3	8	11	–	–
	70 to 79 years	22	–	–	–	–	–	6	8	8	–	–
	80 years and over	11	–	–	–	–	–	3	1	7	–	–
53*c*	Cancer of the brain	95	15	40	4	–	–	5	24	3	4	–
	Under 20 years	9	8	–	–	–	–	1	–	–	–	–
	20 to 29 years	7	3	1	–	–	–	3	–	–	–	–
	30 to 39 years	14	1	4	1	–	–	–	7	–	1	–
	40 to 49 years	23	–	12	–	–	–	–	8	1	2	–
	50 to 59 years	22	2	14	1	–	–	–	4	1	–	–
	60 to 69 years	17	–	8	2	–	–	–	5	1	1	–
	70 to 79 years	3	1	1	–	–	–	1	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53*d*	Cancer of the bones (except jaw)	89	8	34	4	–	–	11	21	9	2	–
	Under 20 years	8	4	–	–	–	–	4	–	–	–	–
	20 to 29 years	1	–	1	–	–	–	–	–	–	–	–
	30 to 39 years	4	–	1	–	–	–	1	2	–	–	–
	40 to 49 years	9	2	3	–	–	–	–	4	–	–	–
	50 to 59 years	18	1	7	–	–	–	1	7	2	–	–
	60 to 69 years	25	1	12	1	–	–	3	6	2	–	–
	70 to 79 years	17	–	7	3	–	–	2	2	3	–	–
	80 years and over	7	–	3	–	–	–	–	–	2	2	–
53*e*	Cancer of other or unspecified organs	344	37	106	30	2	1	34	72	60	2	–
	Under 20 years	12	9	–	–	–	–	3	–	–	–	–
	20 to 29 years	10	4	1	–	–	–	3	2	–	–	–
	30 to 39 years	17	4	4	–	–	–	1	7	–	1	–
	40 to 49 years	32	2	10	1	1	–	4	12	1	1	–
	50 to 59 years	75	11	31	2	1	–	4	17	9	–	–
	60 to 69 years	90	2	32	7	–	1	8	21	19	–	–
	70 to 79 years	77	4	21	14	–	–	8	12	18	–	–
	80 years and over	31	1	7	6	–	–	3	1	13	–	–

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.		
		Total.	Males.	Females.
Infant Mortality Rate.	**39.1**			
The State,	**1,661**	**2,439**	**1,367**	**1,072**
Abington	3	3	3	–
Acton	3	4	1	3
Acushnet	1	1	1	–
Adams	4	5	3	2
Agawam	3	4	4	–
Alford	–	–	–	–
Amesbury	10	12	7	5
Amherst	1	4	3	1
Andover	3	3	2	1
Arlington	9	13	7	6
Ashburnham	–	2	2	–
Ashby	–	–	–	–
Ashfield	–	–	–	–
Ashland	1	3	1	2
Athol	5	7	6	1
Attleboro	8	15	7	8
Auburn	3	3	2	1
Avon	1	1	1	–
Ayer	1	1	–	1
Barnstable	3	5	4	1
Barre	1	1	–	1
Becket	–	–	–	–
Bedford	–	1	1	–
Belchertown	1	1	–	1
Bellingham	3	4	1	3
Belmont	8	10	6	4
Berkley	–	–	–	–
Berlin	–	1	–	1
Bernardston	–	–	–	–
Beverly	5	8	2	6
Billerica	1	3	1	2
Blackstone	2	3	2	1
Blandford	–	1	–	1
Bolton	–	–	–	–
Boston	352	522	285	237
Bourne	–	1	–	1
Boxborough	–	–	–	–
Boxford	–	–	–	–
Boylston	1	1	–	1
Braintree	4	10	3	7
Brewster	–	1	1	–
Bridgewater	1	4	1	3
Brimfield	1	1	1	–
Brockton	20	27	19	8
Brookfield	–	–	–	–
Brookline	14	18	11	7
Buckland	–	–	–	–
Burlington	1	2	1	1
Cambridge	50	77	37	40
Canton	3	3	1	2
Carlisle	–	1	–	1
Carver	–	–	–	–
Charlemont	1	2	1	1
Charlton	2	2	2	–
Chatham	–	–	–	–
Chelmsford	3	5	1	4
Chelsea	12	21	11	10
Cheshire	–	–	–	–
Chester	–	–	–	–
Chesterfield	–	–	–	–
Chicopee	23	27	15	12
Chilmark	–	–	–	–
Clarksburg	3	3	1	2
Clinton	–	2	2	–
Cohasset	1	1	1	–
Colrain	–	1	–	1
Concord	1	2	2	–
Conway	–	–	–	–
Cummington	–	–	–	–
Dalton	1	3	1	2
Dana	–	1	–	1
Danvers	4	7	5	2
Dartmouth	5	8	4	4
Dedham	6	9	5	4
Deerfield	1	2	–	2
Dennis	1	1	1	–
Dighton	2	3	3	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.		
		Total.	Males.	Females.
Douglas	2	2	1	1
Dover	1	1	1	–
Dracut	2	2	2	–
Dudley	2	3	2	1
Dunstable	–	–	–	–
Duxbury	–	1	1	–
East Bridgewater	2	2	2	–
East Brookfield	–	–	–	–
East Longmeadow	–	1	–	1
Eastham	1	1	–	1
Easthampton	2	3	1	2
Easton	3	3	3	–
Edgartown	1	1	1	–
Egremont	1	1	–	1
Enfield	–	–	–	–
Erving	–	–	–	–
Essex	–	–	–	–
Everett	14	25	18	7
Fairhaven	3	7	6	1
Fall River	54	93	55	38
Falmouth	1	3	1	2
Fitchburg	19	24	13	11
Florida	–	–	–	–
Foxborough	1	2	1	1
Framingham	8	14	5	9
Franklin	3	3	1	2
Freetown	2	2	–	2
Gardner	8	15	10	5
Gay Head	–	–	–	–
Georgetown	1	1	1	–
Gill	–	–	–	–
Gloucester	9	11	5	6
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	5	9	7	2
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	1	2	–	2
Greenfield	6	6	2	4
Greenwich	–	–	–	–
Groton	2	3	–	3
Groveland	2	2	2	–
Hadley	–	–	–	–
Halifax	2	2	–	2
Hamilton	1	1	–	1
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	1	2	1	1
Hanson	1	1	1	–
Hardwick	2	2	–	2
Harvard	–	–	–	–
Harwich	1	2	2	–
Hatfield	1	1	–	1
Haverhill	32	39	21	18
Hawley	–	–	–	–
Heath	–	–	–	–
Hingham	1	3	2	1
Hinsdale	–	2	2	–
Holbrook	1	1	–	1
Holden	4	5	2	3
Holland	–	–	–	–
Holliston	1	1	1	–
Holyoke	16	27	17	10
Hopedale	–	1	1	–
Hopkinton	1	1	1	–
Hubbardston	1	1	1	–
Hudson	4	6	3	3
Hull	–	2	–	2
Huntington	–	–	–	–
Ipswich	1	1	1	–
Kingston	1	2	2	–
Lakeville	1	1	1	–
Lancaster	1	2	1	1
Lanesborough	–	–	–	–
Lawrence	34	52	31	21
Lee	–	–	–	–
Leicester	–	2	–	2
Lenox	2	3	–	3
Leominster	9	12	6	6
Leverett	–	–	–	–

[1] Exclusive of stillbirths.

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.		
		Total.	Males.	Females.
Lexington	2	3	2	1
Leyden	–	–	–	–
Lincoln	1	2	2	–
Littleton	–	1	1	–
Longmeadow	1	1	1	–
Lowell	51	72	48	24
Ludlow	2	3	1	2
Lunenburg	–	–	–	–
Lynn	27	38	18	20
Lynnfield	–	–	–	–
Malden	14	21	11	10
Manchester	–	1	1	–
Mansfield	–	1	1	–
Marblehead	3	3	–	3
Marion	–	1	–	1
Marlborough	8	8	3	5
Marshfield	2	2	1	1
Mashpee	–	1	–	1
Mattapoisett	–	–	–	–
Maynard	3	5	4	1
Medfield	–	–	–	–
Medford	18	30	16	14
Medway	1	3	2	1
Melrose	10	14	9	5
Mendon	–	1	–	1
Merrimac	1	1	1	–
Methuen	6	9	7	2
Middleborough	3	4	2	2
Middlefield	–	–	–	–
Middleton	1	2	–	2
Milford	8	11	6	5
Millbury	4	4	3	1
Millis	1	1	–	1
Millville	3	3	–	3
Milton	4	6	3	3
Monroe	–	–	–	–
Monson	1	1	1	–
Montague	4	6	2	4
Monterey	–	–	–	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	1	1	–	1
Nantucket	1	1	–	1
Natick	8	8	6	2
Needham	7	8	4	4
New Ashford	–	–	–	–
New Bedford	47	72	46	26
New Braintree	–	–	–	–
New Marlborough	–	1	1	–
New Salem	–	–	–	–
Newbury	1	1	1	–
Newburyport	3	7	2	5
Newton	27	31	17	14
Norfolk	–	1	1	–
North Adams	15	21	14	7
North Andover	3	3	2	1
North Attleborough	4	9	4	5
North Brookfield	2	3	1	2
North Reading	1	1	1	–
Northampton	7	9	3	6
Northborough	1	1	–	1
Northbridge	4	5	4	1
Northfield	–	–	–	–
Norton	–	–	–	–
Norwell	–	–	–	–
Norwood	3	6	3	3
Oak Bluffs	–	1	–	1
Oakham	–	1	1	–
Orange	2	3	1	2
Orleans	1	1	1	–
Otis	–	–	–	–
Oxford	–	2	2	–
Palmer	4	6	1	5
Paxton	–	–	–	–
Peabody	5	9	4	5
Pelham	–	–	–	–
Pembroke	1	1	–	1
Pepperell	–	2	2	–
Peru	–	–	–	–
Petersham	1	1	–	1

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.		
		Total.	Males.	Females.
Phillipston	–	–	–	–
Pittsfield	16	19	10	9
Plainfield	–	–	–	–
Plainville	–	–	–	–
Plymouth	5	6	4	2
Plympton	–	–	–	–
Prescott	–	–	–	–
Princeton	–	–	–	–
Provincetown	–	–	–	–
Quincy	31	45	25	20
Randolph	2	3	1	2
Raynham	1	1	–	1
Reading	5	7	3	4
Rehoboth	–	–	–	–
Revere	16	20	13	7
Richmond	–	–	–	–
Rochester	–	–	–	–
Rockland	3	4	4	–
Rockport	–	–	–	–
Rowe	–	–	–	–
Rowley	–	1	1	–
Royalston	2	2	2	–
Russell	–	–	–	–
Rutland	–	–	–	–
Salem	16	22	17	5
Salisbury	4	4	2	2
Sandisfield	–	–	–	–
Sandwich	–	–	–	–
Saugus	7	9	7	2
Savoy	–	–	–	–
Scituate	5	5	4	1
Seekonk	–	2	1	1
Sharon	–	–	–	–
Sheffield	1	1	–	1
Shelburne	–	–	–	–
Sherborn	1	1	–	1
Shirley	3	5	1	4
Shrewsbury	2	3	3	–
Shutesbury	–	–	–	–
Somerset	2	5	2	3
Somerville	51	73	38	35
South Hadley	5	5	2	3
Southampton	–	–	–	–
Southborough	1	1	1	–
Southbridge	7	9	5	4
Southwick	–	–	–	–
Spencer	4	4	3	1
Springfield	58	77	39	38
Sterling	–	–	–	–
Stockbridge	–	–	–	–
Stoneham	2	2	–	2
Stoughton	3	4	2	2
Stow	1	1	1	–
Sturbridge	–	–	–	–
Sudbury	–	–	–	–
Sunderland	–	–	–	–
Sutton	–	1	–	1
Swampscott	5	7	4	3
Swansea	–	–	–	–
Taunton	22	32	17	15
Templeton	–	2	–	2
Tewksbury	–	1	–	1
State Infirmary	–	–	–	–
Tisbury	–	–	–	–
Tolland	–	–	–	–
Topsfield	–	1	–	1
Townsend	–	–	–	–
Truro	–	–	–	–
Tyngsborough	1	1	–	1
Tyringham	–	–	–	–
Upton	–	–	–	–
Uxbridge	3	3	2	1
Wakefield	4	7	4	3
Wales	–	–	–	–
Walpole	2	4	2	2
Waltham	12	20	12	8
Ware	4	4	4	–
Wareham	1	8	7	1
Warren	1	2	–	2
Warwick	–	1	1	–

[1] Exclusive of stillbirths.

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1938.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	–	–	–	–
Watertown	16	17	11	6	Westport	–	–	–	–
Wayland	1	2	2	–	Westwood	1	1	1	–
Webster	6	9	6	3	Weymouth	10	14	8	6
Wellesley	5	7	6	1	Whately	–	–	–	–
Wellfleet	2	2	–	2	Whitman	2	3	3	–
Wendell	–	–	–	–	Wilbraham	1	2	1	1
Wenham	–	–	–	–	Williamsburg	–	–	–	–
West Boylston	1	1	–	1	Williamstown	–	–	–	–
West Bridgewater	1	2	1	1	Wilmington	4	6	3	3
West Brookfield	1	1	1	–	Winchendon	7	14	6	8
West Newbury	–	–	–	–	Winchester	1	4	2	2
West Springfield	5	6	4	2	Windsor	–	–	–	–
West Stockbridge	1	1	–	1	Winthrop	5	6	5	1
West Tisbury	–	–	–	–	Woburn	10	13	10	3
Westborough	2	2	1	1	Worcester	61	91	56	35
Westfield	8	12	5	7	Worthington	–	–	–	–
Westford	1	2	2	–	Wrentham	3	3	–	3
Westhampton	–	–	–	–	Yarmouth	1	2	1	1
Westminster	–	–	–	–					

[1] Exclusive of stillbirths.

Table 26

Counties.	Infant and Maternal Deaths[1] and Death Rates[1], for the State and Counties: 1938.			
	Total deaths[2] under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State,	**2,439**	**39.1**	**232**	**37.2**
Barnstable	20	33.7	1	16.9
Berkshire	62	32.1	8	41.5
Bristol	254	48.9	30	57.7
Dukes	2	25.6	1	128.2
Essex	256	37.8	31	45.8
Franklin	21	28.2	4	53.8
Hampden	170	38.9	11	25.2
Hampshire	27	28.7	3	31.9
Middlesex	534	37.4	51	35.7
Nantucket	1	21.7	–	–
Norfolk	159	35.8	16	36.0
Plymouth	86	38.1	6	26.6
Suffolk	569	42.9	46	34.7
Worcester	278	37.3	24	32.2

[1] Allocated. [2] Exclusive of stillbirths.

Table 27

Municipalities. (Grouped in order of population, 1935.)	Infant Deaths[1] per 1,000 Live Births[2] in Municipalities having over 15,000 Inhabitants in 1935: 1931 to 1938.							
	1938.	1937.	1936.	1935.	1934.	1933.	1932.	1931.
The State,	**39**	**44**	**47**	**48**	**49**	**52**	**53**	**54**
Over 100,000.								
Boston	44	49	51	49	55	59	59	61
Worcester	32	43	53	41	62	55	53	50
Springfield	39	40	48	45	52	52	56	49
Cambridge	42	57	55	73	47	48	57	50
Fall River	54	43	49	58	42	63	53	60
New Bedford	49	48	62	58	61	56	57	83
Lynn	27	36	39	69	33	49	43	45
Somerville	43	38	39	44	45	50	47	48
Lowell	48	60	56	68	63	62	67	77
50,000 to 100,000								
Lawrence	44	52	54	62	65	50	55	71
Quincy	39	38	44	38	50	57	53	40
Newton	34	31	27	40	31	21	40	49
Brockton	34	44	47	35	35	48	38	47
Medford	32	33	35	31	35	34	43	27
Malden	25	38	43	37	50	31	31	44
Holyoke	39	37	44	47	48	69	55	60
Brookline (town)	34	37	23	13	45	34	57	14
25,000 to 50,000								
Haverhill	63	56	47	32	52	48	42	37
Pittsfield	23	54	43	35	43	52	47	52
Everett	30	31	44	35	33	59	50	33
Salem	39	53	61	84	83	57	63	92
Chelsea	33	38	57	54	39	47	58	41
Chicopee	45	56	68	75	71	73	75	61
Fitchburg	37	45	36	63	52	59	52	74
Waltham	33	37	55	38	34	40	32	46
Arlington (town)	26	26	48	43	31	42	33	43
Taunton	60	30	51	55	56	73	60	59
Watertown (town)	33	43	42	33	47	41	59	42
Revere	42	35	41	32	65	42	46	34
Beverly	22	31	33	56	17	30	39	35
15,000 to 25,000								
Belmont (town)	28	28	32	12	21	52	85	111
Northampton	32	10	50	26	42	54	69	57
Melrose	48	30	21	51	41	49	35	28
Gloucester	32	82	73	46	56	37	57	43
Framingham (town)	41	36	46	43	31	57	56	48
North Adams	63	38	55	49	49	47	43	71
Peabody	28	50	47	69	37	32	35	61
Leominster	34	44	65	72	52	49	62	78
Attleboro	45	84	17	55	47	46	58	48
Weymouth (town)	39	46	20	27	38	43	45	26
Methuen (town)	32	36	55	52	32	52	54	71
Gardner	50	28	51	53	47	43	59	73
Woburn	44	45	35	57	37	35	26	49
Westfield	43	51	53	17	33	23	81	82
Milton (town)	27	23	42	40	52	48	–[3]	43
Braintree (town)	40	44	45	32	40	33	99	43
West Springfield (town)	29	46	98	67	43	52	43	51
Winthrop (town)	28	38	16	41	40	23	20	24
Wakefield (town)	32	45	49	48	44	56	61	20
Greenfield (town)	25	35	46	49	43	45	20	57
Southbridge (town)	34	13	35	27	–	–	–	–
Marlborough	41	58	45	53	39	38	44	41
Norwood (town)	26	58	57	29	24	47	56	36
Dedham (town)	36	42	29	68	23	51	70	43
Saugus (town)	41	32	47	101	–	–	–	–
Milford (town)	50	14	21	27	–	–	–	–

[1] Exclusive of stillbirths. [2] Allocated. [3] No deaths under 1 year of age.

Table 28

Municipalities. (Grouped in order of population, 1935.)	Birth Rates,[1] Death Rates,[1] Natural Increase. Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1935: 1938.					
	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.!	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[2]
The State,	**14.1**	**11.1**	**3.0**	**39.1**	**59,943**	**961**
Over 100,000.						
Boston	14.1	11.4	2.7	43.7	11,421	956
Worcester	14.8	11.3	3.5	32.2	2,731	968
Springfield	13.3	10.7	2.6	38.7	1,912	961
Cambridge	15.0	10.8	4.2	42.3	1,745	958
Fall River	14.4	11.6	2.8	54.4	1,616	946
New Bedford	13.3	11.7	1.6	49.1	1,395	951
Lynn	13.7	11.1	2.6	27.4	1,347	973
Somerville	17.1	11.8	5.3	42.5	1,646	958
Lowell	14.9	13.8	1.1	48.1	1,424	952

[1] Alllocated. [2] Exclusive of stillbirths.

Table 28

BIRTH RATES,[1] DEATH RATES,[1] NATURAL INCREASE. INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: **1938.**—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1935.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[2]
50,000 TO 100,000						
Lawrence	13.5	10.5	3.0	43.6	1,141	956
Quincy	14.4	9.5	4.9	38.9	1,112	961
Newton	13.8	10.7	3.1	33.7	888	966
Brockton	12.8	12.0	.8	33.9	770	966
Medford	15.1	9.2	5.9	31.8	914	968
Malden	14.7	11.5	3.2	24.9	821	975
Holyoke	12.3	11.4	.9	39.1	663	961
Brookline (town)	10.1	12.1	2.0[3]	33.8	514	966
25,000 TO 50,000.						
Haverhill	12.3	12.3	–	63.4	576	937
Pittsfield	17.7	11.0	6.7	22.6	820	977
Everett	17.4	9.9	7.5	30.3	799	970
Salem	13.1	11.2	1.9	38.5	549	961
Chelsea	14.7	10.4	4.3	33.4	607	967
Chicopee	14.3	8.9	5.4	45.2	571	955
Fitchburg	15.5	10.3	5.2	36.5	633	963
Waltham	14.7	10.0	4.7	32.8	589	967
Arlington (town)	12.5	9.0	3.5	25.8	491	974
Taunton	14.4	11.0	3.4	59.5	506	940
Watertown (town)	14.0	9.6	4.4	33.3	493	967
Revere	13.6	8.8	4.8	41.7	460	958
Beverly	13.7	10.4	3.3	22.1	354	978
15,000 TO 25,000.						
Belmont (town)	13.0	8.7	4.3	28.3	343	972
Northampton	11.4	9.7	1.7	31.9	273	968
Melrose	11.6	12.1	.5[3]	48.3	276	952
Gloucester	14.4	12.1	2.3	31.5	338	968
Framingham (town)	14.9	11.3	3.6	40.8	329	959
North Adams	15.0	12.3	2.7	62.5	315	938
Peabody	14.0	10.1	3.9	28.4	308	972
Leominster	16.0	10.6	5.4	34.2	339	966
Attleboro	15.3	12.1	3.2	44.9	319	955
Weymouth (town)	16.1	12.1	4.0	38.9	346	961
Methuen (town)	13.3	12.0	1.3	32.0	272	968
Gardner	14.1	9.7	4.4	50.2	284	950
Woburn	14.8	10.1	4.7	44.2	281	956
Westfield	14.7	11.0	3.7	43.3	265	957
Milton (town)	11.6	11.6	–	26.5	220	973
Braintree (town)	13.7	9.0	4.7	40.2	239	960
West Springfield (town)	11.9	8.8	3.1	29.0	201	971
Winthrop (town)	12.6	11.6	1.0	27.6	211	972
Wakefield (town)	13.2	11.5	1.7	32.0	212	968
Greenfield (town)	14.8	11.1	3.7	25.1	233	975
Southbridge (town)	15.7	7.9	7.8	34.0	256	966
Marlborough	12.4	13.2	.8[3]	40.6	189	959
Norwood (town)	14.5	10.2	4.3	25.9	226	974
Dedham (town)	16.0	10.9	5.1	36.3	239	964
Saugus (town)	14.2	8.9	5.3	41.0	210	959
Milford (town)	14.5	10.7	3.8	50.0	209	950

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 29

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: **1922** TO **1938.**

YEARS.	MASSACHUSETTS. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60.9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371[1]	607	49.1	50,045	2,407	48.1
1936	61,184[1]	2,854	46.6	12,117[1]	615	50.8	49,067	2,239	45.6
1937	61,272[1]	2,684	43.8	12,101[1]	587	48.5	49,171	2,097	42.6
1938	62,382[1]	2,439	39.1	11,943[1]	522	43.7	50,439	1,917	38.0

[1] Allocated.

Table 30

Years.	Survivors at end of First Year of Life: 1913 to 1938. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at end of First Year of Life: 1913 to 1938. Per 1,000 population.	Per 1,000 live births.
1913	22.8	890	1926	18.4	927
1914	22.9	894	1927	18.0	935
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7[1]	952[1]
1923	20.7	922	1936	13.3[1]	953[1]
1924	21.3	932	1937	13.3[1]	956[1]
1925	19.2	927	1938	13.5[1]	961[1]

[1] Allocated.

Table 31

Infant Deaths per 1,000 Live Births, by Causes: 1931 to 1938.

Detailed Int. List No.	Causes.	1938.[1]	1937.[1]	1936.[1]	1935.[1]	1934.	1933.	1932.	1931.
	All Causes,	**39.1**	**43.8**	**46.6**	**48.3**	**49.2**	**51.9**	**53.1**	**54.8**
	Developmental and wasting diseases*	20.5	21.2	23.7	21.7	23.2	24.1	23.3	24.8
159	Premature birth*	14.4	14.7	17.1	15.0	16.0	15.8	15.6	16.1
157	Congenital malformations*	5.8	5.8	6.0	5.8	6.5	6.9	6.8	7.3
158	Congenital debility, etc.*	.3	.7	.6	.9	.7	1.4	.9	1.4
119	Diarrhea and enteritis*	1.9	1.7	2.3	3.1	2.7	2.2	2.9	3.4
107*a*	Bronchopneumonia*	4.8	6.4	6.1	7.3	7.0	7.5	7.8	7.1
108	Lobar pneumonia*	1.0	1.2	1.4	1.4	1.1	1.3	1.3	1.6
86	Convulsions	.1	.2	.2	.1	.2	.3	.2	.2
106*a*	Bronchitis*	.1	.1	.2	.2	.2	.2	.2	.2
106*b*, 106*c*									
9	Whooping cough*	.3	1.0	.6	.7	1.1	.9	.9	.7
18, 79	Meningitis	.3	.3	.5	.5	.2	.3	.3	.4
24	Tuberculous meningitis	–	.1	.1	.1	.1	.2	.3	.2
34	Syphilis	.1	.1	.1	.3	.2	.3	.3	.4
109	Pneumonia, undefined	.2	.2	.1	.1	–	.2	.2	.2
16	Acute anterior poliomyelitis	–	–	–	–	–	–	–	.1
	All other causes	9.8	11.3	11.3	12.7	13.2	14.4	15.4	15.5

[1] Allocated.

Table 32

Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1931 to 1938.

Months.	1938.[1]	1937.[1]	1936.[1]	1935.[1]	1934.	1933.	1932.	1931.
The Year,	**122**	**124**	**153**	**219**	**194**	**161**	**229**	**275**
January	6	6	24	6	7	12	13	10
February	1	9	17	17	10	13	16	13
March	7	11	18	14	20	17	21	18
April	12	11	9	22	12	11	18	15
May	11	9	7	26	15	14	14	26
June	11	14	12	20	16	10	17	12
July	11	13	15	15	18	12	19	35
August	16	16	10	28	38	11	24	35
September	15	16	14	21	23	24	29	48
October	10	10	12	15	23	13	22	33
November	9	4	7	23	6	12	18	17
December	13	5	8	12	6	12	18	13
	Per Cent Distribution.							
The Year,	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	4.9	4.9	15.7	2.7	3.6	7.5	5.6	3.6
February	.8	7.3	11.1	7.8	5.1	8.0	7.0	4.7
March	5.7	8.8	11.8	6.4	10.3	10.6	9.2	6.5
April	9.9	8.8	5.9	10.1	6.2	6.8	7.9	5.5
May	9.0	7.3	4.6	11.9	7.7	8.7	6.1	9.5
June	9.0	11.3	7.8	9.1	8.2	6.2	7.4	4.4
July	9.0	10.5	9.8	6.8	9.3	7.5	8.3	12.7
August	13.1	12.9	6.5	12.8	19.6	6.8	10.5	12.7
September	12.3	12.9	9.2	9.6	11.9	14.9	12.6	17.5
October	8.2	8.0	7.8	6.8	11.9	8.0	9.6	12.0
November	7.4	3.2	4.6	10.5	3.1	7.5	7.9	6.2
December	10.7	4.1	5.2	5.5	3.1	7.5	7.9	4.7

[1] Allocated.

Table 33

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State[2]	T	2,439	857	206	142	194	1,399	88	101	73	1,661	140	125	228	185	100
		M	1,367	479	117	88	108	792	45	65	39	941	80	76	123	98	49
		F	1,072	378	89	54	86	607	43	36	34	720	60	49	105	87	51
7	Measles	M	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
8	Scarlet fever	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	9	–	–	–	–	–	–	–	–	–	–	–	5	2	2
		F	12	–	–	–	–	–	–	–	–	–	2	1	6	3	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	6	–	–	–	–	–	–	–	–	–	–	2	–	3	1
		F	5	–	–	–	–	–	–	–	–	–	–	–	2	1	2
13	Dysentery	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
24	Tuberculosis of the meninges and central nervous system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34	Syphilis	M	4	–	1	–	2	3	–	–	–	3	1	–	–	–	–
		F	3	–	–	–	1	1	–	–	–	1	1	–	1	–	–
86	Convulsions	M	6	–	–	1	1	2	–	1	–	3	1	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
106	Bronchitis	M	5	–	–	–	–	–	–	–	–	–	–	–	–	4	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	171	1	4	1	2	8	2	11	4	25	24	28	41	35	18
		F	131	1	1	1	6	9	6	5	6	26	10	13	36	32	14
108, 109	Pneumonia	M	36	–	–	–	2	2	–	–	2	4	3	4	10	8	7
		F	40	–	–	–	2	2	–	1	3	6	3	6	9	9	7
117, 118	Diseases of the stomach	M	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
119	Diarrhea and enteritis	M	70	–	–	–	2	2	1	13	3	19	8	7	23	9	4
		F	45	–	–	–	1	1	–	8	2	11	12	5	6	3	8
122*b*	Intestinal obstruction	M	6	–	–	–	–	–	1	1	1	3	–	1	1	1	–
		F	7	–	–	–	–	–	–	–	–	–	1	2	3	1	–
157	Congenital malformations	M	182	38	18	12	19	87	18	12	12	129	17	10	15	9	2
		F	176	49	9	13	24	95	14	6	8	123	13	9	16	10	5
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	21	6	–	2	4	12	–	1	–	13	1	1	4	2	–
		F	12	3	–	1	2	6	1	2	1	10	–	–	1	1	–
159	Premature birth	M	500	315	61	36	32	444	12	18	12	486	8	3	2	1	–
		F	398	258	51	21	25	355	13	10	7	385	10	3	–	–	–
160	Injuries at birth	M	139	66	11	24	27	128	5	2	1	136	2	1	–	–	–
		F	77	31	10	13	13	67	2	3	1	73	1	–	2	1	–
161*a*, *d*	Other diseases of early infancy	M	106	50	20	11	12	93	4	1	2	100	3	2	1	–	–
		F	72	34	18	5	8	65	6	1	–	72	–	–	–	–	–
172–198, 201–214	External causes	M	26	3	1	–	1	5	–	1	–	6	5	3	7	5	–
		F	24	2	–	–	–	2	–	–	2	4	1	1	10	5	3
199, 200	Unknown or ill-defined diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other causes	M	66	–	1	1	4	6	2	4	2	14	4	13	11	14	10
		F	55	–	–	–	3	3	1	–	3	7	4	6	12	18	8

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33a

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.[2]	T	522	147	46	29	47	269	17	35	31	352	41	23	45	39	22
		M	285	82	24	19	26	151	5	21	13	190	22	16	25	20	12
		F	237	65	22	10	21	118	12	14	18	162	19	7	20	19	10
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	39	1	-	-	-	1	-	4	-	5	7	3	12	8	4
		F	28	-	1	-	1	2	3	2	3	10	2	3	5	6	2
108, 109	Pneumonia	M	5	-	-	-	-	-	-	-	1	1	-	3	-	1	-
		F	13	-	-	-	1	1	-	-	2	3	2	1	4	3	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
119	Diarrhea and enteritis	M	15	-	-	-	-	-	-	1	1	2	4	2	4	2	1
		F	18	-	-	-	-	-	-	4	2	6	4	2	1	-	5
122*b*	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	32	7	3	-	5	15	1	3	4	23	5	1	1	1	1
		F	31	10	2	1	4	17	2	1	3	23	1	-	5	-	2
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	-	-	-	1	1	-	1	-	2	-	-	-	-	-
		F	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-
159	Premature birth	M	103	45	13	13	6	77	3	10	7	97	3	1	2	-	-
		F	87	39	10	6	5	60	6	6	6	78	8	1	-	-	-
160	Injuries at birth	M	38	20	4	5	8	37	-	-	-	37	1	-	-	-	-
		F	19	7	2	1	5	15	1	1	1	18	-	-	1	-	-
161*a*, *d*	Other diseases of early infancy	M	22	9	4	1	5	19	1	-	-	20	1	1	-	-	-
		F	19	8	7	2	2	19	-	-	-	19	-	-	-	-	-
172–198, 201–214	External causes	M	6	-	-	-	1	1	-	-	-	1	1	2	-	2	-
		F	7	1	-	-	-	1	-	-	-	1	-	-	3	3	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	18	-	-	-	-	-	-	2	-	2	-	3	5	4	4
		F	8	-	-	-	1	1	-	-	-	1	-	-	1	6	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33b

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.[2]	T	91	28	8	7	10	53	5	1	2	61	4	3	11	7	5
		M	56	20	6	4	5	35	4	-	1	40	1	2	6	4	3
		F	35	8	2	3	5	18	1	1	1	21	3	1	5	3	2
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	2
		F	9	-	-	-	2	2	-	-	-	2	1	1	3	2	-
108, 109	Pneumonia	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	6	2	2	1	-	5	-	-	1	6	-	-	-	-	-
		F	8	1	1	-	1	3	1	1	1	6	2	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
159	Premature birth	M	23	15	4	1	1	21	2	-	-	23	-	-	-	-	-
		F	10	7	1	1	1	10	-	-	-	10	-	-	-	-	-
160	Injuries at birth	M	5	1	-	2	1	4	1	-	-	5	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	6	2	-	-	2	4	1	-	-	5	-	-	1	-	-
		F	2	-	-	1	1	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33c

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12
	SPRINGFIELD.[2]	T	77	35	5	4	9	53	3	–	2	58	3	1	2	7	6
		M	39	17	1	1	8	27	1	–	2	30	2	–	1	3	3
		F	38	18	4	3	1	26	2	–	–	28	1	1	1	4	3
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1
		F	5	–	–	–	–	–	–	–	–	–	–	–	1	3	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	3	–	–	–	3	–	–	–	3	1	–	1	–	–
		F	4	2	–	1	–	3	1	–	–	4	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	20	11	1	1	4	17	1	–	1	19	1	–	–	–	–
		F	14	11	2	–	1	14	–	–	–	14	–	–	–	–	–
160	Injuries at birth	M	4	2	–	–	2	4	–	–	–	4	–	–	–	–	–
		F	4	1	1	2	–	4	–	–	–	4	–	–	–	–	–
161*a*, *d*	Other disease of early infancy	M	3	1	–	–	1	2	–	–	1	3	–	–	–	–	–
		F	5	3	1	–	–	4	1	–	–	5	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1		1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33d

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	CAMBRIDGE.[2]	T	77	28	8	9	1	46	–	3	1	50	3	5	9	5	5
		M	37	9	5	5	1	20	–	3	1	24	1	3	4	2	3
		F	40	19	3	4	–	26	–	–	–	26	2	2	5	3	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	6	–	–	–	–	–	–	1	–	1	1	1	1	1	1
		F	6	–	–	1	–	1	–	–	–	1	1	–	3	–	1
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	–	1	1	–	2	–	–	–	2	–	1	1	–	–
		F	6	4	–	1	–	5	–	–	–	5	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	15	8	3	3	–	14	–	–	1	15	–	–	–	–	–
		F	13	8	3	2	–	13	–	–	–	13	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	1	1	1	–	3	–	–	–	3	–	–	–	–	–
		F	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	1	1	–	–	–	1	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33e

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.[2]	T	93	30	9	4	6	49	2	3	–	54	5	9	11	12	2
		M	55	22	6	3	3	34	1	1	–	36	–	6	4	8	1
		F	38	8	3	1	3	15	1	2	–	18	5	3	7	4	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	6	–	–	–	–	–	–	–	–	–	–	2	1	2	1
		F	10	–	–	–	–	–	–	–	–	–	2	–	5	2	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	8	–	–	–	1	1	–	–	–	1	–	1	3	3	–
		F	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
122*b*	Intestinal obstruction	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
157	Congenital malformations	M	4	1	1	–	1	3	–	–	–	3	–	1	–	–	–
		F	4	1	–	–	1	2	–	–	–	2	2	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	22	14	4	3	–	21	–	–	–	21	–	1	–	–	–
		F	10	4	2	1	2	9	–	1	–	10	–	–	–	–	–
160	Injuries at birth	M	8	4	1	–	1	6	1	–	–	7	–	1	–	–	–
		F	5	3	1	–	–	4	–	1	–	5	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33f

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.[2]	T	72	20	7	8	5	40	–	4	3	47	3	2	9	6	5
		M	46	10	4	5	4	23	–	3	3	29	2	1	7	5	2
		F	26	10	3	3	1	17	–	1	–	18	1	1	2	1	3
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	11	–	1	1	–	2	–	–	1	3	1	–	5	1	1
		F	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
		F	3	–	–	–	–	–	–	1	–	1	–	–	–	1	1
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	9	1	2	3	1	7	–	1	1	9	–	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	8	6	1	1	–	8	–	–	–	8	–	–	–	–	–
		F	10	8	2	–	–	10	–	–	–	10	–	–	–	–	–
160	Injuries at birth	M	5	1	–	–	3	4	–	–	1	5	–	–	–	–	–
		F	3	1	–	2	–	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	2	–	–	–	2	–	–	–	2	1	–	–	–	–
		F	2	–	–	1	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	1	–	1	–	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33g

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.[2]	T	38	7	6	5	6	24	1	2	–	27	–	2	5	3	1
		M	18	1	2	4	3	10	–	1	–	11	–	1	4	2	–
		F	20	6	4	1	3	14	1	1	–	16	–	1	1	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	5	–	1	1	1	3	1	–	–	4	–	–	–	1	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	4	–	2	–	1	3	–	1	–	4	–	–	–	–	–
		F	8	5	2	–	1	8	–	–	–	8	–	–	–	–	–
160	Injuries at birth	M	4	1	–	2	1	4	–	–	–	4	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	2	–	1	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33h

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.[2]	T	73	23	8	6	4	41	5	3	2	51	4	3	5	6	4
		M	38	12	5	4	–	21	2	1	–	24	2	3	4	3	2
		F	35	11	3	2	4	20	3	2	2	27	2	–	1	3	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	7	–	1	–	–	1	–	–	–	1	–	2	1	2	1
		F	3	–	–	–	–	–	1	–	–	1	1	–	–	–	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	1	–	–	–	1	2	1	–	4	1	–	–	–	–
		F	9	1	–	1	1	3	2	1	1	7	1	–	–	1	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
159	Premature birth	M	11	6	2	3	–	11	–	–	–	11	–	–	–	–	–
		F	14	8	3	1	2	14	–	–	–	14	–	–	–	–	–
160	Injuries at birth	M	6	5	–	1	–	6	–	–	–	6	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	2	–	1	–	–	1	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
		F	3	–	–	–	–	–	–	–	1	1	–	–	–	2	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 331

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.[2]	T	72	32	8	4	2	46	2	1	2	51	1	3	7	5	5
		M	48	22	5	4	–	31	2	1	2	36	–	2	4	3	3
		F	24	10	3	–	2	15	–	–	–	15	1	1	3	2	2
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	6	–	–	–	–	–	–	1	–	1	–	2	1	1	1
		F	5	–	–	–	–	–	–	–	–	–	1	–	1	2	1
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	2	–	–	–	2	2	–	1	5	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	1	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	18	13	3	2	–	18	–	–	–	18	–	–	–	–	–
		F	12	9	2	–	1	12	–	–	–	12	–	–	–	–	–
160	Injuries at birth	M	8	6	–	2	–	8	–	–	–	8	–	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	–	2	–	–	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33j

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under **1** year of age.	Less than **1** day.	**1** day.	**2** days.	**3** days but less than **7**.	Total less than **1** week.	**1** week but less than **2**.	**2** weeks but less than **3**.	**3** weeks but less than **1** month.	Total less than **1** month.	**1** month but less than **2**.	**2** months but less than **3**.	**3** months but less than **6**.	**6** months but less than **9**.	**9** months but less than **12**.
	LAWRENCE.[2]	T	52	23	3	1	2	29	4	1	–	34	2	4	6	6	–
		M	31	14	2	1	2	19	1	1	–	21	1	2	3	4	–
		F	21	9	1	–	–	10	3	–	–	13	1	2	3	2	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	5	–	–	–	–	–	–	–	–	–	–	2	–	3	–
		F	3	–	–	–	–	–	1	–	–	1	–	–	2	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	7	4	–	–	1	5	–	–	–	5	1	–	1	–	–
		F	8	4	1	–	–	5	1	–	–	6	1	1	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	6	–	–	–	6	–	1	–	7	–	–	–	–	–
		F	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	6	4	–	1	1	6	–	–	–	6	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	–	2	–	–	2	–	–	–	2	–	–	–	–	–
		F	2	1	–	–	–	1	1	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33k

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	QUINCY.[2]	T	45	17	2	6	3	28	1	2	–	31	1	4	1	6	2
		M	25	13	1	3	1	18	1	1	–	20	1	2	–	1	1
		F	20	4	1	3	2	10	–	1	–	11	–	2	1	5	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–
		F	6	–	–	–	1	1	–	–	–	1	–	1	1	2	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	1	–	1	1	–	–	2	–	–	–	–	–
		F	3	1	–	1	–	2	–	1	–	3	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	12	10	–	–	–	10	–	1	–	11	1	–	–	–	–
		F	6	3	1	2	–	6	–	–	–	6	–	–	–	–	–
160	Injuries at birth	M	2	–	–	1	1	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	4	3	–	1	–	4	–	–	–	4	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 331

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1938.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.[2]	T	31	10	2	–	3	15	1	9	2	27	1	–	–	3	–
		M	17	8	–	–	1	9	1	4	1	15	1	–	–	1	–
		F	14	2	2	–	2	6	–	5	1	12	–	–	–	2	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	4	–	–	–	–	–	1	3	–	4	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	–	–	–	–	–	1	1	–	–	–	1	–
		F	6	–	–	–	1	1	–	2	1	4	–	–	–	2	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
159	Premature birth	M	6	6	–	–	–	6	–	–	–	6	–	–	–	–	–
		F	3	2	1	–	–	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	3	2	–	–	1	3	–	–	–	3	–	–	–	–	–
		F	3	–	1	–	1	2	–	1	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33m

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.[2]	T	27	13	2	1	3	19	–	–	1	20	–	2	1	2	2
		M	19	8	2	1	3	14	–	–	1	15	–	2	–	1	1
		F	8	5	–	–	–	5	–	–	–	5	–	–	1	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	1	–	–	–	1	–	–	–	1	–	–	–	–	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	10	6	1	1	1	9	–	–	1	10	–	–	–	–	–
		F	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	2	–	–	1	3	–	–	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33n

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MEDFORD.[2]	T	30	11	3	3	1	18	–	–	–	18	2	2	4	3	1
		M	16	5	2	3	–	10	–	–	–	10	2	1	3	–	–
		F	14	6	1	–	1	8	–	–	–	8	–	1	1	3	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	–	2	–	–	2	–	–	–	2	–	–	1	–	–
		F	3	1	–	–	1	2	–	–	–	2	–	–	–	1	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	5	–	2	–	7	–	–	–	7	–	–	–	–	–
		F	4	3	1	–	–	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	1	–	–	1	1	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33o

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938**.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MALDEN.[2]	T	21	5	2	1	3	11	3	–	–	14	3	2	–	–	2
		M	11	1	1	1	3	6	2	–	–	8	2	–	–	–	1
		F	10	4	1	–	–	5	1	–	–	6	1	2	–	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34	Syphilis	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	–	1	1	–	–	–	1	1	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	1	–	2	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	3	2	–	–	–	2	1	–	–	3	–	–	–	–	–
160	Injuries at birth	M	2	–	–	1	–	1	1	–	–	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	1	1	–	–	2	–	–	–	2	1	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33p

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.[2]	T	27	6	2	2	4	14	1	–	1	16	3	2	1	4	1
		M	17	3	2	1	2	8	1	–	–	9	2	1	1	3	1
		F	10	3	–	1	2	6	–	–	1	7	1	1	–	1	–
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	1	–	–	1	–	–	–	1	–	–	–	1	1
		F	3	–	–	–	1	1	–	–	–	1	–	1	–	1	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	–	–	1	1	2	–	–	–	2	–	–	–	1	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	4	1	1	–	–	2	1	–	–	3	1	–	–	–	–
		F	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33q

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1938.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROOKLINE (TOWN)[2]	T	18	5	3	–	3	11	1	–	2	14	3	–	–	1	–
		M	11	3	1	–	2	6	–	–	2	8	2	–	–	1	–
		F	7	2	2	–	1	5	1	–	–	6	1	–	–	–	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	2	–	–	–	1	1	–	–	–	1	–	–	–	1	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	5	2	1	–	1	4	–	–	1	5	–	–	–	–	–
		F	3	1	2	–	–	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	1	1	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 34

Deaths[1] from Influenza, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1938.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**155**	**29**	**25**	**11**	**22**	**12**	**7**	**5**	**2**	**6**	**6**	**9**	**21**
Adams	–	–	–	–	–	–	–	–	–	–	–	–	–
Amesbury	1	–	–	–	–	–	–	1	–	–	–	–	–
Andover	1	–	–	–	–	–	–	–	–	–	–	–	1
Arlington	2	–	–	1	–	–	–	–	–	–	–	–	1
Athol	2	1	–	–	–	–	–	–	–	–	–	–	1
Attleboro	2	–	1	–	–	1	–	–	–	–	–	–	–
Belmont	–	–	–	–	–	–	–	–	–	–	–	–	–
Beverly	1	–	–	–	–	1	–	–	–	–	–	–	–
Boston	14	2	2	1	1	3	1	–	–	2	–	1	1
Braintree	–	–	–	–	–	–	–	–	–	–	–	–	–
Brockton	3	–	1	–	2	–	–	–	–	–	–	–	–
Brookline	1	–	–	–	–	–	–	1	–	–	–	–	–
Cambridge	3	1	–	–	1	–	–	1	–	–	–	–	–
Chelsea	2	–	1	1	–	–	–	–	–	–	–	–	–
Chicopee	1	1	–	–	–	–	–	–	–	–	–	–	–
Clinton	–	–	–	–	–	–	–	–	–	–	–	–	–
Danvers	–	–	–	–	–	–	–	–	–	–	–	–	–
Dedham	–	–	–	–	–	–	–	–	–	–	–	–	–
Easthampton	–	–	–	–	–	–	–	–	–	–	–	–	–
Everett	1	–	–	–	–	–	–	–	–	–	–	–	1
Fairhaven	2	–	–	–	–	–	–	1	–	1	–	–	–
Fall River	5	–	2	1	2	–	–	–	–	–	–	–	–
Fitchburg	3	–	–	–	–	–	–	–	–	1	–	–	2
Framingham	–	–	–	–	–	–	–	–	–	–	–	–	–
Gardner	1	1	–	–	–	–	–	–	–	–	–	–	–
Gloucester	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Haverhill	1	–	–	–	–	1	–	–	–	–	–	–	–
Holyoke	5	1	–	–	1	–	–	–	1	1	1	–	–
Lawrence	2	–	–	–	1	–	–	–	–	–	–	–	1
Leominster	–	–	–	–	–	–	–	–	–	–	–	–	–
Lexington	–	–	–	–	–	–	–	–	–	–	–	–	–
Lowell	3	1	1	1	–	–	–	–	–	–	–	–	–
Lynn	4	–	2	–	–	1	–	–	–	–	–	–	1
Malden	1	–	–	–	–	–	–	–	–	–	–	–	1
Marblehead	–	–	–	–	–	–	–	–	–	–	–	–	–
Marlborough	2	–	–	1	–	–	–	–	1	–	–	–	–
Medford	1	–	–	–	–	–	1	–	–	–	–	–	–
Melrose	–	–	–	–	–	–	–	–	–	–	–	–	–
Methuen	–	–	–	–	–	–	–	–	–	–	–	–	–
Milford	–	–	–	–	–	–	–	–	–	–	–	–	–
Milton	1	–	–	1	–	–	–	–	–	–	–	–	–
Natick	–	–	–	–	–	–	–	–	–	–	–	–	–
Needham	–	–	–	–	–	–	–	–	–	–	–	1	1
New Bedford	8	1	2	2	1	–	–	–	–	–	–	–	–
Newburyport	–	–	–	–	–	–	–	–	–	–	1	–	1
Newton	2	–	–	–	–	–	–	–	–	–	1	–	1
North Adams	3	1	–	–	–	–	–	–	–	–	1	–	1
North Attleboro	–	–	–	–	–	–	–	–	–	–	–	–	–
Northampton	1	–	1	–	–	–	–	–	–	–	–	–	–
Northbridge	–	–	–	–	–	–	–	–	–	–	–	–	–
Norwood	1	–	–	–	–	1	–	–	–	–	–	–	1
Peabody	2	–	1	–	1	–	–	–	–	–	–	–	–
Pittsfield	3	–	–	–	1	1	–	–	–	–	–	–	–
Plymouth	–	–	–	–	–	–	–	–	–	–	–	–	–
Quincy	4	–	–	–	–	–	–	–	–	–	1	2	1
Reading	–	–	–	–	–	–	–	–	–	–	–	–	–
Revere	–	–	–	–	–	–	–	–	–	–	–	–	–
Salem	–	–	–	–	–	–	–	–	–	–	–	–	–
Saugus	2	–	1	–	–	–	1	–	–	–	–	–	–
Somerville	3	–	–	–	2	–	–	–	–	–	–	1	–
Southbridge	–	–	–	–	–	–	–	–	–	–	–	–	–
Springfield	5	3	–	–	1	–	1	–	–	–	–	–	–
Stoneham	–	–	–	–	–	–	–	–	–	–	–	–	–
Swampscott	–	–	–	–	–	–	–	–	–	–	–	–	–
Taunton	1	1	–	–	–	–	–	–	–	–	–	–	–
Wakefield	1	1	–	–	–	–	–	–	–	–	–	–	–
Waltham	2	–	1	–	–	–	1	–	–	–	–	–	1
Watertown	1	–	–	–	–	–	–	–	–	–	–	–	–
Webster	2	–	2	–	–	–	–	–	–	–	–	–	–
Wellesley	–	–	–	–	–	–	–	–	–	–	–	–	–
West Springfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Westfield	1	1	–	–	–	–	–	–	–	–	–	–	–
Weymouth	2	–	1	–	1	–	–	–	–	–	–	1	–
Winchester	1	–	–	–	–	–	–	–	–	–	–	–	–
Winthrop	–	–	–	–	–	–	–	–	–	–	–	–	–
Woburn	1	–	1	–	–	–	–	–	–	–	–	–	–
Worcester	3	1	1	–	–	1	–	–	–	–	–	–	–

[1] Allocated.

Table 35

Deaths[1] from Lobar Pneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1938.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	**1,312**	**169**	**163**	**210**	**166**	**100**	**74**	**41**	**41**	**52**	**90**	**81**	**125**
Adams	3	–	–	–	1	1	–	–	–	1	–	–	–
Amesbury	2	–	–	–	1	1	–	–	–	–	–	–	–
Andover	2	1	–	–	1	–	–	–	–	–	–	–	–
Arlington	9	–	1	2	2	–	2	–	1	–	1	–	–
Athol	3	1	1	–	1	–	–	–	–	–	–	–	–
Attleboro	9	–	–	2	2	–	1	–	1	–	1	1	1
Belmont	8	–	–	4	1	1	–	1	–	–	–	–	1
Beverly	4	1	1	–	1	–	–	–	–	1	–	–	–
Boston	309	32	38	40	46	22	22	12	10	15	21	24	27
Braintree	2	–	–	–	–	–	–	–	–	–	1	–	1
Brockton	17	3	2	3	2	–	–	1	–	–	2	1	3
Brookline	16	2	1	4	2	2	1	–	–	1	–	–	3
Cambridge	36	4	5	6	5	–	1	2	–	2	5	–	6
Chelsea	14	3	1	1	2	1	–	1	2	1	–	1	1
Chicopee	10	2	–	–	1	3	1	–	–	1	1	–	1
Clinton	6	1	–	–	–	2	2	1	–	–	–	–	–
Danvers	2	–	–	–	–	1	–	–	–	–	1	–	–
Dedham	3	–	–	–	–	1	–	–	–	–	–	–	2
Easthampton	5	–	–	–	2	–	–	1	–	–	1	1	–
Everett	22	1	2	7	4	1	–	–	–	1	–	1	5
Fairhaven	2	1	–	–	–	–	–	–	–	–	1	–	–
Fall River	37	10	7	–	3	4	2	2	1	1	2	1	4
Fitchburg	12	1	4	2	–	1	2	–	1	–	1	–	–
Framingham	6	1	1	2	–	–	–	1	–	–	–	–	1
Gardner	3	1	–	–	–	–	–	1	1	–	–	–	–
Gloucester	10	1	4	2	–	–	1	1	1	–	–	–	–
Greenfield	5	4	–	1	–	–	–	–	–	–	–	–	–
Haverhill	13	3	2	1	2	1	1	–	–	1	–	1	1
Holyoke	22	6	–	–	3	4	2	–	2	–	1	2	2
Lawrence	20	1	1	4	3	3	–	1	1	–	1	2	3
Leominster	4	–	1	–	–	–	1	–	–	–	1	1	–
Lexington	–	–	–	–	–	–	–	–	–	–	–	–	–
Lowell	31	1	4	3	5	5	–	–	2	2	3	5	1
Lynn	33	1	4	7	4	–	1	3	–	3	4	1	5
Malden	18	5	1	1	4	2	–	–	1	–	1	1	2
Marblehead	3	1	1	–	–	–	–	–	–	–	–	1	–
Marlborough	6	1	–	1	1	1	–	–	–	–	1	–	1
Medford	17	2	1	5	–	1	2	1	–	2	3	–	–
Melrose	8	–	3	–	–	–	1	2	1	–	–	1	–
Methuen	4	–	–	1	–	1	–	–	1	–	–	1	–
Milford	6	–	2	–	–	–	1	–	–	1	2	–	–
Milton	7	–	2	1	2	–	–	–	–	1	–	1	–
Natick	4	–	2	1	–	–	–	–	–	–	–	–	1
Needham	2	–	–	–	–	–	–	1	1	–	–	–	–
New Bedford	16	3	1	3	3	–	1	1	1	–	–	1	2
Newburyport	8	–	2	3	–	–	1	–	1	–	1	–	–
Newton	19	3	2	5	3	1	–	–	1	1	1	1	1
North Adams	7	–	1	–	1	1	1	1	–	–	2	–	–
North Attleboro	5	–	2	1	–	–	–	1	–	–	1	–	–
Northampton	10	1	–	3	3	–	1	–	–	–	–	–	2
Northbridge	3	1	1	–	–	–	–	–	–	–	–	1	–
Norwood	3	1	–	–	–	–	–	–	–	–	2	–	–
Peabody	3	–	–	–	1	–	–	–	–	–	–	1	1
Pittsfield	11	1	3	1	1	–	–	–	–	–	1	3	1
Plymouth	–	–	–	–	–	–	–	–	–	–	–	–	–
Quincy	21	1	4	6	–	2	3	–	–	–	–	2	3
Reading	1	–	1	–	–	–	–	–	–	–	–	–	–
Revere	5	1	1	3	–	–	–	–	–	–	–	–	–
Salem	13	–	1	4	1	1	–	–	1	–	1	1	3
Saugus	1	–	–	1	–	–	–	–	–	–	–	–	–
Somerville	24	1	1	4	6	2	3	–	1	1	–	1	4
Southbridge	7	–	–	4	1	1	–	–	–	–	–	1	–
Springfield	41	9	6	8	1	6	3	–	–	1	4	2	1
Stoneham	2	1	–	–	–	–	–	–	–	–	–	–	1
Swampscott	2	1	–	–	–	–	–	–	–	–	–	–	1
Taunton	11	2	–	2	1	2	1	–	2	–	–	1	–
Wakefield	3	–	–	1	–	–	–	–	1	–	1	–	–
Waltham	18	1	–	5	6	2	2	–	1	–	–	–	1
Watertown	8	1	1	1	–	1	–	–	–	–	2	1	1
Webster	3	–	–	–	1	–	1	–	–	–	–	–	1
Wellesley	5	2	–	2	–	–	–	–	–	–	–	1	–
West Springfield	4	2	1	–	–	–	–	–	–	–	1	–	–
Westfield	7	2	–	2	–	1	–	1	–	1	–	–	–
Weymouth	5	–	–	2	–	1	–	1	–	–	1	–	–
Winchester	1	–	–	–	–	–	–	–	–	–	–	–	1
Winthrop	4	2	–	–	1	1	–	–	–	–	–	–	–
Woburn	6	–	3	1	1	–	–	–	1	–	–	–	–
Worcester	66	11	13	10	10	7	–	–	–	3	2	1	9

[1] Allocated.

Table 36

Deaths[1], from Bronchopneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1938.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	**1,862**	**218**	**224**	**217**	**204**	**166**	**127**	**84**	**88**	**114**	**109**	**130**	**181**
Adams	2	–	–	–	–	–	–	–	–	–	–	2	–
Amesbury	2	–	–	–	–	–	1	–	–	–	1	–	–
Andover	10	1	1	1	2	2	–	–	–	2	–	–	1
Arlington	18	4	1	3	1	1	2	1	1	1	–	1	2
Athol	4	–	–	–	–	–	1	–	2	–	–	–	1
Attleboro	4	1	–	1	–	1	–	–	1	–	–	–	–
Belmont	8	1	–	2	1	1	1	1	1	–	–	–	–
Beverly	10	2	–	2	3	1	1	–	–	–	–	–	1
Boston	437	41	53	58	50	46	30	14	26	25	23	30	41
Braintree	8	1	1	–	1	1	–	–	–	1	–	3	–
Brockton	27	2	1	4	4	4	1	2	2	1	–	4	2
Brookline	25	4	5	2	4	2	3	–	1	1	1	–	2
Cambridge	65	9	12	7	5	8	2	1	2	6	2	3	8
Chelsea	17	2	–	3	2	2	–	1	1	–	3	3	–
Chicopee	9	2	1	2	–	–	1	–	–	2	–	1	–
Clinton	3	–	–	1	–	–	–	–	1	–	–	1	–
Danvers	5	1	1	–	–	–	–	–	1	–	–	1	1
Dedham	7	1	1	1	–	1	–	–	1	1	1	–	–
Easthampton	3	–	–	–	–	–	–	–	–	–	–	2	1
Everett	16	5	3	1	1	1	1	1	1	–	–	2	–
Fairhaven	2	1	–	–	–	–	–	–	–	1	–	–	–
Fall River	48	5	2	2	4	5	4	8	2	2	6	5	3
Fitchburg	11	1	–	3	2	–	1	–	–	2	1	1	–
Framingham	5	1	–	–	2	–	–	–	–	–	–	2	–
Gardner	12	2	–	–	1	1	–	1	1	–	3	–	3
Gloucester	2	–	–	–	–	–	–	–	–	–	1	1	–
Greenfield	8	2	1	1	2	1	–	–	–	–	–	–	1
Haverhill	22	3	2	5	3	–	1	1	1	3	1	–	2
Holyoke	33	7	7	2	2	5	1	1	1	2	3	1	1
Lawrence	31	4	3	1	4	5	4	1	1	1	3	–	4
Leominster	8	–	2	–	–	1	–	1	–	–	1	1	2
Lexington	2	–	1	–	–	–	–	–	–	–	–	1	–
Lowell	67	5	8	12	9	4	5	3	2	7	4	3	5
Lynn	33	5	5	7	3	5	2	1	3	–	1	–	1
Malden	18	1	1	3	3	3	–	–	2	2	–	1	2
Marblehead	6	–	–	1	2	2	–	–	–	–	–	1	–
Marlborough	5	1	–	–	1	1	–	–	–	1	–	1	–
Medford	13	–	2	1	2	1	–	1	2	1	1	–	2
Melrose	7	1	–	2	1	–	–	2	–	–	–	1	–
Methuen	6	1	1	–	–	1	1	–	–	–	1	1	–
Milford	7	1	–	–	–	1	1	–	–	2	–	–	2
Milton	8	1	1	–	1	–	–	1	–	–	1	–	3
Natick	4	–	–	–	1	–	–	–	1	1	1	–	–
Needham	6	–	1	2	–	2	1	–	–	–	–	–	–
New Bedford	48	3	9	3	4	2	5	3	2	4	5	3	5
Newburyport	7	1	–	2	1	–	–	2	–	1	–	–	–
Newton	24	3	1	2	3	–	5	4	2	1	2	1	–
North Adams	11	–	2	2	1	2	1	–	1	1	–	1	–
North Attleboro	1	–	–	–	–	–	–	–	–	–	–	–	1
Northampton	8	2	2	1	1	–	–	–	–	1	1	–	–
Northbridge	5	–	–	1	2	–	–	–	–	–	1	1	–
Norwood	4	3	1	–	–	–	–	–	–	–	–	–	–
Peabody	3	1	1	–	–	–	–	–	–	–	1	–	–
Pittsfield	13	5	1	–	2	–	1	–	2	1	1	–	–
Plymouth	8	–	1	1	–	1	1	2	–	1	–	–	1
Quincy	34	3	4	2	7	1	3	3	1	3	2	2	3
Reading	2	1	–	–	–	1	–	–	–	–	–	–	–
Revere	14	1	1	4	1	1	1	–	–	3	–	–	2
Salem	21	1	7	3	1	2	2	1	1	2	1	–	–
Saugus	8	–	2	3	–	–	–	1	–	–	–	–	2
Somerville	46	3	1	8	4	5	2	3	2	3	3	4	8
Southbridge	4	1	–	2	–	–	–	–	1	–	–	–	–
Springfield	36	4	3	4	5	2	4	1	–	3	1	2	7
Stoneham	4	2	1	–	–	–	–	1	–	–	–	–	–
Swampscott	3	–	–	1	1	–	1	–	–	–	–	–	–
Taunton	17	1	1	4	3	1	2	–	1	1	–	2	1
Wakefield	3	–	1	–	–	1	–	–	–	–	–	–	1
Waltham	19	1	1	2	5	–	4	1	1	3	–	–	1
Watertown	12	2	1	–	1	1	1	–	2	–	1	2	1
Webster	5	–	–	–	–	–	1	1	–	1	1	1	–
Wellesley	3	–	–	–	–	1	–	–	–	1	–	1	–
West Springfield	1	1	–	–	–	–	–	–	–	–	–	–	–
Westfield	9	1	–	2	1	–	3	–	–	–	–	1	1
Weymouth	8	1	–	1	–	1	–	–	–	1	2	1	1
Winchester	2	1	–	–	–	1	–	–	–	–	–	–	–
Winthrop	6	–	1	2	–	1	–	–	1	–	–	–	1
Woburn	6	2	–	1	2	1	–	–	–	–	–	–	–
Worcester	108	12	16	9	9	10	4	7	4	8	8	4	17

[1] Allocated.

Maternal Mortality.

Table 37

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement[1]: 1914 to 1938.

Years.	Deaths.			Death rates — per 100,000 population.			Death rates — per 100,000 female population.		
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935[1]	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936[1]	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937[1]	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938[1]	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3

[1] Allocated.

Maternal Mortality.

Table 38

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1914 to 1938.

Years.	Per 10,000 confinements.[1]			Per 10,000 births.[2]			Per 10,000 live births.			Per 10,000 confinements. 140-150.	
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All Others. 141-144,146-150.	Three-year averages.	Five-year averages.
1914	56	11	45	56	11	45	58	11	47		
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40	57	
1933	60	16	44	59	16	43	61	16	45		54
1934	49	14	35	48	14	34	50	15	35		
1935[3]	51	16	35	50	16	34	52	17	35	48	
1936[3]	45	13	32	43	13	30	44	13	31		
1937[3]	40	11	29	40	11	29	41	11	30		
1938[3]	37	10	27	36	9	27	37	10	27		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Deaths Investigated by Medical Examiners.

Table 39

Deaths (inclusive of Stillbirths) investigated by Medical Examiners by Cause of Death, in Each County: 1938.

Line No.	Cause of Death.	The State. Number.	The State. Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**All Causes.**	**10,238**	**100 0**	**109**	**215**	**786**	**15**	**962**	**83**	**1,038**	**152**	**2,114**	**11**	**684**	**366**	**2,532**	**1,180**
2	Violence.	3,423	33.4	55	97	271	11	345	38	270	65	636	4	215	173	835	408
3	*Suicide.*	605	5.9	7	18	41	2	78	8	70	7	119	1	39	28	116	71
4	Poisons (163)	45	.4	1	1	3	–	8	–	4	–	9	1	–	–	16	2
5	Asphyxia by poisonous gas (164)	162	1.6	1	4	16	–	32	1	20	1	43	–	5	9	15	15
6	Hanging (165)	136	1.4	–	7	9	2	14	3	9	2	27	–	15	6	21	21
7	Drowning (166)	72	.7	1	2	3	–	6	–	15	–	9	–	4	4	20	8
8	Firearms (167)	115	1.1	4	4	8	–	11	3	17	4	13	–	12	8	15	16
9	Cutting or piercing instruments (168)	30	.3	–	–	2	–	1	–	2	–	9	–	2	1	7	6
10	Other means	45	.4	–	–	–	–	6	1	3	–	9	–	1	–	22	3
11	*Homicide.*	65	.6	–	1	3	–	3	1	7	2	12	–	5	–	20	11
12	Infanticide (172)	3	–[1]	–	–	–	–	–	–	1	–	1	–	–	–	1	–
13	Firearms (173)	20	.2	–	–	1	–	–	1	3	2	6	–	1	–	5	1
14	Cutting (174)	12	.1	–	–	1	–	1	–	1	–	1	–	–	–	3	5
15	Other means (175)	30	.3	–	1	1	–	2	–	2	–	4	–	4	–	11	5
16	*Accident or Negligence.*	2,753	26.9	48	78	227	9	264	29	193	56	505	3	171	145	699	326
17	Asphyxia, other than drowning (178, 182)	125	1.2	–	6	10	–	10	3	12	2	29	–	5	5	30	13
18	Poisons (179)	32	.3	–	–	4	–	2	–	8	–	8	–	–	2	8	–
19	Burns and scalds (180, 181)	140	1.4	4	6	8	–	20	2	10	1	20	–	7	6	44	12
20	Drowning (183)	270	2.6	22	12	51	2	25	2	9	6	34	2	17	35	31	22
21	Firearms and other weapons (184)	19	.2	–	2	–	–	2	–	1	1	2	–	1	3	2	5
22	Falls, blows and falling bodies (186, 194b)	1,214	11.8	9	30	79	–	92	7	82	31	216	1	74	48	379	166
23	Weather agencies (190–192)	27	.3	1	–	2	–	2	1	3	–	4	–	3	1	4	6
24	Machinery (202–205)	31	.3	1	2	2	–	7	–	–	–	3	–	1	2	10	3
25	Public travel (railroads, vehicles, etc.) (206–214)	814	8.0	10	16	65	7	93	14	62	14	181	–	59	42	162	89
26	Other accidental causes	81	.8	1	4	6	–	11	–	6	1	8	–	4	1	29	10
27	Causes Not Due to Violence	5,684	55.5	43	118	503	4	592	35	541	77	1,167	7	453	192	1,193	759
28	Natural causes	5,498	53.7	40	116	488	4	585	35	532	77	1,138	7	448	189	1,088	751
29	Alcoholism	166	1.6	1	1	11	–	6	–	8	–	24	–	5	2	104	4
30	Unknown or ill-defined causes	20	.2	2	1	4	–	1	–	1	–	5	–	–	1	1	4
31	Cremations	1,071	10.5	2	–	8	–	23	10	219	9	296	–	1	–	494	9
32	Stillbirths.	60	.6	–	–	4	–	2	–	8	1	15	–	15	1	10	4
33	**Autopsies.**																
34	Number	932	–	1	6	61	–	46	2	21	7	93	1	25	8	580	81

[1] Less than one-tenth of one per cent.

Table 40

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Deaths Due to Violence and Other and Months, and by Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	9,167[1]	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,915	457	449	494	475	471	440	486	516	521	534	510	562
		F	3,252	298	274	291	266	272	243	221	257	294	263	266	307
	All Causes (exclusive of stillbirths).	T	9,107	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,885	457	448	490	473	469	433	482	512	520	533	509	559
		F	3,222	296	271	289	260	270	241	220	256	292	257	264	306
	Violence.	T	3,423	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,293	164	159	165	189	181	177	186	234	237	191	193	217
		F	1,130	89	102	91	81	93	87	78	95	130	86	89	109
	Suicide.	T	605	–	–	–	–	–	–	–	–	–	–	–	–
		M	451	31	33	41	44	41	36	40	46	25	42	35	37
		F	154	10	15	9	13	14	11	14	12	18	15	12	11
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	3	2	2	4	3	5	–	1	2	–	–
		F	20	–	3	1	3	1	–	–	3	1	4	2	2
163*a*	Arsenical group	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	1	1	1	2	–	–	1	–	–
		F	7	–	–	–	1	–	–	–	1	–	2	2	1
163*c*	Cresol compounds	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	1	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
163*d*	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	–	–	–	1	–	2	–	–
163*e*	Nuxvomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Lye	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	Hydrocyanic acid and all cyanides except gases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
163*o*	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	Others	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	–	2	1	–	1	1	–	–
		F	6	–	2	–	1	1	–	–	1	1	–	–	–
164	Suicide by poisonous gas	T	162	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	6	12	8	7	5	10	7	8	7	10	10	18
		F	54	3	3	5	1	7	6	4	–	10	4	5	6
165	Suicide by hanging or strangulation	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	116	10	8	12	15	11	8	13	14	3	12	5	5
		F	20	4	1	1	3	–	–	2	2	4	2	–	1
166	Suicide by drowning	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	2	2	5	5	8	4	6	8	2	3	1	–
		F	26	2	2	1	3	3	2	2	2	3	3	2	1
167	Suicide by firearms	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	112	5	7	9	11	8	11	8	14	5	13	11	10
		F	3	–	–	1	–	–	–	–	–	–	–	2	–
168	Suicide by cutting or piercing instruments	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	5	–	4	–	3	–	–	1	6	1	3	1
		F	6	–	–	–	1	–	1	2	1	–	1	–	–
169	Suicide by jumping from high places	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	–	1	3	2	–	1	–	1	1	5	3
		F	19	1	6	–	1	1	–	3	4	–	1	1	1
170	Suicide by crushing	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	1	–	–	–	–
		F	4	–	–	–	1	1	2	–	–	–	–	–	–
171	Suicide by other means	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
	Homicide.	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	6	4	7	4	5	2	4	2	–	4	3
		F	18	–	2	2	1	3	3	2	2	1	–	2	–
172	Infanticide (murder of infants less than 1 year of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–

[1] Not including 1,071 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: **1938.**

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	69	84	102	94	64	127	302	431	804	1,245	1,314	897	382	–
	59	77	69	45	21	38	154	165	270	461	693	683	517	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	39	84	102	94	64	127	302	431	804	1,245	1,314	897	382	–
	29	77	69	45	21	38	154	165	270	461	693	683	517	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	18	68	75	54	107	243	236	344	409	379	241	116	–
	2	23	40	30	15	19	80	60	93	126	175	230	237	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	9	42	64	96	113	80	37	7	–
	–	–	–	–	–	2	24	21	39	40	15	10	3	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	4	9	6	4	–	–	–
	–	–	–	–	–	–	6	5	2	6	1	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	5	1	–	–	–	–
	–	–	–	–	–	–	3	1	1	2	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	1	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	–	–	–	–	–	–	2	1	–	1	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	2	1	–	–	–
	–	–	–	–	–	–	–	2	1	2	1	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	13	14	18	31	25	6	–	–
	–	–	–	–	–	–	7	6	16	15	3	5	2	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	4	9	12	30	34	16	6	3	–
	–	–	–	–	–	–	3	1	5	7	2	1	1	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	4	9	18	7	6	–	–
	–	–	–	–	–	1	4	3	7	5	6	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	13	26	24	17	10	16	3	–
	–	–	–	–	–	–	1	2	–	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	1	5	11	3	1	–
	–	–	–	–	–	–	1	1	2	1	–	1	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	3	2	4	2	5	–	–	–
	–	–	–	–	–	1	2	2	6	3	3	2	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	–	–	–	–	–	–	–	1	–	3	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	–	7	9	5	10	4	6	3	–
	2	–	1	1	–	2	3	2	2	3	1	1	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 40

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
172a	Immediately after birth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
172b	Others under 1 year	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	5	–	1	1	3	–	1	1	–	3	1
		F	4	–	–	1	–	–	1	–	–	–	–	2	–
174	Homicide by cutting or piercing instruments	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	1	–	2	–	–	1	1	–	–	1	1
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
175	Homicide by other means	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	–	4	4	2	2	1	2	1	–	–	1
		F	10	–	2	1	–	2	2	–	2	1	–	–	–
	Accidental.	T	2,753	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,795	127	120	120	138	136	136	144	184	210	149	154	177
		F	958	79	85	80	67	76	73	62	81	111	71	75	98
176	Attack by venomous animals	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
177	Poisoning by food	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
178	Accidental absorption of poisonous gas	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	5	6	7	7	3	2	6	–	2	1	5	6
		F	30	5	4	1	2	1	2	1	–	3	3	3	5
179	Other acute accidental poisonings (gas excepted)	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	–	2	4	1	3	2	1	1	3	5	1
		F	8	–	–	2	–	1	1	–	2	–	–	1	1
180	Conflagration	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	6	2	2	3	1	1	–	–	1	1	–	5
		F	8	–	1	3	–	–	–	1	–	1	1	–	1
181	Accidental burns (conflagration excepted)	T	110	–	–	–	–	–	–	–	–	–	–	–	–
		M	69	4	2	5	8	6	2	6	6	3	9	7	11
		F	41	6	8	4	9	1	2	1	–	2	2	3	3
182	Accidental mechanical suffocation	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	2	1	2	4	2	1	2	3	1	3	6	6
		F	12	2	–	1	–	2	2	1	1	–	–	2	1
183	Accidental drowning	T	270	–	–	–	–	–	–	–	–	–	–	–	–
		M	200	1	12	4	4	12	29	32	38	44	11	4	9
		F	70	–	2	1	1	–	4	4	8	45	2	–	3
184	Accidental traumatism by firearms (wounds of war excepted)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	–	2	–	2	–	1	–	1	4	4
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	3	–	2	1	–	–	3	–	–	1	1
		F	3	–	–	1	–	–	–	1	–	–	1	–	–
186	Accidental traumatism by fall, crushing, landslide	T	1,078	–	–	–	–	–	–	–	–	–	–	–	–
		M	536	44	42	46	37	42	41	40	53	52	45	44	50
		F	542	47	49	55	39	44	44	38	47	34	43	45	57
186a	Fall	T	1,074	–	–	–	–	–	–	–	–	–	–	–	–
		M	532	44	42	46	37	41	41	39	53	52	44	43	50
		F	542	47	49	55	39	44	44	38	47	34	43	45	57
186b	Crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
188	Injuries by animals	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	2	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	–	2	1	–	–	–	–	1	1	1	2
		F	3	2	1	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	6	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
192	Lightning	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	2	2	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
193	Accidents due to electric currents	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	1	1	–	2	2	4	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1938.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
172a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–
172b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	3	2	3	3	–	4	–	–
	–	–	–	–	–	–	1	–	1	1	1	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	3	2	–	2	1	–	1	–
	–	–	1	1	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	5	2	5	3	2	2	–
	–	–	–	–	–	2	2	2	1	2	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	18	68	74	50	98	194	163	243	286	295	198	106	–
	–	23	39	29	15	15	53	37	52	83	159	219	234	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	4	4	10	15	9	7	–	–
	–	–	1	1	–	1	6	4	3	3	8	2	1	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	2	4	6	6	3	1	–	–
	–	–	2	–	–	1	–	1	2	1	–	1	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	7	3	3	3	2	2	–
	–	–	1	1	–	–	1	1	–	–	1	1	2	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	7	3	2	1	3	8	10	9	18	6	2	–
	–	–	6	5	1	1	1	1	6	2	11	5	2	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	11	3	–	1	–	3	2	4	3	2	1	1	–
	–	8	1	–	–	–	1	–	2	–	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	16	17	17	27	24	22	31	18	18	8	2	–
	–	1	6	7	5	–	5	5	10	10	12	8	1	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	3	4	2	2	2	1	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	1	5	3	2	1	–	–
	–	1	–	–	–	–	–	–	1	1	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	13	10	6	10	22	21	73	85	110	100	85	–
	–	1	3	2	2	2	4	7	10	39	85	174	213	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	13	10	6	10	20	21	72	84	110	100	85	–
	–	1	3	2	2	2	4	7	10	39	85	174	213	–
186b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	1	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	2	4	3	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	1	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	1	1	2	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	5	4	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 40

DEATHS DUE TO VIOLENCE AND OTHER CAUSES, BY MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
194	Other accidents	T	173	–	–	–	–	–	–	–	–	–	–	–	–
		M	134	14	11	14	7	10	10	6	7	24	13	8	10
		F	39	4	7	1	1	5	2	2	1	7	3	3	3
194*a*	Foreign bodies	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	4	2	4	3	2	1	1	1	1	2	2
		F	12	–	4	–	–	2	1	–	–	1	3	–	1
194*b*	Others	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	109	12	7	12	3	7	8	5	6	23	12	6	8
		F	27	4	3	1	1	3	1	2	1	6	–	3	2
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Executions of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidental traumatism in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	3	–	2	–	1	–	1	2	2	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	–	1	1	2	2	–	–	1	1	1	4
		F	2	–	–	–	–	–	1	–	–	1	–	–	–
206	Railroad and automobile collisions	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	2	–	1	1	–	–	–
		F	4	–	–	–	–	3	–	–	1	–	–	–	–
207	Other railroad accidents	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	4	1	2	3	6	3	4	3	7	2	6	7
		F	12	–	1	1	1	–	2	2	–	1	1	3	–
208	Street car and automobile collisions	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	1	3	–	1	1	1	–	–	1
		F	5	–	1	1	1	–	–	–	–	–	–	1	1
210	Automobile accidents	T	654	–	–	–	–	–	–	–	–	–	–	–	–
		M	493	29	33	31	46	32	27	30	51	56	49	55	54
		F	161	11	10	9	12	15	12	10	17	16	15	13	21
211	Motorcycle accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	3	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
212	Other land transportation accidents	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	1	1	1	2	–	1	1	1	1	2	3
		F	5	2	1	–	–	1	–	–	–	–	–	–	1
213	Water transportation accidents	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	1	–	1	4	10	6	8	3	5	3	1	1
		F	4	–	–	–	1	2	–	1	–	–	–	–	–
214	Air transportation accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT DUE TO VIOLENCE	T	5,684	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,592	293	289	325	284	288	256	296	278	283	342	316	342
		F	2,092	207	169	198	179	177	154	142	161	162	171	175	197
	Stillbirths	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	–	1	4	2	2	7	4	4	1	1	1	3
		F	30	2	3	2	6	2	2	1	1	2	6	2	1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: **1938.**

Detailed Int. List No.	AGE PERIODS.												
	Under **1** week.	**1** week but under **1** year.	**1** to **4** years.	**5** to **9** years.	**10** to **14** years.	**15** to **19** years.	**20** to **29** years.	**30** to **39** years.	**40** to **49** years.	**50** to **59** years.	**60** to **69** years.	**70** to **79** years.	**80** years and over.	Unknown.
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	7	3	5	6	16	21	17	29	18	8	–	–
	–	10	2	1	1	2	3	–	1	4	4	6	5	–
194*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	4	1	–	1	2	2	4	5	2	–	–	–
	–	7	1	–	–	–	2	–	–	–	–	1	1	–
194*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	2	5	5	14	19	13	24	16	8	–	–
	–	3	1	1	1	2	1	–	1	4	4	5	4	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
201	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	3	1	2	4	1	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	5	–	3	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–
206	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	2	1	–	–	–	–
	–	–	1	–	–	–	–	2	–	–	–	–	1	–
207	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	1	4	4	3	8	10	11	4	–	–
	–	–	–	1	2	–	2	1	2	–	4	–	–	–
208	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
209	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	3	2	2	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	1	–
210	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	18	35	11	33	75	41	56	76	83	50	14	–
	–	1	14	10	3	7	26	12	12	20	30	19	7	–
211	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	1	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–
212	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	5	1	1	2	2	2	1	–	–
	–	1	–	–	–	–	1	1	–	–	2	–	–	–
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	4	16	7	3	6	6	1	–	–
	–	–	–	–	–	–	2	–	1	1	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	36	66	34	19	10	20	59	195	460	836	935	656	266	–
	27	54	29	15	6	19	74	105	177	335	518	453	280	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 41

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1929 to 1938.

Line No.	Counties.	10 years, 1929 to 1938.			1938.		1937.		1936.		1935.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	**89,409**	**7,454**	**8.3**	**10,238**	**932**	**10,069**	**1,024**	**9,788**	**907**	**9,098**	**797**
2	Barnstable .	864	19	2.2	100	1	92	2	108	1	75	5
3	Berkshire .	2,001	50	2.5	215	6	241	6	233	8	200	6
4	Bristol .	7,282	647	8.9	786	61	779	98	804	73	708	62
5	Dukes . .	114	6	5.3	15	–	9	–	11	1	12	1
6	Essex . .	8,603	362	4.2	962	46	967	41	873	43	909	51
7	Franklin .	841	18	2.1	83	2	93	1	97	1	92	1
8	Hampden .	8,732	213	2.4	1,038	21	1,044	26	1,011	21	913	32
9	Hampshire .	1,524	27	1.1	152	7	157	1	168	4	158	4
10	Middlesex .	18,632	762	4.1	2,114	93	2,041	102	2,019	94	1,864	76
11	Nantucket .	104	15	14.4	11	1	13	1	14	–	7	2
12	Norfolk .	6,496	178	2.7	684	25	638	11	683	12	734	11
13	Plymouth .	3,393	90	2.7	366	8	352	10	330	6	332	6
14	Suffolk .	21,224	4,147	19.5	2,532	580	2,573	614	2,434	531	2,103	442
15	Worcester .	9,599	920	9.6	1,180	81	1,070	111	1,003	112	991	98

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1929 to 1938.

Line No.	1934.		1933.		1932.		1931.		1930.		1929.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**9,14**	**787**	**8,587**	**688**	**8,377**	**605**	**8,028**	**578**	**7,982**	**551**	**8,097**	**585**
2	70	2	103	–	72	2	88	2	79	2	77	2
3	227	6	171	2	184	3	158	3	183	6	189	4
4	754	71	733	72	757	66	694	53	630	46	637	45
5	9	–	12	2	13	1	8	–	10	1	15	–
6	886	40	802	39	806	20	790	31	821	29	787	22
7	84	3	74	2	80	3	81	1	63	1	94	3
8	864	38	793	15	785	17	755	11	787	17	742	15
9	179	4	152	1	130	1	140	3	147	–	141	2
10	1,951	96	1,816	83	1,859	66	1,736	56	1,622	57	1,610	39
11	12	6	8	1	10	2	13	–	12	1	4	1
12	694	28	665	19	660	13	567	11	567	23	604	25
13	367	5	327	10	332	9	351	14	333	12	303	10
14	2,004	357	1,933	330	1,871	320	1,910	336	1,817	280	2,047	357
15	1,044	131	998	112	818	82	737	57	911	76	847	60

PART II. A.

BIRTH STATISTICS

Introduction 212-215
Birth registration 212
Importance of birth records 212, 213
Records impounded 213
Allocation 214
Live births 214
Birth rates 214
Changes in birth rate 214
Stillbirths 214
Birth rates, highest 214-215
Sex proportion at birth 215
Nativity of parents 215
Plural births 215
Natural increase 215
Statistical tables 216-233

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. Probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,527,479 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records. — Records of birth are becoming more important every day. Government agencies as well as many other civil bureaus are demanding proof of citizenship through birth certificates. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. During the year there were 47,320 applications for birth

* Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practises midwifery is violating the medical registration laws.

records. This great demand for birth records will continue as they are also required for Old Age Assistance and Social Security.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by a alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts

Adoptions.—Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adopted parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1938 there were 63,125 live births, registered, an increase of 903, or 1.5 per cent as compared with the number registered in 1937. There was an increase in 1938 of 1,948, or 4.4 per cent in the number of infants born to native parents; a decrease of 606, or 9.3 per cent to foreign-born parents; and also a decrease of 434, or 3.8 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1937. The allocated births numbered 62,382 for 1938.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 14.3 per 1,000 population, and is an increase of .2 per 1,000 over that of 1937. This rate is also .1 per 1,000 below the average for the five years 1933 to 1937. The allocated births for 1938 raised the birth rate to 14.1.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1938 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—". In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1938 number 1,730. The rate per 1,000 live births registered was 28.3 in 1937; 29.4 in 1936; 30.2 in 1935; 31.3 in 1934; and 34.2 in 1933. The rate per 1,000 allocated births was 27.7 in 1938.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1938 are: Norwood, 27.6; Milford, 27.1; Attleboro, 25.3; Weymouth, 24.7; Winthrop, 23.1, and Pittsfield, 23.0.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The six communities

showing the highest rates are: Pittsfield, 17.7; Everett, 17.4; Somerville, 17.1; Weymouth, 16.1; Dedham, 16.0; and Leominster, 16.0. Boston, which showed the highest registered rate (18.8) of any place in the State of over 100,000 population loses to Somerville (17.1) by the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1938 numbered 32,241 and those of females 30,884, corresponding to a ratio of 1,044 male births to 1,000 female births. Allocated births numbered 31,852 males and 30,530 females in 1938, with a ratio of 1,043 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (46,232) exceeded the number of births where both parents were foreign-born (5,918) by 40,314, or 681.2 per cent in 1938. Children of mixed parents (one parent native and one parent foreign-born) numbered 10,975 in 1938 as compared with 11,409 in 1937. Allocated births numbered 45,645 children born of native parents; 5,767 of foreign parents and 10,970 of mixed parentage.

The proportion of children born of native parents declined from 1890 until 1910, since then, the proportion has steadily increased. In 1938 the proportion was 73.2 for registered births and the same per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 17.4 for the registered and 17.6 for the allocated births in 1938 as compared with 18.3 in 1937 for the registered births and 18.4 for the allocated births.

Plural Births.—In 1938 there were 627 cases of plural births (allocated), 621 cases of twins and 6 cases of triplets, or 10 pairs of twins per 1,000 live births (allocated), and one-tenth of one case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1938 was 3 per 1,000 population for registered births and averaged 2.6 for the five years 1933 to 1937. The rate of increase was the same for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 19.0 in 1937; 18.9 in 1936; 25.3 in 1935; 25.6 in 1934; and 24.8 in 1933. The excess of registered births over registered deaths in 1938 was 13,229, or 26.5 per cent, while the increase of allocated births over allocated deaths was 13,097, or 26.6 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31. 1919, Public Document No. 1.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
The State.	**63,125**	**32,241**	**30,884**	–	**46,232**	**5,918**	**10,975**	–	**4,425,544**	14.3
COUNTIES.										
Barnstable	468	238	230	–	370	33	65	–	39,839	12.0
Berkshire	1,969	1,031	938	–	1,659	89	221	–	121,393	16.2
Bristol	5,511	2,796	2,715	–	4,093	415	1,003	–	367,851	15.0
Dukes	82	45	37	–	66	4	12	–	6,246	13.1
Essex	6,560	3,360	3,200	–	4,906	502	1,152	–	509,229	12.9
Franklin	697	354	343	–	614	16	67	–	52,093	13.4
Hampden	4,695	2,367	2,328	–	3,642	314	739	–	333,495	14.1
Hampshire	919	450	469	–	768	43	108	–	75,255	12.2
Middlesex	13,085	6,758	6,327	–	9,189	1,377	2,519	–	976,495	13.4
Nantucket	50	20	30	–	38	5	7	–	3,495	14.3
Norfolk	2,794	1,430	1,364	–	2,059	227	508	–	336,576	8.3
Plymouth	2,054	1,056	998	–	1,672	190	192	–	169,269	12.1
Suffolk	16,916	8,591	8,325	–	11,617	2,162	3,137	–	937,150	18.1
Worcester	7,325	3,745	3,580	–	5,539	541	1,245	–	498,754	14.7
MUNICIPALITIES.										
Abington	10	3	7	–	8	1	1	–	5,696	1.8
Acton	6	5	1	–	2	–	4	–	2,761	2.2
Acushnet	138	71	67	–	98	11	29	–	3,951	34.9
Adams	213	122	91	–	179	9	25	–	12,984	16.4
Agawam	14	9	5	–	10	–	4	–	7,290	1.9
Alford	3	–	3	–	3	–	–	–	217	13.8
Amesbury	156	78	78	–	120	10	26	–	10,514	14.8
Amherst	21	12	9	–	16	1	4	–	6,893	3.0
Andover	33	10	23	–	27	4	2	–	10,962	3.0
Arlington	359	186	173	–	254	45	60	–	40,345	8.9
Ashburnham	10	4	6	–	6	1	3	–	2,051	4.9
Ashby	1	–	1	–	1	–	–	–	957	1.0
Ashfield	3	2	1	–	3	–	–	–	960	3.1
Ashland	4	4	–	–	3	–	1	–	2,581	1.5
Athol	88	42	46	–	64	7	17	–	10,793	8.2
ATTLEBORO	554	278	276	–	456	19	79	–	21,877	25.3
Auburn	17	7	10	–	14	–	3	–	6,829	2.5
Avon	11	6	5	–	10	–	1	–	2,362	4.7
Ayer	79	44	35	–	67	2	10	–	4,449	17.8
Barnstable	285	149	136	–	242	11	32	–	8,583	33.2
Barre	9	6	3	–	7	1	1	–	3,509	2.6
Becket	8	3	5	–	8	–	–	–	760	10.5
Bedford	9	6	3	–	6	1	2	–	3,605	2.5
Belchertown	6	2	4	–	4	–	2	–	4,409	1.4
Bellingham	26	14	12	–	15	3	8	–	3,056	8.5
Belmont	12	6	6	–	2	4	6	–	27,099	.4
Berkley	5	2	3	–	4	1	–	–	1,181	4.2
Berlin	2	1	1	–	1	–	1	–	1,103	1.8
Bernardston	3	1	2	–	3	–	–	–	1,017	2.9
BEVERLY	436	228	208	–	350	30	56	–	26,459	16.5
Billerica	27	12	15	–	21	1	5	–	7,238	3.7
Blackstone	36	16	20	–	22	5	9	–	4,588	7.8
Blandford	–	–	–	–	–	–	–	–	–	–
Bolton	2	1	1	–	–	1	1	–	739	2.7
BOSTON	15,911	8,094	7,817	–	10,912	2,055	2,944	–	844,635	18.8
Bourne	19	8	11	–	12	4	3	–	3,659	5.2
Boxborough	–	–	–	–	–	–	–	–	–	–
Boxford	1	–	1	–	1	–	–	–	768	1.3
Boylston	2	1	1	–	1	1	–	–	1,571	1.3
Braintree	20	12	8	–	12	6	2	–	18,172	1.1
Brewster	4	2	2	–	4	–	–	–	715	5.6
Bridgewater	44	18	26	–	37	3	4	–	9,327	4.7
Brimfield	4	3	1	–	3	–	1	–	896	4.5
BROCKTON	1,312	686	626	–	1,075	149	88	–	62,407	21.0
Brookfield	9	4	5	–	9	–	–	–	2,534	3.6
Brookline	178	102	76	–	114	34	30	–	52,419	3.4
Buckland	5	1	4	–	5	–	–	–	1,574	3.2
Burlington	9	6	3	–	4	2	3	–	2,440	3.7
CAMBRIDGE	2,220	1,187	1,033	–	1,484	279	457	–	121,351	18.3
Canton	32	13	19	–	23	2	7	–	7,009	4.6
Carlisle	1	1	–	–	1	–	–	–	772	1.3
Carver	9	6	3	–	4	2	3	–	1,685	5.3
Charlemont	6	3	3	–	6	–	–	–	1,007	6.0
Charlton	24	16	8	–	21	–	3	–	2,521	9.5
Chatham	5	3	2	–	4	1	–	–	2,134	2.3
Chelmsford	24	14	10	–	15	1	8	–	8,015	3.0
CHELSEA	528	260	268	–	348	69	111	–	42,673	12.4
Cheshire	9	3	6	–	6	3	–	–	1,660	5.4
Chester	6	4	2	–	4	1	1	–	1,362	4.4
Chesterfield	1	1	–	–	–	–	1	–	462	2.2
CHICOPEE	248	122	126	–	159	28	61	–	41,952	5.9

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Chilmark	–	–	–	–	–	–	–	–	–	–
Clarksburg	15	10	5	–	13	–	2	–	1,358	11.0
Clinton	234	115	119	–	190	9	35	–	12,373	18.9
Cohasset	64	34	30	–	51	2	11	–	3,670	17.4
Colrain	20	9	11	–	20	–	–	–	1,680	11.9
Concord	226	111	115	–	180	10	36	–	7,891	28 6
Conway	3	2	1	–	3	–	–	–	990	3.0
Cummington	–	–	–	–	–	–	–	–	–	–
Dalton	5	4	1	–	4	–	1	–	4,324	1.2
Dana	–	–	–	–	–	–	–	–	–	–
Danvers	99	53	46	–	81	5	13	–	14,556	6.8
Dartmouth	50	24	26	–	33	7	10	–	9,886	5.1
Dedham	62	22	40	–	34	8	20	–	15,539	4.0
Deerfield	11	8	3	–	9	1	1	–	3,005	3.7
Dennis	13	5	8	–	12	1	–	–	2,143	6.1
Dighton	109	59	50	–	88	6	15	–	3,116	35.0
Douglas	13	4	9	–	9	2	2	–	2,571	5.1
Dover	–	–	–	–	–	–	–	–	–	–
Dracut	56	33	23	–	34	5	17	–	6,500	8.6
Dudley	33	22	11	–	24	5	4	–	4,778	6.9
Dunstable	2	1	1	–	2	–	–	–	444	4.5
Duxbury	8	2	6	–	7	1	–	–	2,664	3.0
East Bridgewater	9	4	5	–	8	–	1	–	3,712	2.4
East Brookfield	5	3	2	–	4	–	1	–	958	5.2
East Longmeadow	6	2	4	–	3	1	2	–	3,409	1.8
Eastham	2	–	2	–	2	–	–	–	648	3.1
Easthampton	49	19	30	–	35	4	10	–	10,486	4.7
Easton	21	12	9	–	14	1	6	–	5,294	4.0
Edgartown	–	–	–	–	–	–	–	–	–	–
Egremont	–	–	–	–	–	–	–	–	–	–
Enfield	–	–	–	–	–	–	–	–	–	–
Erving	6	3	3	–	6	–	–	–	1,296	4.6
Essex	2	1	1	–	2	–	–	–	1,503	1.3
EVERETT	679	350	329	–	430	95	154	–	47,228	14.4
Fairhaven	84	36	48	–	58	7	19	–	11,047	7.6
FALL RIVER	2,068	1,059	1,009	–	1,601	123	344	–	119,010	17.4
Falmouth	55	25	30	–	26	13	16	–	7,797	7.1
FITCHBURG	758	401	357	–	550	63	145	–	42,456	17.9
Florida	1	1	–	–	–	–	1	–	476	2.1
Foxborough	18	5	13	–	15	3	–	–	6,212	2.9
Framingham	517	274	243	–	385	35	97	–	22,987	22.5
Franklin	54	28	26	–	38	5	11	–	7,830	6.9
Freetown	14	6	8	–	12	1	1	–	1,939	7.2
GARDNER	461	242	219	–	335	40	86	–	21,153	21.8
Gay Head	–	–	–	–	–	–	–	–	–	–
Georgetown	15	7	8	–	13	1	1	–	2,135	7.0
Gill	1	1	–	–	1	–	–	–	1,003	1.0
GLOUCESTER	348	162	186	–	273	19	56	–	24,164	14.4
Goshen	1	1	–	–	1	–	–	–	265	3.8
Gosnold	–	–	–	–	–	–	–	–	–	–
Grafton	27	21	6	–	14	3	10	–	8,143	3.3
Granby	5	1	4	–	4	–	1	–	998	5.0
Granville	1	1	–	–	1	–	–	–	725	1.4
Great Barrington	141	70	71	–	125	2	14	–	6,688	21.1
Greenfield	313	154	159	–	278	10	25	–	16,197	19.3
Greenwich	–	–	–	–	–	–	–	–	–	–
Groton	34	18	16	–	25	4	5	–	2,618	13.0
Groveland	16	9	7	–	15	–	1	–	2,219	7.2
Hadley	7	6	1	–	4	1	2	–	2,732	2.6
Halifax	2	1	1	–	2	–	–	–	901	2.2
Hamilton	1	–	1	–	–	–	1	–	2,361	.4
Hampden	1	–	1	–	1	–	–	–	980	1.0
Hancock	3	1	2	–	3	–	–	–	442	6.8
Hanover	3	2	1	–	3	–	–	–	2,709	1.1
Hanson	9	4	5	–	7	1	1	–	2,585	3.5
Hardwick	2	2	–	–	2	–	–	–	2,379	.8
Harvard	2	2	–	–	2	–	–	–	952	2.1
Harwich	20	11	9	–	14	–	6	–	2,407	8.3
Hatfield	10	5	5	–	8	1	1	–	2,433	4.1
HAVERHILL	655	333	322		544	27	84	–	50,104	13.1
Hawley	1	1	–	–	1	–	–	–	308	3.2
Heath	6	4	2	–	4	–	2	–	393	15.3
Hingham	9	4	5	–	7	–	2	–	7,834	1.1
Hinsdale	4	3	1	–	4	–	–	–	1,144	3.5
Holbrook	10	7	3	–	8	–	2	–	3,372	3.0
Holden	92	47	45	–	79	5	8	–	3,948	23.3
Holland	1	1	–	–	1	–	–	–	243	4.1
Holliston	12	4	8	–	7	3	2		2,967	4.0

[1] See footnote on page 216. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
HOLYOKE	1,005	499	506	–	753	68	184	–	56,139	17.9
Hopedale	4	3	1	–	3	–	1	–	3,152	1.3
Hopkinton	4	–	4	–	4	–	–	–	2,654	1.5
Hubbardston	3	2	1	–	3	–	–	–	1,000	3.0
Hudson	28	14	14	–	20	5	3	–	8,516	3.3
Hull	4	2	2	–	3	–	1	–	3,039	1.3
Huntington	5	3	2	–	5	–	–	–	1,429	3.5
Ipswich	107	64	43	–	86	5	16	–	6,679	16.0
Kingston	10	4	6	–	6	2	2	–	2,785	3.6
Lakeville	7	4	3	–	6	1	–	–	1,443	4.9
Lancaster	5	3	2	–	5	–	–	–	2,590	1.9
Lanesborough	1	–	1	–	–	–	1	–	1,279	.8
LAWRENCE	1,364	689	675	–	913	127	324	–	88,045	15.5
Lee	12	4	8	–	10	2	–	–	4,262	2.8
Leicester	22	19	3	–	15	1	6	–	4,426	5.0
Lenox	3	2	1	–	3	–	–	–	2,706	1.1
LEOMINSTER	343	180	163	–	226	41	76	–	21,936	15.6
Leverett	4	1	3	–	4	–	–	–	764	5.2
Lexington	16	9	7	–	12	2	2	–	11,821	1.4
Leyden	1	1	–	–	1	–	–	–	253	4.0
Lincoln	1	–	1	–	1	–	–	–	1,615	.6
Littleton	6	6	–	–	5	–	1	–	1,572	3.8
Longmeadow	1	1	–	–	–	1	–	–	5,609	.2
LOWELL	1,816	939	877	–	1,441	90	285	–	100,114	18.1
Ludlow	236	105	131	–	183	18	35	–	8,569	27.5
Lunenburg	6	4	2	–	5	–	1	–	2,292	2.6
LYNN	1,437	729	708	–	1,018	135	284	–	100,909	14.2
Lynnfield	4	3	1	–	2	2	–	–	2,106	1.9
MALDEN	893	446	447	–	609	96	188	–	57,277	15.6
Manchester	–	–	–	–	–	–	–	–	–	–
Mansfield	40	24	16	–	24	4	12	–	6,669	6.0
Marblehead	69	35	34	–	57	–	12	–	11,265	6.1
Marion	12	5	7	–	7	1	4	–	2,035	5.9
MARLBOROUGH	304	148	156	–	230	21	53	–	15,907	19.1
Marshfield	6	2	4	–	6	–	–	–	2,409	2.5
Mashpee	5	5	–	–	3	–	2	–	394	12.7
Mattapoisett	12	4	8	–	11	1	–	–	1,808	6.6
Maynard	27	17	10	–	16	3	8	–	7,107	3.8
Medfield	3	2	1	–	2	–	1	–	4,246	.7
MEDFORD	797	404	393	–	576	59	162	–	62,704	12.7
Medway	10	3	7	–	10	–	–	–	3,352	3.0
MELROSE	443	222	221	–	359	32	52	–	25,054	17.7
Mendon	5	2	3	–	4	–	1	–	1,391	3.6
Merrimac	8	4	4	–	7	–	1	–	2,209	3.6
Methuen	262	151	111	–	197	29	36	–	21,073	12.4
Middleborough	172	82	90	–	148	4	20	–	9,075	19.0
Middlefield	–	–	–	–	–	–	–	–	–	–
Middleton	5	2	3	–	4	–	1	–	2,185	2.3
Milford	413	194	219	–	312	24	77	–	15,218	27.1
Millbury	38	18	20	–	32	2	4	–	6,879	5.5
Millis	5	–	5	–	2	–	3	–	2,350	2.1
Millville	4	1	3	–	4	–	–	–	1,901	2.1
Milton	70	41	29	–	50	6	14	–	19,407	3.6
Monroe	–	–	–	–	–	–	–	–	–	–
Monson	16	11	5	–	14	–	2	–	5,403	3.0
Montague	240	122	118	–	208	4	28	–	7,967	30.1
Monterey	–	–	–	–	–	–	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–	–
Nahant	3	3	–	–	3	–	–	–	1,832	1.6
Nantucket	50	20	30	–	38	5	7	–	3,495	14.3
Natick	221	104	117	–	153	20	48	–	14,982	14.8
Needham	79	37	42	–	50	13	16	–	12,542	6.3
New Ashford	2	1	1	–	2	–	–	–	106	18.9
NEW BEDFORD	1,714	875	839	–	1,175	177	362	–	110,022	15.6
New Braintree	–	–	–	–	–	–	–	–	–	–
New Marlborough	10	5	5	–	9	–	1	–	963	10.4
New Salem	2	1	1	–	2	–	–	–	464	4.3
Newbury	4	1	3	–	3	–	1	–	1,610	2.5
NEWBURYPORT	284	140	144	–	248	9	27	–	14,815	19.2
NEWTON	744	381	363	–	520	77	147	–	66,774	11.1
Norfolk	6	3	3	–	4	1	1	–	2,535	2.4
NORTH ADAMS	388	202	186	–	332	7	49	–	22,421	17.3
North Andover	23	15	8	–	15	3	5	–	7,332	3.1
North Attleborough	42	15	27	–	36	4	2	–	10,202	4.1
North Brookfield	23	8	15	–	17	2	4	–	3,312	6.9
North Reading	7	4	3	–	5	1	1	–	2,615	2.7
NORTHAMPTON	465	225	240	–	407	17	41	–	24,651	18.9

[1] See footnote on page 216. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
Northborough	3	–	3	–	3	–	–	–	2,732	1.1
Northbridge	207	113	94	–	140	16	51	–	11,207	18.5
Northfield	8	5	3	–	7	1	–	–	1,992	4.0
Norton	10	7	3	–	9	–	1	–	3,051	3.3
Norwell	3	1	2	–	3	–	–	–	1,792	1.7
Norwood	440	220	220	–	325	36	79	–	15,952	27.6
Oak Bluffs	77	43	34	–	64	3	10	–	1,909	40.3
Oakham	2	–	2	–	1	1	–	–	441	4.5
Orange	39	21	18	–	31	–	8	–	5,396	7.2
Orleans	3	2	1	–	3	–	–	–	1,601	1.9
Otis	4	2	2	–	4	–	–	–	449	8.9
Oxford	33	14	19	–	25	2	6	–	4,459	7.4
Palmer	143	74	69	–	121	3	19	–	9,437	15.2
Paxton	1	1	–	–	1	–	–	–	773	1.3
PEABODY	323	165	158	–	225	46	52	–	22,628	14.3
Pelham	3	2	1	–	3	–	–	–	542	5.5
Pembroke	5	4	1	–	4	–	1	–	1,705	2.9
Pepperell	40	25	15	–	38	1	1	–	3,046	13.1
Peru	1	1	–	–	1	–	–	–	183	5.5
Petersham	–	–	–	–	–	–	–	–	–	–
Phillipston	3	1	2	–	2	–	1	–	465	6.5
PITTSFIELD	1,091	570	521	–	906	65	120	–	47,516	23.0
Plainfield	3	2	1	–	3	–	–	–	353	8.5
Plainville	2	–	2	–	2	–	–	–	1,623	1.2
Plymouth	249	124	125	–	195	18	36	–	13,267	18.8
Plympton	2	–	2	–	2	–	–	–	592	3.4
Prescott	–	–	–	–	–	–	–	–	–	–
Princeton	1	–	1	–	1	–	–	–	707	1.4
Provincetown	37	16	21	–	29	3	5	–	4,264	8.7
QUINCY	1,008	511	497	–	748	73	187	–	80,521	12.5
Randolph	23	10	13	–	19	–	4	–	8,336	2.8
Raynham	11	6	5	–	9	1	1	–	2,250	4.9
Reading	38	19	19	–	27	3	8	–	11,375	3.3
Rehoboth	15	8	7	–	10	2	3	–	2,903	5.2
REVERE	80	37	43	–	48	11	21	–	35,319	2.3
Richmond	3	2	1	–	3	–	–	–	661	4.5
Rochester	3	1	2	–	2	–	1	–	1,313	2.3
Rockland	26	17	9	–	20	1	5	–	8,142	3.2
Rockport	35	21	14	–	29	1	5	–	3,637	9.6
Rowe	3	3	–	–	3	–	–	–	277	10.8
Rowley	1	1	–	–	1	–	–	–	1,579	.6
Royalston	9	4	5	–	7	–	2	–	925	9.7
Russell	4	2	2	–	3	1	–	–	1,317	3.0
Rutland	–	–	–	–	–	–	–	–	–	–
SALEM	642	340	302	–	490	40	112	–	43,556	14.7
Salisbury	18	6	12	–	18	–	–	–	2,283	7.9
Sandisfield	4	3	1	–	4	–	–	–	513	7.8
Sandwich	5	2	3	–	4	–	1	–	1,571	3.2
Saugus	60	33	27	–	43	5	12	–	15,370	3.9
Savoy	–	–	–	–	–	–	–	–	–	–
Scituate	7	5	2	–	2	–	5	–	4,392	1.6
Seekonk	32	21	11	–	26	2	4	–	5,179	6.2
Sharon	9	5	4	–	6	–	3	–	3,935	2.3
Sheffield	9	6	3	–	5	–	4	–	1,928	4.7
Shelburne	2	2	–	–	2	–	–	–	1,648	1.2
Sherborn	1	–	1	–	–	–	1	–	1,032	1.0
Shirley	18	7	11	–	11	3	4	–	2,632	6.8
Shrewsbury	12	5	7	–	9	2	1	–	7,312	1.6
Shutesbury	–	–	–	–	–	–	–	–	–	–
Somerset	55	29	26	–	36	5	14	–	5,866	9.4
SOMERVILLE	1,305	691	614	–	773	242	290	–	100,773	12.9
South Hadley	11	6	5	–	7	1	3	–	6,880	1.6
Southampton	5	1	4	–	3	1	1	–	971	5.1
Southborough	–	–	–	–	–	–	–	–	–	–
Southbridge	265	129	136	–	192	22	51	–	16,920	15.7
Southwick	2	2	–	–	2	–	–	–	1,582	1.3
Spencer	47	26	21	–	41	–	6	–	6,655	7.1
SPRINGFIELD	2,596	1,321	1,275	–	2,022	174	400	–	149,642	17.3
Sterling	5	4	1	–	5	–	–	–	1,594	3.1
Stockbridge	4	2	2	–	4	–	–	–	2,039	2.0
Stoneham	300	151	149	–	216	37	47	–	11,429	26.2
Stoughton	64	35	29	–	44	4	16	–	8,688	7.4
Stow	1	1	–	–	1	–	–	–	1,224	.8
Sturbridge	9	5	4	–	8	–	1	–	2,044	4.4
Sudbury	3	2	1	–	3	–	–	–	1,974	1.5
Sunderland	6	4	2	–	4	–	2	–	1,199	5.0
Sutton	20	9	11	–	13	2	5	–	2,618	7.6
Swampscott	141	74	67	–	115	4	22	–	10,564	13.3

[1] See footnote on page 216. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Swansea	21	9	12	–	14	2	5	–	4,608	4.6
TAUNTON	503	239	264	–	371	40	92	–	37,473	13.4
Templeton	25	11	14	–	21	–	4	–	4,428	5.6
Tewksbury	9	5	4	–	8	–	1	–	7,277	1.2
State Infirmary	126	61	65	–	113	6	7	–	–	–
Tisbury	5	2	3	–	2	1	2	–	2,032	2.5
Tolland	–	–	–	–	–	–	–	–	–	–
Topsfield	1	–	1	–	1	–	–	–	1,197	.8
Townsend	11	5	6	–	10	–	1	–	2,068	5.3
Truro	7	4	3	–	7	–	–	–	562	12.5
Tyngsborough	6	4	2	–	5	–	1	–	1,331	4.5
Tyringham	2	2	–	–	2	–	–	–	243	8.2
Upton	12	3	9	–	8	2	2	–	2,247	5.3
Uxbridge	58	27	31	–	40	8	10	–	6,481	8.9
Wakefield	98	54	44	–	56	15	27	–	16,620	5.9
Wales	2	1	1	–	1	–	1	–	399	5.0
Walpole	28	14	14	–	18	5	5	–	7,575	3.7
WALTHAM	821	419	402	–	509	107	205	–	41,523	19.8
Ware	319	160	159	–	264	14	41	–	7,979	40.0
Wareham	61	39	22	–	50	2	9	–	6,299	9.7
Warren	7	3	4	–	4	1	2	–	3,662	1.9
Warwick	3	1	2	–	3	–	–	–	691	4.3
Washington	1	1	–	–	1	–	–	–	273	3.7
Watertown	69	34	35	–	34	23	12	–	36,499	1.9
Wayland	11	4	7	–	8	–	3	–	3,640	3.0
Webster	248	144	104	–	212	12	24	–	14,467	17.1
Wellesley	6	3	3	–	2	1	3	–	14,804	.4
Wellfleet	1	–	1	–	1	–	–	–	1,036	1.0
Wendell	3	1	2	–	3	–	–	–	431	7.0
Wenham	2	1	1	–	–	–	2	–	1,238	1.6
West Boylston	1	1	–	–	1	–	–	–	2,192	.5
West Bridgewater	9	6	3	–	8	1	–	–	3,482	2.6
West Brookfield	3	2	1	–	3	–	–	–	1,260	2.4
West Newbury	5	2	3	–	5	–	–	–	1,475	3.4
West Springfield	43	21	22	–	32	6	5	–	17,454	2.5
West Stockbridge	7	–	7	–	4	1	2	–	1,146	6.1
West Tisbury	–	–	–	–	–	–	–	–	–	–
Westborough	14	7	7	–	9	1	4	–	6,073	2.3
WESTFIELD	363	187	176	–	327	12	24	–	18,788	19.3
Westford	32	13	19	–	22	4	6	–	3,915	8.2
Westhampton	–	–	–	–	–	–	–	–	–	–
Westminster	1	–	1	–	1	–	–	–	1,994	.5
Weston	–	–	–	–	–	–	–	–	–	–
Westport	25	16	9	–	19	2	4	–	4,355	5.7
Westwood	4	1	3	–	–	4	–	–	2,873	1.4
Weymouth	552	299	253	–	449	21	82	–	22,378	24.7
Whately	8	3	5	–	7	–	1	–	1,133	7.1
Whitman	51	26	25	–	41	2	8	–	7,591	6.7
Wilbraham	3	1	2	–	2	1	–	–	3,137	1.0
Williamsburg	8	4	4	–	4	3	1	–	1,859	4.3
Williamstown	24	10	14	–	23	–	1	–	4,545	5.3
Wilmington	14	6	8	–	7	2	5	–	4,829	2.9
Winchendon	121	59	62	–	98	6	17	–	6,897	17.5
Winchester	284	137	147	–	231	16	37	–	13,833	20.5
Windsor	1	1	–	–	1	–	–	–	429	2.3
Winthrop	397	200	197	–	309	27	61	–	17,217	23.1
WOBURN	314	164	150	–	243	25	46	–	19,905	15.8
WORCESTER	3,526	1,786	1,740	–	2,714	253	559	–	190,471	18.5
Worthington	–	–	–	–	–	–	–	–	–	–
Wrentham	10	3	7	–	8	–	2	–	4,580	2.2
Yarmouth	7	6	1	–	7	–	–	–	2,313	3.0

[1] See footnote on page 216. [2] Including nonresidents.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: **1938.**

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
The State.	**62,382**	**31,852**	**30,530**	–	**45,645**	**5,767**	**10,970**	–	**4,425,544**	**14.1**
Counties.										
Barnstable	593	305	288	–	470	38	85	–	39,839	14.9
Berkshire	1,930	1,006	924	–	1,624	88	218	–	121,393	15.9
Bristol	5,198	2,619	2,579	–	3,855	397	946	–	367,851	14.1
Dukes	78	43	35	–	63	4	11	–	6,246	12.5
Essex	6,774	3,476	3,298	–	5,077	499	1,198	–	509,229	13.3
Franklin	744	373	371	–	656	17	71	–	52,093	14.3
Hampden	4,373	2,201	2,172	–	3,384	300	689	–	333,495	13.1
Hampshire	940	463	477	–	783	41	116	–	75,255	12.5
Middlesex	14,288	7,353	6,935	–	10,064	1,504	2,720	–	976,495	14.6
Nantucket	46	18	28	–	35	5	6	–	3,495	13.2
Norfolk	4,443	2,254	2,189	–	3,352	313	778	–	336,576	13.2
Plymouth	2,258	1,152	1,106	–	1,846	116	296	–	169,269	13.3
Suffolk	13,268	6,778	6,490	–	8,784	1,901	2,583	–	937,150	14.2
Worcester	7,449	3,811	3,638	–	5,652	544	1,253	–	498,754	14.9
Municipalities.										
Abington	62	33	29	–	51	2	9	–	5,696	10.9
Acton	44	23	21	–	36	–	8	–	2,761	15.9
Acushnet	56	26	30	–	42	5	9	–	3,951	14.2
Adams	182	103	79	–	156	6	20	–	12,984	14.0
Agawam	80	37	43	–	63	2	15	–	7,290	11.0
Alford	2	–	2	–	2	–	–	–	217	9.2
Amesbury	166	80	86	–	128	10	28	–	10,514	15.8
Amherst	102	53	49	–	92	3	7	–	6,893	14.8
Andover	110	53	57	–	77	15	18	–	10,962	10.0
Arlington	504	252	252	–	388	46	70	–	40,345	12.5
Ashburnham	34	18	16	–	25	1	8	–	2,051	16.6
Ashby	11	7	4	–	10	–	1	–	957	11.5
Ashfield	14	7	7	–	14	–	–	–	960	14.6
Ashland	42	25	17	–	29	3	10	–	2,581	16.3
Athol	175	90	85	–	136	11	28	–	10,793	16.2
Attleboro	334	174	160	–	266	12	56	–	21,877	15.3
Auburn	104	50	54	–	87	–	17	–	6,829	15.2
Avon	32	16	16	–	28	–	4	–	2,362	13.5
Ayer	59	35	24	–	49	2	8	–	4,449	13.3
Barnstable	144	78	66	–	114	8	22	–	8,583	16.8
Barre	47	31	16	–	33	4	10	–	3,509	13.4
Becket	16	7	9	–	16	–	–	–	760	21.1
Bedford	36	20	16	–	22	3	11	–	3,605	10.0
Belchertown	27	11	16	–	21	–	6	–	4,409	6.1
Bellingham	44	24	20	–	31	3	10	–	3,056	14.4
Belmont	353	170	183	–	272	28	53	–	27,099	13.0
Berkley	15	9	6	–	11	3	1	–	1,181	12.7
Berlin	15	6	9	–	14	–	1	–	1,103	13.6
Bernardston	12	7	5	–	12	–	–	–	1,017	11.8
Beverly	362	196	166	–	285	28	49	–	26,459	13.7
Billerica	105	44	61	–	85	6	14	–	7,238	14.5
Blackstone	58	31	27	–	42	5	11	–	4,588	12.6
Blandford	6	4	2	–	6	–	–	–	469	12.8
Bolton	15	11	4	–	12	1	2	–	739	20.3
Boston	11,943	6,104	5,839	–	7,882	1,762	2,299	–	844,635	14.1
Bourne	62	28	34	–	50	5	7	–	3,659	16.9
Boxborough	2	–	2	–	1	–	1	–	488	4.1
Boxford	8	4	4	–	6	–	2	–	768	10.4
Boylston	18	9	9	–	14	2	2	–	1,571	11.5
Braintree	249	123	126	–	184	16	49	–	18,172	13.7
Brewster	11	6	5	–	11	–	–	–	715	15.4
Bridgewater	92	45	47	–	75	7	10	–	9,327	9.9
Brimfield	13	9	4	–	11	–	2	–	896	14.5
Brockton	797	406	391	–	644	48	105	–	62,407	12.8
Brookfield	18	7	11	–	17	–	1	–	2,534	7.1
Brookline	532	281	251	–	387	56	89	–	52,419	10.1
Buckland	11	5	6	–	10	–	1	–	1,574	7.0
Burlington	35	18	17	–	26	3	6	–	2,440	14.3
Cambridge	1,822	949	873	–	1,182	257	383	–	121,351	15.0
Canton	122	59	63	–	94	7	21	–	7,009	17.4
Carlisle	14	8	6	–	12	1	1	–	772	18.1
Carver	35	19	16	–	25	2	8	–	1,685	20.8
Charlemont	14	7	7	–	14	–	–	–	1,007	13.9
Charlton	39	27	12	–	33	–	6	–	2,521	15.5
Chatham	35	14	21	–	30	3	2	–	2,134	16.4
Chelmsford	113	56	57	–	84	5	24	–	8,015	14.1
Chelsea	628	324	304	–	385	92	151	–	42,673	14.7
Cheshire	33	17	16	–	25	5	3	–	1,660	19.9
Chester	15	10	5	–	13	1	1	–	1,362	11.0
Chesterfield	12	6	6	–	12	–	–	–	462	26.0
Chicopee	598	304	294	–	449	39	110	–	41,952	14.3

[1] Cities are printed in small CAPITALS.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1938.

Municipalities.[1]	Total number.	Sex.			Parent nativity.				Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Chilmark	1	1	–	–	1	–	–	–	253	4.0
Clarksburg	23	13	10	–	18	–	5	–	1,358	16.9
Clinton	181	91	90	–	143	9	29	–	12,373	14.6
Cohasset	37	23	14	–	27	1	9	–	3,670	10.1
Colrain	31	15	16	–	31	–	–	–	1,680	18.5
Concord	94	43	51	–	73	9	12	–	7,891	11.9
Conway	10	7	3	–	9	–	1	–	990	10.1
Cummington	4	2	2	–	4	–	–	–	652	6.1
Dalton	52	29	23	–	44	3	5	–	4,324	12.0
Dana	1	–	1	–	1	–	–	–	387	2.6
Danvers	158	83	75	–	133	7	18	–	14,556	10.9
Dartmouth	110	55	55	–	77	11	22	–	9,886	11.1
Dedham	248	110	138	–	175	17	56	–	15,539	16.0
Deerfield	33	19	14	–	29	1	3	–	3,005	11.0
Dennis	17	7	10	–	16	–	1	–	2,143	7.9
Dighton	60	36	24	–	46	4	10	–	3,116	19.3
Douglas	50	23	27	–	41	3	6	–	2,571	19.4
Dover	36	18	18	–	28	4	4	–	1,389	25.9
Dracut	96	52	44	–	75	4	17	–	6,500	14.8
Dudley	66	41	25	–	51	7	8	–	4,778	13.8
Dunstable	5	2	3	–	5	–	–	–	444	11.3
Duxbury	38	17	21	–	31	2	5	–	2,664	14.3
East Bridgewater	60	30	30	–	55	–	5	–	3,712	16.2
East Brookfield	12	7	5	–	10	–	2	–	958	12.5
East Longmeadow	42	22	20	–	33	1	8	–	3,409	12.3
Eastham	6	3	3	–	6	–	–	–	648	9.3
Easthampton	125	56	69	–	95	7	23	–	10,486	11.9
Easton	74	42	32	–	58	3	13	–	5,294	14.0
Edgartown	20	14	6	–	15	1	4	–	1,483	13.5
Egremont	5	1	4	–	5	–	–	–	611	8.2
Enfield	4	2	2	–	4	–	–	–	495	8.1
Erving	20	11	9	–	20	–	–	–	1,296	15.4
Essex	19	13	6	–	18	–	1	–	1,503	12.6
Everett	824	413	411	–	538	114	172	–	47,228	17.4
Fairhaven	170	80	90	–	120	12	38	–	11,047	15.4
Fall River	1,709	847	862	–	1,311	105	293	–	119,010	14.4
Falmouth	126	71	55	–	79	15	32	–	7,797	16.2
Fitchburg	657	332	325	–	466	60	131	–	42,456	15.5
Florida	7	5	2	–	5	1	1	–	476	14.7
Foxborough	66	30	36	–	54	4	8	–	6,212	10.6
Framingham	343	178	165	–	253	25	65	–	22,987	14.9
Franklin	119	57	62	–	87	8	24	–	7,830	15.2
Freetown	28	10	18	–	23	1	4	–	1,939	14.4
Gardner	299	152	147	–	205	32	62	–	21,153	14.1
Gay Head	1	–	1	–	1	–	–	–	158	6.3
Georgetown	25	14	11	–	23	1	1	–	2,135	11.7
Gill	13	7	6	–	9	–	4	–	1,003	13.0
Gloucester	349	157	192	–	277	18	54	–	24,164	14.4
Goshen	3	3	–	–	3	–	–	–	265	11.3
Gosnold	–	–	–	–	–	–	–	–	–	–
Grafton	95	54	41	–	68	4	23	–	8,143	11.7
Granby	18	8	10	–	12	2	4	–	998	18.0
Granville	12	4	8	–	12	–	–	–	725	16.6
Great Barrington	86	41	45	–	74	1	11	–	6,688	12.9
Greenfield	239	104	135	–	209	9	21	–	16,197	14.8
Greenwich	1	–	1	–	1	–	–	–	219	4.6
Groton	46	21	25	–	34	4	8	–	2,618	17.6
Groveland	25	14	11	–	24	–	1	–	2,219	11.3
Hadley	27	20	7	–	20	3	4	–	2,732	9.9
Halifax	11	5	6	–	11	–	–	–	901	12.2
Hamilton	27	14	13	–	21	1	5	–	2,361	11.4
Hampden	12	2	10	–	11	–	1	–	980	12.2
Hancock	4	1	3	–	3	–	1	–	442	9.0
Hanover	39	21	18	–	35	–	4	–	2,709	14.4
Hanson	41	21	20	–	32	3	6	–	2,585	15.9
Hardwick	27	15	12	–	24	–	3	–	2,379	11.3
Harvard	13	5	8	–	13	–	–	–	952	13.7
Harwich	40	20	20	–	32	1	7	–	2,407	16.6
Hatfield	37	19	18	–	30	1	6	–	2,433	15.2
Haverhill	615	315	300	–	509	28	78	–	50,104	12.3
Hawley	2	1	1	–	2	–	–	–	308	6.5
Heath	9	6	3	–	7	–	2	–	393	22.9
Hingham	88	47	41	–	76	3	9	–	7,834	11.2
Hinsdale	21	11	10	–	21	–	–	–	1,144	18.4
Holbrook	53	37	16	–	45	1	7	–	3,372	15.7
Holden	76	34	42	–	62	5	9	–	3,948	19.3
Holland	2	1	1	–	1	–	1	–	243	8.2
Holliston	42	19	23	–	33	4	5	–	2,967	14.2

[1] See footnote on page 221.

Table 43

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1938.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
HOLYOKE	690	343	347	–	500	59	131	–	56,139	12.3
Hopedale	38	17	21	–	34	–	4	–	3,152	12.1
Hopkinton	44	18	26	–	38	1	5	–	2,654	16.6
Hubbardston	16	7	9	–	16	–	–	–	1,000	16.0
Hudson	115	50	65	–	87	11	17	–	8,516	13.5
Hull	28	15	13	–	23	–	5	–	3,039	9.2
Huntington	21	11	10	–	20	–	1	–	1,429	14.7
Ipswich	69	39	30	–	49	5	15	–	6,679	10.3
Kingston	42	18	24	–	33	3	6	–	2,785	12.2
Lakeville	28	14	14	–	24	1	3	–	1,443	19.4
Lancaster	38	16	22	–	30	–	8	–	2,590	14.7
Lanesborough	25	16	9	–	21	1	3	–	1,279	19.5
LAWRENCE	1,193	610	583	–	807	116	270	–	88,045	13.5
Lee	68	31	37	–	54	7	7	–	4,262	16.0
Leicester	72	45	27	–	57	2	13	–	4,426	16.3
Lenox	40	24	16	–	36	–	4	–	2,706	14.8
LEOMINSTER	351	182	169	–	232	42	77	–	21,936	16.0
Leverett	10	5	5	–	10	–	–	–	764	13.1
Lexington	149	79	70	–	102	9	38	–	11,821	12.6
Leyden	4	2	2	–	4	–	–	–	253	15.8
Lincoln	26	13	13	–	22	1	3	–	1,615	16.1
Littleton	20	16	4	–	17	–	3	–	1,572	12.7
Longmeadow	56	30	26	–	51	1	4	–	5,609	10.0
LOWELL	1,496	796	700	–	1,189	73	234	–	100,114	14.9
Ludlow	97	45	52	–	66	14	17	–	8,569	11.3
Lunenburg	26	19	7	–	21	1	4	–	2,292	11.3
LYNN	1,385	703	682	–	990	126	269	–	100,909	13.7
Lynnfield	35	19	16	–	28	2	5	–	2,106	16.6
MALDEN	842	421	421	–	556	105	181	–	57,277	14.7
Manchester	29	12	17	–	23	3	3	–	2,509	11.6
Mansfield	96	57	39	–	76	6	14	–	6,669	14.4
Marblehead	140	70	70	–	117	1	22	–	11,265	12.4
Marion	34	13	21	–	27	2	5	–	2,035	16.7
MARLBOROUGH	197	97	100	–	150	12	35	–	15,907	12.4
Marshfield	28	10	18	–	23	–	5	–	2,409	11.6
Mashpee	7	5	2	–	5	–	2	–	394	17.8
Mattapoisett	30	14	16	–	26	1	3	–	1,808	16.6
Maynard	103	54	49	–	76	4	23	–	7,107	14.5
Medfield	24	13	11	–	19	–	5	–	4,246	5.7
MEDFORD	944	475	469	–	686	76	182	–	62,704	15.1
Medway	44	15	29	–	31	4	9	–	3,352	13.1
MELROSE	290	141	149	–	239	20	31	–	25,054	11.6
Mendon	19	8	11	–	17	–	2	–	1,391	13.7
Merrimac	22	10	12	–	20	–	2	–	2,209	10.0
Methuen	281	153	128	–	198	17	66	–	21,073	13.3
Middleborough	125	56	69	–	105	4	16	–	9,075	13.8
Middlefield	2	1	1	–	2	–	–	–	237	8.4
Middleton	21	9	12	–	16	–	5	–	2,185	9.6
Milford	220	109	111	–	158	15	47	–	15,218	14.5
Millbury	117	56	61	–	101	3	13	–	6,879	17.0
Millis	29	17	12	–	20	2	7	–	2,350	12.3
Millville	23	8	15	–	21	–	2	–	1,901	12.1
Milton	226	120	106	–	187	14	25	–	19,407	11.6
Monroe	–	–	–	–	–	–	–	–	–	–
Monson	47	26	21	–	42	–	5	–	5,403	8.7
Montague	133	68	65	–	108	4	21	–	7,967	16.7
Monterey	5	1	4	–	5	–	–	–	328	15.2
Montgomery	2	–	2	–	2	–	–	–	199	10.1
Mount Washington	–	–	–	–	–	–	–	–	–	–
Nahant	27	16	11	–	20	1	6	–	1,832	14.7
Nantucket	46	18	28	–	35	5	6	–	3,495	13.2
Natick	220	108	112	–	152	19	49	–	14,982	14.7
Needham	135	67	68	–	95	12	28	–	12,542	10.8
New Ashford	3	1	2	–	3	–	–	–	106	28.3
NEW BEDFORD	1,467	746	721	–	982	169	316	–	110,022	13.3
New Braintree	5	1	4	–	5	–	–	–	457	10.9
New Marlborough	19	10	9	–	17	–	2	–	963	19.7
New Salem	5	2	3	–	5	–	–	–	464	10.8
Newbury	15	7	8	–	13	–	2	–	1,610	9.3
NEWBURYPORT	201	100	101	–	169	9	23	–	14,815	13.6
NEWTON	919	472	447	–	665	89	165	–	66,774	13.8
Norfolk	23	13	10	–	19	1	3	–	2,535	9.1
NORTH ADAMS	336	181	155	–	287	7	42	–	22,421	15.0
North Andover	84	48	36	–	62	4	18	–	7,332	11.5
North Attleborough	155	74	81	–	135	7	13	–	10,202	15.2
North Brookfield	60	27	33	–	52	3	5	–	3,312	18.1
North Reading	40	26	14	–	29	4	7	–	2,615	15.3
NORTHAMPTON	282	133	149	–	248	9	25	–	24,651	11.4

[1]See footnote on page 221.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1938.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Population (estimated, June30, 1938.)	Birth rate per 1,000 population.
Northborough	31	13	18	–	28	–	3	–	2,732	11.3
Northbridge	155	80	75	–	89	16	50	–	11,207	13.8
Northfield	28	17	11	–	27	1	–	–	1,992	14.1
Norton	43	21	22	–	36	1	6	–	3,051	14.1
Norwell	18	8	10	–	14	2	2	–	1,792	10.0
Norwood	232	118	114	–	164	23	45	–	15,952	14.5
Oak Bluffs	23	13	10	–	19	–	4	–	1,909	12.0
Oakham	7	–	7	–	6	1	–	–	441	15.9
Orange	79	37	42	–	68	1	10	–	5,396	14.6
Orleans	23	16	7	–	21	1	1	–	1,601	14.4
Otis	8	5	3	–	8	–	–	–	449	17.8
Oxford	64	31	33	–	52	2	10	–	4,459	14.4
Palmer	136	67	69	–	113	3	20	–	9,437	14.4
Paxton	6	4	2	–	4	–	2	–	773	7.8
Peabody	317	165	152	–	223	46	48	–	22,628	14.0
Pelham	10	5	5	–	9	–	1	–	542	18.5
Pembroke	21	11	10	–	16	1	4	–	1,705	12.3
Pepperell	34	21	13	–	33	–	1	–	3,046	11.2
Peru	3	2	1	–	3	–	–	–	183	16.4
Petersham	11	5	6	–	7	2	2	–	760	14.5
Phillipston	10	6	4	–	8	–	2	–	465	21.5
Pittsfield	839	433	406	–	688	53	98	–	47,516	17.7
Plainfield	3	2	1	–	3	–	–	–	353	8.5
Plainville	15	3	12	–	14	–	1	–	1,623	9.2
Plymouth	187	99	88	–	140	17	30	–	13,267	14.1
Plympton	7	1	6	–	7	–	–	–	592	11.8
Prescott	–	–	–	–	–	–	–	–	–	–
Princeton	13	8	5	–	11	1	1	–	707	18.4
Provincetown	50	23	27	–	40	4	6	–	4,264	11.7
Quincy	1,157	587	570	–	849	87	221	–	80,521	14.4
Randolph	116	50	66	–	99	–	17	–	8,336	13.9
Raynham	26	13	13	–	22	2	2	–	2,250	11.6
Reading	140	78	62	–	116	7	17	–	11,375	12.3
Rehoboth	41	15	26	–	32	4	5	–	2,903	14.1
Revere	480	247	233	–	351	34	95	–	35,319	13.6
Richmond	6	4	2	–	6	–	–	–	661	9.1
Rochester	13	8	5	–	10	–	3	–	1,313	9.9
Rockland	102	58	44	–	86	5	11	–	8,142	12.5
Rockport	52	33	19	–	43	2	7	–	3,637	14.3
Rowe	4	3	1	–	4	–	–	–	277	14.4
Rowley	30	20	10	–	29	–	1	–	1,579	19.0
Royalston	23	8	15	–	20	–	3	–	925	24.9
Russell	14	5	9	–	13	1	–	–	1,317	10.6
Rutland	14	4	10	–	11	1	2	–	2,406	5.8
Salem	571	287	284	–	420	38	113	–	43,556	13.1
Salisbury	46	24	22	–	43	–	3	–	2,283	20.1
Sandisfield	7	6	1	–	6	–	1	–	513	13.6
Sandwich	17	7	10	–	15	1	1	–	1,571	10.8
Saugus	219	110	109	–	159	13	47	–	15,370	14.2
Savoy	4	3	1	–	3	–	1	–	299	13.4
Scituate	66	31	35	–	51	3	12	–	4,392	15.0
Seekonk	53	33	20	–	43	3	7	–	5,179	10.2
Sharon	35	19	16	–	31	1	3	–	3,935	8.9
Sheffield	30	14	16	–	25	–	5	–	1,928	15.6
Shelburne	21	12	9	–	19	–	2	–	1,648	12.7
Sherborn	12	3	9	–	11	–	1	–	1,032	11.6
Shirley	42	22	20	–	32	5	5	–	2,632	16.0
Shrewsbury	109	47	62	–	92	5	12	–	7,312	14.9
Shutesbury	3	2	1	–	3	–	–	–	252	11.9
Somerset	98	49	49	–	73	5	20	–	5,866	16.7
Somerville	1,719	913	806	–	1,050	285	384	–	100,773	17.1
South Hadley	88	40	48	–	68	5	15	–	6,880	12.8
Southampton	13	7	6	–	11	1	1	–	971	13.4
Southborough	33	20	13	–	24	4	5	–	2,109	15.6
Southbridge	265	136	129	–	192	22	51	–	16,920	15.7
Southwick	27	12	15	–	23	1	3	–	1,582	17.1
Spencer	109	57	52	–	97	1	11	–	6,655	16.4
Springfield	1,989	994	995	–	1,519	156	314	–	149,642	13.3
Sterling	22	13	9	–	19	–	3	–	1,594	13.8
Stockbridge	17	8	9	–	12	3	2	–	2,039	8.3
Stoneham	147	81	66	–	121	7	19	–	11,429	12.9
Stoughton	115	63	52	–	105	2	8	–	8,688	13.2
Stow	17	9	8	–	15	1	1	–	1,224	13.9
Sturbridge	23	10	13	–	20	–	3	–	2,044	11.3
Sudbury	20	11	9	–	17	1	2	–	1,974	10.1
Sunderland	10	7	3	–	9	–	1	–	1,199	8.3
Sutton	45	22	23	–	33	2	10	–	2,618	17.2
Swampscott	133	82	51	–	112	8	13	–	10,564	12.6

[1] See footnote on page 221.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1938.

Municipalities.[1]	Total number.	Sex.			Parent nativity.				Population (estimated, June 30, 1938.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Swansea	68	32	36	–	51	4	13	–	4,608	14.8
Taunton	538	261	277	–	402	38	98	–	37,473	14.4
Templeton	59	28	31	–	49	3	7	–	4,428	13.3
Tewksbury	49	26	23	–	37	4	8	–	7,277	6.7
State Infirmary	–	–	–	–	–	–	–	–	–	–
Tisbury	30	14	16	–	24	3	3	–	2,032	14.8
Tolland	2	1	1	–	2	–	–	–	145	17.1
Topsfield	11	4	7	–	9	–	2	–	1,197	9.2
Townsend	36	22	14	–	31	–	5	–	2,068	17.4
Truro	9	5	4	–	9	–	–	–	562	16.0
Tyngsborough	18	10	8	–	16	–	2	–	1,331	13.5
Tyringham	3	3	–	–	2	–	1	–	243	12.3
Upton	34	12	22	–	26	3	5	–	2,247	15.1
Uxbridge	108	51	57	–	81	11	16	–	6,481	16.7
Wakefield	219	112	107	–	145	25	49	–	16,620	13.2
Wales	4	3	1	–	3	–	1	–	399	10.0
Walpole	130	67	63	–	90	14	26	–	7,575	17.2
Waltham	609	312	297	–	379	85	145	–	41,523	14.7
Ware	115	63	52	–	88	7	20	–	7,979	14.4
Wareham	133	78	55	–	110	5	18	–	6,299	21.1
Warren	49	21	28	–	40	4	5	–	3,662	13.4
Warwick	12	8	4	–	11	–	1	–	691	17.4
Washington	3	2	1	–	3	–	–	–	273	11.0
Watertown	510	267	243	–	309	89	112	–	36,499	14.0
Wayland	77	37	40	–	55	4	18	–	3,640	21.2
Webster	186	103	83	–	161	8	17	–	14,467	12.9
Wellesley	191	101	90	–	149	10	32	–	14,804	12.9
Wellfleet	15	6	9	–	14	–	1	–	1,036	14.5
Wendell	5	2	3	–	5	–	–	–	431	11.6
Wenham	15	8	7	–	12	–	3	–	1,238	12.1
West Boylston	25	16	9	–	19	1	5	–	2,192	11.4
West Bridgewater	42	28	14	–	40	1	1	–	3,482	12.1
West Brookfield	19	11	8	–	18	–	1	–	1,260	15.1
West Newbury	14	4	10	–	14	–	–	–	1,475	9.5
West Springfield	207	109	98	–	166	10	31	–	17,454	11.9
West Stockbridge	13	3	10	–	10	1	2	–	1,146	11.3
West Tisbury	3	1	2	–	3	–	–	–	290	10.3
Westborough	89	54	35	–	71	6	12	–	6,073	14.7
Westfield	277	150	127	–	245	11	21	–	18,788	14.7
Westford	69	30	39	–	42	9	18	–	3,915	17.6
Westhampton	8	2	6	–	7	–	1	–	426	18.8
Westminster	20	11	9	–	14	–	6	–	1,994	10.0
Weston	51	29	22	–	37	3	11	–	4,226	12.1
Westport	57	39	18	–	49	2	6	–	4,355	13.1
Westwood	45	19	26	–	35	5	5	–	2,873	15.7
Weymouth	360	194	166	–	281	20	59	–	22,378	16.1
Whately	22	12	10	–	17	1	4	–	1,133	19.4
Whitman	91	46	45	–	76	4	11	–	7,591	12.0
Wilbraham	45	22	23	–	41	1	3	–	3,137	14.3
Williamsburg	29	14	15	–	24	3	2	–	1,859	15.6
Williamstown	66	30	36	–	62	–	4	–	4,545	14.5
Wilmington	62	30	32	–	50	2	10	–	4,829	12.8
Winchendon	113	60	53	–	89	5	19	–	6,897	16.4
Winchester	168	88	80	–	129	11	28	–	13,833	12.1
Windsor	4	1	3	–	4	–	–	–	429	9.3
Winthrop	217	103	114	–	166	13	38	–	17,217	12.6
Woburn	294	152	142	–	224	28	42	–	19,905	14.8
Worcester	2,822	1,451	1,371	–	2,130	236	456	–	190,471	14.8
Worthington	9	5	4	–	9	–	–	–	564	16.0
Wrentham	28	10	18	–	23	1	4	–	4,580	6.1
Yarmouth	31	17	14	–	28	–	3	–	2,313	13.4

[1] See footnote on page 221.

Table 44

Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1938.

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**62,382**	**5,255**	**4,767**	**5,397**	**5,185**	**5,104**	**5,215**	**5,724**	**5,654**	**5,187**	**5,190**	**4,842**	**4,862**
Average daily number of births	171	170	170	174	173	165	174	185	182	173	167	161	157
Counties.													
Middlesex	14,288	1,219	1,109	1,265	1,156	1,137	1,214	1,309	1,267	1,189	1,196	1,150	1,077
Suffolk	13,268	1,090	969	1,174	1,156	1,115	1,078	1,265	1,187	1,109	1,085	993	1,047
Essex	6,774	613	530	606	564	539	559	646	598	549	533	520	517
Worcester	7,449	637	569	628	585	659	594	657	702	611	632	573	602
Bristol	5,198	453	396	413	419	459	447	511	455	423	419	392	411
Hampden	4,373	360	330	355	354	341	372	383	406	383	392	349	348
Norfolk	4,443	332	360	395	403	330	377	388	424	398	363	331	342
Plymouth	2,258	201	177	190	174	156	199	188	214	174	202	204	179
Berkshire	1,930	164	141	170	151	150	175	179	185	172	149	142	152
Hampshire	940	69	77	83	75	75	84	77	86	77	81	74	82
Franklin	744	59	61	54	77	66	46	66	61	55	72	70	57
Barnstable	593	45	40	58	60	65	60	45	56	37	48	39	40
Dukes	78	6	5	3	7	7	5	7	11	7	13	1	6
Nantucket	46	7	3	3	4	5	5	3	2	3	5	4	2
Cities over 100,000													
Boston	11,943	981	876	1,053	1,054	1,010	973	1,139	1,071	1,011	976	877	922
Worcester	2,822	229	214	245	240	261	233	232	256	226	242	210	234
Springfield	1,989	168	141	158	171	155	168	186	187	172	177	158	148
Cambridge	1,822	158	153	162	152	147	133	187	157	138	137	162	136
Fall River	1,709	165	121	130	138	157	150	168	134	156	138	119	133
New Bedford	1,467	119	105	116	118	139	116	162	119	114	127	108	124
Lynn	1,385	132	115	124	110	105	114	135	116	126	118	93	97
Somerville	1,719	160	130	135	138	141	142	158	158	148	136	148	125
Lowell	1,496	123	113	162	137	112	112	138	116	126	109	144	104
Cities 50,000 to 100,000													
Lawrence	1,193	117	92	88	102	93	92	120	125	103	82	87	92
Quincy	1,157	80	109	97	116	85	93	105	116	100	86	88	82
Newton	919	64	74	88	72	79	82	79	101	65	81	78	56
Brockton	797	83	60	66	72	48	64	63	62	59	69	85	66
Medford	944	71	70	95	60	71	90	78	90	79	81	80	79
Malden	842	81	67	72	69	65	75	73	79	61	81	55	64
Holyoke	690	49	55	69	56	51	62	48	62	61	66	50	61
Brookline (town)	532	48	38	57	48	49	37	36	41	44	53	32	49

Table 45

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1938.

Counties and Municipalities.[1]	Plural Births. Twins. Total.	Plural Births. Twins. Males.	Plural Births. Twins. Females.	Plural Births. Triplets. Total.	Plural Births. Triplets. Males.	Plural Births. Triplets. Females.	Stillbirths. Total.	Stillbirths. Males.	Stillbirths. Females.
The State.	**1,242**	**659**	**583**	**18**	**6**	**12**	**1,730**	**922**	**808**
Counties.									
Barnstable	12	5	7	–	–	–	15	7	8
Berkshire	40	17	23	–	–	–	50	26	24
Bristol	100	55	45	3	–	3	174	108	66
Dukes	–	–	–	–	–	–	3	–	3
Essex	146	79	67	–	–	–	213	109	104
Franklin	18	6	12	–	–	–	16	14	2
Hampden	90	45	45	–	–	–	168	90	78
Hampshire	14	7	7	–	–	–	23	14	9
Middlesex	286	152	134	3	3	–	398	203	195
Nantucket	–	–	–	–	–	–	1	–	1
Norfolk	104	64	40	–	–	–	114	66	48
Plymouth	36	17	19	–	–	–	69	42	27
Suffolk	248	130	118	3	2	1	301	157	144
Worcester	148	82	66	9	1	8	185	86	99
Municipalities.									
Abington	–	–	–	–	–	–	1	1	–
Acton	2	–	2	–	–	–	1	1	–
Acushnet	–	–	–	–	–	–	1	1	–
Adams	6	3	3	–	–	–	6	3	3
Agawam	–	–	–	–	–	–	2	2	–
Alford	–	–	–	–	–	–	–	–	–
Amesbury	4	2	2	–	–	–	8	6	2
Amherst	2	–	2	–	–	–	2	1	1
Andover	2	–	2	–	–	–	3	1	2
Arlington	8	5	3	–	–	–	11	6	5
Ashburnham	2	2	–	–	–	–	–	–	–
Ashby	–	–	–	–	–	–	2	–	2
Ashfield	–	–	–	–	–	–	–	–	–
Ashland	2	1	1	–	–	–	2	2	–
Athol	6	5	1	–	–	–	5	2	3
Attleboro	12	8	4	–	–	–	10	7	3
Auburn	4	2	2	–	–	–	5	3	2
Avon	2	–	2	–	–	–	1	–	1
Ayer	–	–	–	–	–	–	2	2	–
Barnstable	2	–	2	–	–	–	4	1	3
Barre	–	–	–	–	–	–	–	–	–
Becket	–	–	–	–	–	–	–	–	–
Bedford	–	–	–	–	–	–	2	2	–
Belchertown	–	–	–	–	–	–	2	–	2
Bellingham	–	–	–	–	–	–	3	2	1
Belmont	4	2	2	–	–	–	5	2	3
Berkley	–	–	–	–	–	–	1	1	–
Berlin	–	–	–	–	–	–	1	–	1
Bernardston	–	–	–	–	–	–	–	–	–
Beverly	–	–	–	–	–	–	18	5	13
Billerica	–	–	–	–	–	–	8	5	3
Blackstone	2	–	2	–	–	–	1	–	1
Blandford	–	–	–	–	–	–	–	–	–
Bolton	4	4	–	–	–	–	–	–	–
Boston	234	119	115	3	2	1	263	139	124
Bourne	–	–	–	–	–	–	1	–	1
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	–	–	–	–	–	–	–	–	–
Boylston	–	–	–	–	–	–	1	1	–
Braintree	6	4	2	–	–	–	6	4	2
Brewster	–	–	–	–	–	–	1	–	1
Bridgewater	–	–	–	–	–	–	3	2	1
Brimfield	–	–	–	–	–	–	–	–	–
Brockton	14	7	7	–	–	–	22	14	8
Brookfield	–	–	–	–	–	–	–	–	–
Brookline	20	12	8	–	–	–	10	6	4
Buckland	–	–	–	–	–	–	–	–	–
Burlington	–	–	–	–	–	–	1	–	1
Cambridge	38	23	15	–	–	–	44	23	21
Canton	–	–	–	–	–	–	3	2	1
Carlisle	–	–	–	–	–	–	–	–	–
Carver	2	1	1	–	–	–	1	1	–
Charlemont	–	–	–	–	–	–	1	1	–
Charlton	–	–	–	–	–	–	1	–	1
Chatham	2	1	1	–	–	–	–	–	–
Chelmsford	–	–	–	–	–	–	4	4	–
Chelsea	8	6	2	–	–	–	19	7	12
Cheshire	4	–	4	–	–	–	1	1	–
Chester	–	–	–	–	–	–	3	–	3
Chesterfield	–	–	–	–	–	–	–	–	–
Chicopee	14	9	5	–	–	–	21	13	8

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1938.

MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	–	–	–	–	–	–	5	2	3
Cohasset	–	–	–	–	–	–	1	–	1
Colrain	4	2	2	–	–	–	–	–	–
Concord	6	5	1	–	–	–	3	1	2
Conway	–	–	–	–	–	–	–	–	–
Cummington	–	–	–	–	–	–	1	1	–
Dalton	2	–	2	–	–	–	1	1	–
Dana	–	–	–	–	–	–	–	–	–
Danvers	6	4	2	–	–	–	5	3	2
Dartmouth	2	2	–	–	–	–	3	2	1
Dedham	8	4	4	–	–	–	1	1	–
Deerfield	–	–	–	–	–	–	–	–	–
Dennis	2	–	2	–	–	–	1	1	–
Dighton	2	2	–	–	–	–	1	–	1
Douglas	–	–	–	–	–	–	1	–	1
Dover	2	2	–	–	–	–	–	–	–
Dracut	4	2	2	–	–	–	3	3	–
Dudley	–	–	–	–	–	–	–	–	–
Dunstable	–	–	–	–	–	–	–	–	–
Duxbury	–	–	–	–	–	–	1	–	1
East Bridgewater	–	–	–	–	–	–	3	2	1
East Brookfield	2	2	–	–	–	–	2	1	1
East Longmeadow	–	–	–	–	–	–	5	3	2
Eastham	–	–	–	–	–	–	1	1	–
Easthampton	2	1	1	–	–	–	4	3	1
Easton	–	–	–	–	–	–	7	6	1
Edgartown	–	–	–	–	–	–	–	–	–
Egremont	–	–	–	–	–	–	–	–	–
Enfield	–	–	–	–	–	–	–	–	–
Erving	2	2	–	–	–	–	–	–	–
Essex	–	–	–	–	–	–	–	–	–
EVERETT	16	8	8	–	–	–	26	13	13
Fairhaven	4	–	4	–	–	–	6	5	1
FALL RIVER	36	22	14	–	–	–	62	40	22
Falmouth	2	2	–	–	–	–	5	2	3
FITCHBURG	10	5	5	–	–	–	14	5	9
Florida	–	–	–	–	–	–	–	–	–
Foxborough	2	1	1	–	–	–	2	2	–
Framingham	8	4	4	–	–	–	9	7	2
Franklin	4	2	2	–	–	–	2	1	1
Freetown	2	–	2	–	–	–	–	–	–
GARDNER	6	5	1	6	1	5	7	5	2
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	–	–	–	–	–	–	–	–	–
Gill	–	–	–	–	–	–	–	–	–
GLOUCESTER	4	2	2	–	–	–	13	4	9
Goshen	–	–	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	2	1	1	–	–	–	5	2	3
Granby	–	–	–	–	–	–	–	–	–
Granville	–	–	–	–	–	–	–	–	–
Great Barrington	–	–	–	–	–	–	3	2	1
Greenfield	6	–	6	–	–	–	3	2	1
Greenwich	–	–	–	–	–	–	–	–	–
Groton	2	–	2	–	–	–	1	–	1
Groveland	–	–	–	–	–	–	–	–	–
Hadley	–	–	–	–	–	–	1	1	–
Halifax	–	–	–	–	–	–	–	–	–
Hamilton	–	–	–	–	–	–	–	–	–
Hampden	–	–	–	–	–	–	1	1	–
Hancock	–	–	–	–	–	–	–	–	–
Hanover	–	–	–	–	–	–	1	1	–
Hanson	–	–	–	–	–	–	2	1	1
Hardwick	–	–	–	–	–	–	1	1	–
Harvard	–	–	–	–	–	–	–	–	–
Harwich	–	–	–	–	–	–	1	1	–
Hatfield	–	–	–	–	–	–	–	–	–
HAVERHILL	20	11	9	–	–	–	30	19	11
Hawley	–	–	–	–	–	–	–	–	–
Heath	–	–	–	–	–	–	1	1	–
Hingham	–	–	–	–	–	–	3	2	1
Hinsdale	–	–	–	–	–	–	1	–	1
Holbrook	–	–	–	–	–	–	–	–	–
Holden	2	1	1	–	–	–	3	2	1
Holland	–	–	–	–	–	–	–	–	–
Holliston	–	–	–	–	–	–	1	1	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1938.

Municipalities.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Holyoke	14	6	8	–	–	–	29	13	16
Hopedale	–	–	–	–	–	–	–	–	–
Hopkinton	–	–	–	–	–	–	1	–	1
Hubbardston	–	–	–	–	–	–	–	–	–
Hudson	4	2	2	–	–	–	2	1	1
Hull	–	–	–	–	–	–	1	–	1
Huntington	–	–	–	–	–	–	–	–	–
Ipswich	–	–	–	–	–	–	1	1	–
Kingston	2	–	2	–	–	–	2	1	1
Lakeville	–	–	–	–	–	–	1	–	1
Lancaster	–	–	–	–	–	–	2	2	–
Lanesborough	–	–	–	–	–	–	–	–	–
Lawrence	20	10	10	–	–	–	37	23	14
Lee	–	–	–	–	–	–	–	–	–
Leicester	2	2	–	–	–	–	1	–	1
Lenox	–	–	–	–	–	–	2	2	–
Leominster	6	4	2	–	–	–	10	6	4
Leverett	2	1	1	–	–	–	1	1	–
Lexington	6	3	3	–	–	–	3	1	2
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	–	–	–	–	–	–	1	1	–
Littleton	–	–	–	–	–	–	–	–	–
Longmeadow	2	1	1	–	–	–	–	–	–
Lowell	26	12	14	–	–	–	50	29	21
Ludlow	–	–	–	–	–	–	3	1	2
Lunenburg	–	–	–	–	–	–	1	–	1
Lynn	42	26	16	–	–	–	40	22	18
Lynnfield	2	1	1	–	–	–	3	–	3
Malden	20	8	12	–	–	–	25	14	11
Manchester	2	2	–	–	–	–	3	1	2
Mansfield	–	–	–	–	–	–	–	–	–
Marblehead	4	–	4	–	–	–	4	1	3
Marion	–	–	–	–	–	–	3	3	–
Marlborough	4	2	2	–	–	–	3	1	2
Marshfield	–	–	–	–	–	–	–	–	–
Mashpee	2	2	–	–	–	–	–	–	–
Mattapoisett	2	–	2	–	–	–	1	–	1
Maynard	4	3	1	–	–	–	4	3	1
Medfield	2	2	–	–	–	–	1	1	–
Medford	14	8	6	–	–	–	23	9	14
Medway	–	–	–	–	–	–	1	–	1
Melrose	6	3	3	–	–	–	3	–	3
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	–	–	–	–	–	–	–	–	–
Methuen	2	2	–	–	–	–	7	2	5
Middleborough	4	3	1	–	–	–	–	–	–
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	–	–	–	–	–	–	2	1	1
Milford	4	4	–	–	–	–	4	1	3
Millbury	4	2	2	–	–	–	4	1	3
Millis	–	–	–	–	–	–	1	1	–
Millville	–	–	–	–	–	–	1	–	1
Milton	4	3	1	–	–	–	5	3	2
Monroe	–	–	–	–	–	–	–	–	–
Monson	–	–	–	–	–	–	3	3	–
Montague	–	–	–	–	–	–	1	1	–
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	–	–	–	–	–	–	1	–	1
Nantucket	–	–	–	–	–	–	1	–	1
Natick	2	–	2	–	–	–	11	5	6
Needham	–	–	–	–	–	–	3	2	1
New Ashford	–	–	–	–	–	–	–	–	–
New Bedford	28	18	10	–	–	–	51	29	22
New Braintree	–	–	–	–	–	–	1	–	1
New Marlborough	2	1	1	–	–	–	–	–	–
New Salem	–	–	–	–	–	–	–	–	–
Newbury	–	–	–	–	–	–	–	–	–
Newburyport	8	3	5	–	–	–	4	2	2
Newton	24	13	11	–	–	–	19	9	10
Norfolk	–	–	–	–	–	–	1	–	1
North Adams	8	4	4	–	–	–	10	3	7
North Andover	–	–	–	–	–	–	2	1	1
North Attleborough	4	–	4	–	–	–	2	1	1
North Brookfield	–	–	–	–	–	–	–	–	–
North Reading	–	–	–	–	–	–	2	2	–
Northampton	8	5	3	–	–	–	5	3	2

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1938.

MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Northborough	–	–	–	–	–	–	–	–	–
Northbridge	4	–	4	–	–	–	6	5	1
Northfield	–	–	–	–	–	–	2	2	–
Norton	–	–	–	–	–	–	2	–	2
Norwell	–	–	–	–	–	–	–	–	–
Norwood	2	2	–	–	–	–	4	2	2
Oak Bluffs	–	–	–	–	–	–	1	–	1
Oakham	–	–	–	–	–	–	–	–	–
Orange	4	1	3	–	–	–	3	3	–
Orleans	–	–	–	–	–	–	–	–	–
Otis	–	–	–	–	–	–	–	–	–
Oxford	2	2	–	–	–	–	3	1	2
Palmer	8	5	3	–	–	–	9	5	4
Paxton	–	–	–	–	–	–	–	–	–
PEABODY	10	6	4	–	–	–	9	6	3
Pelham	–	–	–	–	–	–	1	1	–
Pembroke	2	–	2	–	–	–	1	–	1
Pepperell	–	–	–	–	–	–	1	1	–
Peru	–	–	–	–	–	–	–	–	–
Petersham	–	–	–	–	–	–	–	–	–
Phillipston	–	–	–	–	–	–	1	–	1
PITTSFIELD	8	5	3	–	–	–	21	12	9
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	–	–	–	–	–	–	–	–	–
Plymouth	6	4	2	–	–	–	4	2	2
Plympton	2	–	2	–	–	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	–	–	–	–	–	–	–	–	–
Provincetown	–	–	–	–	–	–	–	–	–
QUINCY	34	23	11	–	–	–	31	13	18
Randolph	4	1	3	–	–	–	5	3	2
Raynham	–	–	–	–	–	–	–	–	–
Reading	4	2	2	–	–	–	1	–	1
Rehoboth	–	–	–	–	–	–	3	1	2
REVERE	4	3	1	–	–	–	14	8	6
Richmond	–	–	–	–	–	–	–	–	–
Rochester	–	–	–	–	–	–	1	–	1
Rockland	–	–	–	–	–	–	3	2	1
Rockport	–	–	–	–	–	–	2	2	–
Rowe	–	–	–	–	–	–	1	1	–
Rowley	–	–	–	–	–	–	1	1	–
Royalston	2	–	2	–	–	–	–	–	–
Russell	–	–	–	–	–	–	1	1	–
Rutland	–	–	–	–	–	–	–	–	–
SALEM	6	2	4	–	–	–	14	6	8
Salisbury	2	1	1	–	–	–	–	–	–
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	–	–	–	–	–	–	–	–	–
Saugus	10	7	3	–	–	–	4	2	2
Savoy	–	–	–	–	–	–	–	–	–
Scituate	–	–	–	–	–	–	3	1	2
Seekonk	2	1	1	–	–	–	3	3	–
Sharon	–	–	–	–	–	–	–	–	–
Sheffield	4	2	2	–	–	–	1	–	1
Shelburne	–	–	–	–	–	–	–	–	–
Sherborn	2	1	1	–	–	–	–	–	–
Shirley	2	2	–	–	–	–	2	1	1
Shrewsbury	2	1	1	–	–	–	4	2	2
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	4	–	4	–	–	–	4	3	1
SOMERVILLE	38	22	16	–	–	–	47	15	32
South Hadley	–	–	–	–	–	–	2	1	1
Southampton	–	–	–	–	–	–	–	–	–
Southborough	–	–	–	–	–	–	–	–	–
Southbridge	4	1	3	–	–	–	4	3	1
Southwick	–	–	–	–	–	–	–	–	–
Spencer	4	2	2	–	–	–	3	–	3
SPRINGFIELD	44	20	24	–	–	–	69	35	34
Sterling	–	–	–	–	–	–	1	1	–
Stockbridge	–	–	–	–	–	–	1	–	1
Stoneham	–	–	–	–	–	–	4	1	3
Stoughton	4	2	2	–	–	–	7	7	–
Stow	–	–	–	–	–	–	1	–	1
Sturbridge	–	–	–	–	–	–	–	–	–
Sudbury	–	–	–	–	–	–	–	–	–
Sunderland	–	–	–	–	–	–	2	2	–
Sutton	–	–	–	–	–	–	1	–	1
Swampscott	–	–	–	–	–	–	1	–	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

Municipalities.[1]	Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1938.								
	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Swansea	–	–	–	–	–	–	1	1	–
TAUNTON	4	2	2	3	–	3	16	7	9
Templeton	–	–	–	–	–	–	1	1	–
Tewksbury	–	–	–	–	–	–	2	2	–
State Infirmary	–	–	–	–	–	–	–	–	–
Tisbury	–	–	–	–	–	–	2	–	2
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	2	–	2	–	–	–	1	–	1
Townsend	–	–	–	–	–	–	2	1	1
Truro	–	–	–	–	–	–	–	–	–
Tyngsborough	2	1	1	–	–	–	2	2	–
Tyringham	–	–	–	–	–	–	–	–	–
Upton	4	1	3	–	–	–	–	–	–
Uxbridge	4	2	2	–	–	–	2	1	1
Wakefield	4	–	4	–	–	–	7	4	3
Wales	–	–	–	–	–	–	–	–	–
Walpole	–	–	–	–	–	–	4	3	1
WALTHAM	14	9	5	–	–	–	14	5	9
Ware	–	–	–	–	–	–	3	2	1
Wareham	2	2	–	–	–	–	8	6	2
Warren	–	–	–	–	–	–	2	–	2
Warwick	–	–	–	–	–	–	–	–	–
Washington	–	–	–	–	–	–	–	–	–
Watertown	–	–	–	3	3	–	18	10	8
Wayland	4	3	1	–	–	–	1	1	–
Webster	–	–	–	–	–	–	5	2	3
Wellesley	2	1	1	–	–	–	3	2	1
Wellfleet	2	–	2	–	–	–	–	–	–
Wendell	–	–	–	–	–	–	1	–	1
Wenham	–	–	–	–	–	–	–	–	–
West Boylston	–	–	–	–	–	–	–	–	–
West Bridgewater	–	–	–	–	–	–	2	2	–
West Brookfield	–	–	–	–	–	–	–	–	–
West Newbury	–	–	–	–	–	–	–	–	–
West Springfield	6	3	3	–	–	–	7	5	2
West Stockbridge	–	–	–	–	–	–	1	1	–
West Tisbury	–	–	–	–	–	–	–	–	–
Westborough	2	2	–	–	–	–	1	–	1
WESTFIELD	2	1	1	–	–	–	14	8	6
Westford	–	–	–	–	–	–	3	–	3
Westhampton	–	–	–	–	–	–	–	–	–
Westminster	–	–	–	–	–	–	1	1	–
Weston	2	2	–	–	–	–	2	2	–
Westport	–	–	–	–	–	–	1	1	–
Westwood	–	–	–	–	–	–	6	5	1
Weymouth	8	5	3	–	–	–	13	6	7
Whately	–	–	–	–	–	–	–	–	–
Whitman	–	–	–	–	–	–	2	1	1
Wilbraham	–	–	–	–	–	–	1	–	1
Williamsburg	2	1	1	–	–	–	2	1	1
Williamstown	6	2	4	–	–	–	1	1	–
Wilmington	–	–	–	–	–	–	4	2	2
Winchendon	4	3	1	3	–	3	4	1	3
Winchester	6	2	4	–	–	–	3	–	3
Windsor	–	–	–	–	–	–	1	–	1
Winthrop	2	2	–	–	–	–	5	3	2
WOBURN	8	4	4	–	–	–	12	9	3
WORCESTER	60	29	31	–	–	–	70	34	36
Worthington	–	–	–	–	–	–	–	–	–
Wrentham	–	–	–	–	–	–	–	–	–
Yarmouth	–	–	–	–	–	–	1	1	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 46 — Live Births[1] and Birth Rates[1] for the State and Cities having over 100,000 Inhabitants in 1935: **1914 to 1938.**

Years.	The State	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	LIVE BIRTHS.									
1914	93,399	19,467	4,667	2,986	4,703	2,745	3,574	–	2,083	2,914
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	2,108	2,944
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	2,205	3,289
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	2,176	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	2,143	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	1,935	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	2,024	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	2,064	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,057	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	1,964	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	2,077	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	1,972	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	1,887	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	1,903	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	1,912	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,866	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,813	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,588	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,559	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,477	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,493	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,341	1,468
1936	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	1,218	1,552
1937	61,272	12,101	2,862	1,971	1,690	1,784	1,472	1,636	1,297	1,427
1938	62,382	11,943	2,822	1,989	1,709	1,822	1,467	1,719	1,385	1,496
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS **1915 TO 1935.**									
1915	25.2	26.4	27.7	30.1	31.3	24.0	32.2	–	22.0	27.3
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	20.4	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	19.1	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	17.7	19.9
1935	14.3[1]	15.1	14.8	13.9	15.2	15.7	13.6	16.2	13.3	14.7

[1] Allocated for 1935, 1936, 1937 and 1938.

Table 47 — Live Births by Sex and Parent Nativity: **1914 to 1938.**

Years.	Population.	Sex. Total number.	Sex. Males.	Sex. Females.	Sex. Unknown.	Sex. Males to 1,000 females.	Parent Nativity. Native.	Parent Nativity. Foreign.	Parent Nativity. Mixed.	Parent Nativity. Unknown.
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560[1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644[1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728[1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812[1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416[2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5
1936	4,382,896	61,184[2]	31,290	29,894	–	1,047	42,512	7,681	10,987	4
1937	4,404,220	61,272[2]	31,623	29,649	–	1,067	43,497	6,472	11,299	4
1938	4,425,544	62,382[2]	31,852	30,530	–	1,043	45,645	5,767	10,970	–

[1] Revised figures. [2] Allocated.

Table 48

Years.	Live Births: 1914 to 1938.					Stillbirths: 1914 to 1938.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males to 1,000 females.
1914 . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779	36	2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997		1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821	35	1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540		1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173	33	1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246
1935 . .	14.3[4]	12,782	2.9	612	5	1,886		1,000	885	1	1,130
1936 . .	14.0[4]	9,749	2.3	634	8	1,816		980	835	1	1,174
1937 . .	13.9[4]	9,533	2.2	622	2	1,744	–	987	757	–	1,304
1938 . .	14.1[4]	13,097	3.0	621	6	1,730	–	922	808	–	1,141

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate. [4] Allocated.

PART II. B.

MARRIAGE STATISTICS

PAGE
Introduction 234, 235
Marriage registration 234
Source of data 234
Solemnization 234, 235
Accuracy 235
Purpose, marriage requirements 235
Statistical tables 236-247

INTRODUCTION

Marriage Registration.—The public registration of marriages has been required for many years in Massachusetts. Records of marriages are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1938, inclusive, there have been 5,023,736 marriages reported, recorded and tabulated in this department.

Source of Data—The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization.—A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and, of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Since laws of various States now provide for blood tests as a requirement before marriage there have been many marriages of non-residents in Massachusetts. Table 61 in this report shows the number of marriages and the states of residence of persons coming into this State to be married during 1938.

Accuracy.—The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose.—The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 49	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1938.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1938.			
		Nativity.							
Counties and Municipalities.[1]	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**31,904**	**25,662**	**1,503**	**1,858**	**2,881**	**15,556**	**1,840**	**7,881**	**6,627**
Counties.									
Barnstable	323	289	5	10	19	116	34	47	126
Berkshire	1,006	873	29	29	75	416	66	214	310
Bristol	3,288	2,704	115	173	296	1,772	113	599	804
Dukes	50	45	–	–	5	20	4	13	13
Essex	3,219	2,610	126	197	286	1,552	221	903	543
Franklin	352	337	1	5	9	81	24	103	144
Hampden	2,444	2,018	100	110	216	1,240	124	636	444
Hampshire	537	470	12	19	36	188	30	180	139
Middlesex	6,530	5,167	306	450	607	2,619	414	2,042	1,455
Nantucket	26	23	–	–	3	18	2	4	2
Norfolk	2,345	1,866	111	162	206	756	175	734	680
Plymouth	1,220	1,062	30	49	79	584	81	293	262
Suffolk	7,012	5,213	549	504	746	4,335	337	1,236	1,104
Worcester	3,552	2,985	119	150	298	1,859	215	877	601
Municipalities.									
Abington	27	27	–	–	–	10	3	9	5
Acton	13	12	–	1	–	3	2	3	5
Acushnet	20	17	–	2	1	3	1	10	6
Adams	113	98	1	2	12	55	6	37	15
Agawam	53	47	1	2	3	12	2	17	22
Alford	1	1	–	–	–	1	–	–	–
Amesbury	70	55	1	2	12	24	4	27	15
Amherst	52	47	–	–	5	10	5	16	21
Andover	45	34	4	5	2	14	6	19	6
Arlington	174	147	6	6	15	52	8	75	39
Ashburnham	22	20	–	–	2	3	1	7	11
Ashby	4	3	–	1	–	–	2	–	2
Ashfield	1	1	–	–	–	–	–	1	–
Ashland	13	12	–	–	1	7	–	6	–
Athol	95	82	1	3	9	41	12	25	17
ATTLEBORO	180	154	3	6	17	87	12	46	35
Auburn	75	67	1	2	5	19	4	23	29
Avon	14	13	–	1	–	4	–	5	5
Ayer	33	31	–	1	1	10	2	7	14
Barnstable	114	104	2	3	5	42	13	17	42
Barre	28	26	–	2	–	13	–	6	9
Becket	3	1	–	–	2	–	1	–	2
Bedford	21	21	–	–	–	3	1	6	11
Belchertown	30	26	1	2	1	6	1	5	18
Bellingham	33	27	1	1	4	6	1	17	9
Belmont	147	122	11	6	8	24	15	61	47
Berkley	4	4	–	–	–	–	1	–	3
Berlin	5	4	–	–	1	–	1	2	2
Bernardston	23	23	–	–	–	5	3	–	15
BEVERLY	149	125	7	4	13	77	9	40	23
Billerica	39	38	1	–	–	14	1	14	10
Blackstone	45	36	3	3	3	10	1	26	8
Blandford	4	4	–	–	–	1	2	–	1
Bolton	4	4	–	–	–	1	1	1	1
BOSTON	6,299	4,659	507	450	683	4,017	310	1,048	924
Bourne	25	19	–	2	4	7	4	2	12
Boxborough	1	1	–	–	–	–	–	1	–
Boxford	1	1	–	–	–	–	–	–	1
Boylston	6	5	1	–	–	1	–	3	2
Braintree	80	73	1	3	3	32	6	31	11
Brewster	5	4	1	–	–	2	–	–	3
Bridgewater	45	38	1	1	5	14	2	19	10
Brimfield	7	6	1	–	–	1	1	–	5
BROCKTON	480	417	14	21	28	289	29	104	58
Brookfield	14	14	–	–	–	3	–	4	7
Brookline	611	442	54	55	60	103	41	189	278
Buckland	19	18	–	–	1	2	2	4	11
Burlington	5	4	–	–	1	2	–	2	1
CAMBRIDGE	887	647	58	77	105	399	71	227	190
Canton	47	42	1	1	3	18	5	20	4
Carlisle	4	1	–	1	2	–	–	3	1
Carver	2	2	–	–	–	–	–	–	2
Charlemont	6	5	–	1	–	1	–	1	4
Charlton	11	11	–	–	–	4	1	5	1
Chatham	10	10	–	–	–	6	–	1	3
Chelmsford	48	42	1	2	3	13	4	13	18
CHELSEA	286	198	30	31	27	150	9	80	47
Cheshire	5	3	–	2	–	1	–	2	2
Chester	4	3	–	1	–	2	–	2	–
Chesterfield	2	1	1	–	–	1	–	1	–
CHICOPEE	280	242	8	11	19	150	6	108	16
Chilmark	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small CAPITALS.

Table 49

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1938. Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1938.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	80	70	2	3	5	46	3	24	7
Cohasset	19	16	–	1	2	6	5	2	6
Colrain	7	7	–	–	–	1	–	5	1
Concord	81	70	–	6	5	19	6	35	21
Conway	4	4	–	–	–	–	1	1	2
Cummington	–	–	–	–	–	–	–	–	–
Dalton	25	22	–	1	2	8	2	11	4
Dana	1	1	–	–	–	–	–	–	1
Danvers	67	59	1	2	5	21	4	29	13
Dartmouth	42	39	–	–	3	18	2	13	9
Dedham	87	73	5	2	7	32	7	30	18
Deerfield	50	48	–	1	1	2	5	11	32
Dennis	8	7	1	–	–	1	2	1	4
Dighton	33	25	1	2	5	4	1	13	15
Douglas	27	24	–	1	2	7	3	11	6
Dover	7	6	1	–	–	1	–	1	5
Dracut	23	20	–	1	2	7	–	12	4
Dudley	6	6	–	–	–	–	–	1	5
Dunstable	8	8	–	–	–	1	1	2	4
Duxbury	10	10	–	–	–	5	1	3	1
East Bridgewater	11	10	1	–	–	6	2	3	–
East Brookfield	6	4	–	1	1	2	–	–	4
East Longmeadow	26	20	1	1	4	6	–	8	12
Eastham	1	1	–	–	–	–	–	1	–
Easthampton	61	52	3	1	5	21	4	26	10
Easton	34	31	–	1	2	12	2	11	9
Edgartown	6	6	–	–	–	4	–	2	–
Egremont	16	15	–	1	–	–	1	1	14
Enfield	–	–	–	–	–	–	–	–	–
Erving	4	4	–	–	–	1	–	–	3
Essex	8	8	–	–	–	2	1	4	1
Everett	365	282	18	29	36	143	23	113	86
Fairhaven	64	56	1	1	6	21	3	29	11
Fall River	1,017	832	35	57	93	743	17	165	92
Falmouth	45	36	1	2	6	29	3	6	7
Fitchburg	327	262	15	14	36	183	20	81	43
Florida	4	4	–	–	–	–	1	1	2
Foxborough	38	34	1	–	3	14	3	10	11
Framingham	165	133	3	13	16	77	10	50	28
Franklin	60	48	4	4	4	31	4	17	8
Freetown	14	14	–	–	–	7	2	1	4
Gardner	131	108	9	6	8	71	8	34	18
Gay Head	1	–	–	–	1	–	–	1	–
Georgetown	15	12	1	1	1	3	2	2	8
Gill	1	1	–	–	–	–	–	–	1
Gloucester	155	133	2	6	14	104	7	23	21
Goshen	2	2	–	–	–	–	–	1	1
Gosnold	1	1	–	–	–	–	–	–	1
Grafton	47	43	2	1	1	11	2	16	18
Granby	8	8	–	–	–	1	–	1	6
Granville	5	5	–	–	–	1	–	1	3
Great Barrington	69	58	2	2	7	12	8	17	32
Greenfield	104	99	1	1	3	40	3	32	29
Greenwich	–	–	–	–	–	–	–	–	–
Groton	30	20	3	3	4	10	2	7	11
Groveland	14	14	–	–	–	2	–	6	6
Hadley	31	29	–	1	1	10	3	14	4
Halifax	13	12	–	–	1	3	–	3	7
Hamilton	11	7	–	2	2	–	1	3	7
Hampden	5	5	–	–	–	–	–	1	4
Hancock	1	1	–	–	–	–	–	–	1
Hanover	20	19	–	–	1	3	–	4	13
Hanson	14	14	–	–	–	5	2	4	3
Hardwick	15	15	–	–	–	4	1	5	5
Harvard	8	7	1	–	–	1	–	4	3
Harwich	31	30	–	1	–	6	5	4	16
Hatfield	21	20	–	–	1	5	1	14	1
Haverhill	286	246	13	6	21	184	13	63	26
Hawley	1	1	–	–	–	–	–	–	1
Heath	–	–	–	–	–	–	–	–	–
Hingham	51	39	2	6	4	12	5	23	11
Hinsdale	26	23	1	–	2	–	1	2	23
Holbrook	22	21	–	1	–	3	3	6	10
Holden	22	20	–	1	1	4	4	6	8
Holland	–	–	–	–	–	–	–	–	–
Holliston	50	39	2	4	5	5	3	5	37
Holyoke	384	310	18	19	37	211	18	118	37

[1] Cities are printed in small capitals.

Table 49

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1938. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1938. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hopedale	14	9	–	1	4	3	1	6	4
Hopkinton	14	13	–	–	1	4	–	7	3
Hubbardston	9	8	1	–	–	4	1	2	2
Hudson	38	31	–	3	4	17	1	13	7
Hull	17	16	–	1	–	7	1	5	4
Huntington	7	6	–	1	–	–	–	1	6
Ipswich	56	47	1	3	5	18	1	20	17
Kingston	31	27	1	1	2	11	3	5	12
Lakeville	7	7	–	–	–	1	–	2	4
Lancaster	22	20	–	2	–	8	4	7	3
Lanesborough	5	5	–	–	–	1	–	1	3
LAWRENCE	572	447	34	31	60	317	40	137	78
Lee	24	23	1	–	–	8	3	8	5
Leicester	30	27	–	2	1	11	1	14	4
Lenox	28	26	–	1	1	9	1	6	12
LEOMINSTER	114	95	3	9	7	60	6	35	13
Leverett	3	3	–	–	–	2	–	1	–
Lexington	56	48	3	5	–	18	4	17	17
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	7	7	–	–	–	1	–	3	3
Littleton	19	16	1	–	2	3	2	4	10
Longmeadow	34	34	–	–	–	–	5	12	17
LOWELL	795	647	27	45	76	498	32	165	100
Ludlow	35	28	2	–	5	14	1	11	9
Lunenburg	5	5	–	–	–	1	–	2	2
LYNN	715	550	38	62	65	399	48	183	85
Lynnfield	10	9	–	–	1	1	–	2	7
MALDEN	365	286	27	23	29	147	18	115	85
Manchester	19	16	–	3	–	3	1	9	6
Mansfield	48	40	1	1	6	21	1	15	11
Marblehead	55	42	1	5	7	21	8	17	9
Marion	15	14	–	1	–	1	3	3	8
MARLBOROUGH	106	92	2	3	9	58	7	31	10
Marshfield	8	8	–	–	–	1	2	1	4
Mashpee	3	3	–	–	–	–	–	–	3
Mattapoisett	13	13	–	–	–	5	1	4	3
Maynard	73	58	1	8	6	26	7	24	16
Medfield	19	17	2	–	–	5	1	8	5
MEDFORD	383	308	12	27	36	134	24	122	103
Medway	23	21	–	1	1	2	3	8	10
MELROSE	129	104	3	12	10	36	7	64	22
Mendon	2	2	–	–	–	1	–	1	–
Merrimac	23	21	–	1	1	2	–	5	16
Methuen	107	81	4	13	9	34	8	27	38
Middleborough	98	89	1	4	4	41	9	19	29
Middlefield	2	2	–	–	–	1	–	–	1
Middleton	4	3	–	–	1	3	–	1	–
Milford	90	73	–	6	11	44	3	28	15
Millbury	40	36	–	2	2	14	3	14	9
Millis	31	20	2	2	7	2	2	10	17
Millville	8	6	–	–	2	1	–	6	1
Milton	86	70	2	7	7	15	6	46	19
Monroe	–	–	–	–	–	–	–	–	–
Monson	42	40	–	1	1	9	3	9	21
Montague	57	56	–	–	1	8	5	27	17
Monterey	9	9	–	–	–	1	1	1	6
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	10	9	–	1	–	4	–	3	3
Nantucket	26	23	–	–	3	18	2	4	2
Natick	100	76	4	10	10	33	12	26	29
Needham	62	44	2	7	9	17	4	23	18
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	842	649	60	53	80	573	32	134	103
New Braintree	1	1	–	–	–	1	–	–	–
New Marlborough	5	4	–	1	–	1	–	1	3
New Salem	7	7	–	–	–	–	1	–	6
Newbury	8	7	–	–	1	1	1	3	3
NEWBURYPORT	84	78	2	2	2	39	4	14	27
NEWTON	493	393	19	37	44	151	30	188	124
Norfolk	7	4	–	2	1	2	–	3	2
NORTH ADAMS	171	147	6	6	12	104	7	38	22
North Andover	40	33	–	5	2	9	3	24	4
North Attleborough	103	80	2	9	12	32	10	25	36
North Brookfield	19	19	–	–	–	5	3	7	4
North Reading	13	11	1	–	1	6	1	3	3
NORTHAMPTON	154	131	3	8	12	78	7	44	25
Northborough	11	10	–	–	1	7	1	3	–

[1] Cities are printed in small capitals.

Table 49

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1938. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1938. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Northbridge	63	50	3	3	7	33	5	22	3
Northfield	19	18	–	1	–	5	1	6	7
Norton	37	31	–	2	4	4	–	11	22
Norwell	6	5	–	1	–	1	1	2	2
Norwood	97	87	2	2	6	39	6	31	21
Oak Bluffs	30	28	–	–	2	11	4	6	9
Oakham	–	–	–	–	–	–	–	–	–
Orange	29	27	–	1	1	12	2	11	4
Orleans	15	14	–	–	1	2	3	5	5
Otis	9	9	–	–	–	2	–	–	7
Oxford	33	28	–	–	5	12	3	11	7
Palmer	78	72	1	1	4	21	5	24	28
Paxton	4	4	–	–	–	1	–	2	1
PEABODY	142	116	6	9	11	49	10	69	14
Pelham	2	1	–	–	1	1	1	–	–
Pembroke	7	5	–	1	1	1	2	2	2
Pepperell	53	49	–	1	3	10	7	8	28
Peru	–	–	–	–	–	–	–	–	–
Petersham	6	6	–	–	–	–	2	–	4
Phillipston	1	1	–	–	–	–	–	–	1
PITTSFIELD	339	285	16	11	27	187	22	67	63
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	7	7	–	–	–	5	1	–	1
Plymouth	122	102	3	7	10	68	6	24	24
Plympton	2	2	–	–	–	–	–	2	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	5	4	–	–	1	–	–	2	3
Provincetown	27	23	–	2	2	13	–	3	11
QUINCY	484	384	17	35	48	261	36	118	69
Randolph	38	33	1	2	2	12	2	14	10
Raynham	15	15	–	–	–	2	–	1	12
Reading	87	70	3	7	7	34	10	27	16
Rehoboth	30	23	–	3	4	6	–	2	22
REVERE	312	256	10	15	31	116	14	77	105
Richmond	9	9	–	–	–	1	1	1	6
Rochester	5	5	–	–	–	2	–	1	2
Rockland	51	45	–	2	4	22	4	17	8
Rockport	24	20	–	1	3	5	3	10	6
Rowe	1	1	–	–	–	–	–	–	1
Rowley	6	6	–	–	–	2	–	1	3
Royalston	4	4	–	–	–	2	1	–	1
Russell	6	5	–	1	–	–	1	2	3
Rutland	11	9	1	–	1	2	2	4	3
SALEM	323	259	6	21	37	161	25	94	43
Salisbury	19	18	–	1	–	2	2	2	13
Sandisfield	5	4	–	–	1	1	1	–	3
Sandwich	15	15	–	–	–	1	2	4	8
Saugus	75	63	3	5	4	28	6	25	16
Savoy	–	–	–	–	–	–	–	–	–
Scituate	35	28	–	–	7	19	1	5	10
Seekonk	356	303	7	17	29	23	12	9	312
Sharon	36	29	3	1	3	3	1	4	28
Sheffield	36	32	–	1	3	5	1	5	25
Shelburne	7	6	–	–	1	–	–	1	6
Sherborn	4	3	–	1	–	–	2	–	2
Shirley	17	16	–	1	–	8	1	3	5
Shrewsbury	34	27	1	3	3	7	4	16	7
Shutesbury	1	–	–	–	1	–	1	–	–
Somerset	37	30	1	1	5	7	1	16	13
SOMERVILLE	630	478	51	48	53	286	31	217	96
South Hadley	64	53	–	4	7	12	2	20	30
Southampton	5	4	–	–	1	2	1	1	1
Southborough	12	11	–	1	–	1	–	5	6
Southbridge	151	118	5	10	18	105	4	20	22
Southwick	22	19	–	–	3	2	2	3	15
Spencer	47	42	–	4	1	20	5	15	7
SPRINGFIELD	1,161	924	60	60	117	703	65	228	165
Sterling	4	4	–	–	–	1	1	1	1
Stockbridge	21	19	–	–	2	4	1	6	10
Stoneham	68	64	1	–	3	28	1	25	14
Stoughton	51	46	1	2	2	21	3	25	2
Stow	4	4	–	–	–	–	–	3	1
Sturbridge	14	13	1	–	–	2	2	2	8
Sudbury	10	9	–	–	1	1	1	4	4
Sunderland	6	6	–	–	–	1	–	1	4
Sutton	10	9	–	–	1	5	1	1	3
Swampscott	81	69	2	4	6	19	11	31	20
Swansea	46	40	1	–	5	11	3	15	17

[1] Cities are printed in small capitals.

Table 49

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1938. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1938. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
TAUNTON	337	298	3	15	21	189	13	72	63
Templeton	30	28	–	1	1	4	4	11	11
Tewksbury	27	26	–	1	–	10	–	9	8
Tisbury	11	9	–	–	2	4	–	4	3
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	7	6	–	1	–	1	1	2	3
Townsend	13	13	–	–	–	2	–	2	9
Truro	3	3	–	–	–	2	–	–	1
Tyngsborough	42	38	1	–	3	2	2	4	34
Tyringham	2	2	–	–	–	–	–	1	1
Upton	15	15	–	–	–	7	3	2	3
Uxbridge	82	66	1	6	9	26	3	27	26
Wakefield	112	88	6	8	10	39	9	43	21
Wales	4	3	–	1	–	–	–	–	4
Walpole	60	46	–	5	9	18	3	25	14
WALTHAM	270	189	19	31	31	119	17	89	45
Ware	74	67	3	2	2	34	5	26	9
Wareham	62	50	5	1	6	36	3	8	15
Warren	22	20	–	–	2	9	–	11	2
Warwick	–	–	–	–	–	–	–	–	–
Washington	1	1	–	–	–	1	–	–	–
Watertown	200	133	16	10	41	62	21	69	48
Wayland	20	15	–	2	3	5	2	6	7
Webster	169	143	4	5	17	51	13	52	53
Wellesley	85	64	4	12	5	17	8	37	23
Wellfleet	11	11	–	–	–	1	1	2	7
Wendell	–	–	–	–	–	–	–	–	–
Wenham	8	6	–	1	1	1	1	3	3
West Boylston	12	11	–	–	1	5	–	2	5
West Bridgewater	9	8	–	–	1	1	–	4	4
West Brookfield	6	6	–	–	–	1	–	3	2
West Newbury	10	10	–	–	–	2	1	5	2
West Springfield	101	83	1	8	9	32	8	41	20
West Stockbridge	46	43	1	–	2	5	2	2	37
West Tisbury	1	1	–	–	–	1	–	–	–
Westborough	31	29	–	2	–	12	4	3	12
WESTFIELD	174	151	7	3	13	70	4	47	53
Westford	19	15	1	2	1	5	1	10	3
Westhampton	4	3	1	–	–	1	–	1	2
Westminster	8	6	1	1	–	1	1	3	3
Weston	22	18	1	1	2	4	2	7	9
Westport	29	23	–	3	3	9	–	11	9
Westwood	23	14	1	4	4	5	1	6	11
Weymouth	183	155	5	10	13	78	16	44	45
Whately	2	2	–	–	–	1	–	1	–
Whitman	59	50	2	2	5	20	1	17	21
Wilbraham	19	17	–	1	1	5	1	4	9
Williamsburg	18	18	–	–	–	5	–	9	4
Williamstown	33	29	1	1	2	9	6	6	12
Wilmington	50	44	–	4	2	22	1	13	14
Winchendon	48	43	–	4	1	26	1	8	13
Winchester	81	64	2	5	10	17	7	43	14
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	115	100	2	8	5	52	4	31	28
WOBURN	99	88	2	4	5	44	3	36	16
WORCESTER	1,390	1,148	63	51	128	942	71	245	132
Worthington	–	–	–	–	–	–	–	–	–
Wrentham	35	30	1	1	3	4	7	4	20
Yarmouth	10	9	–	–	1	4	1	1	4

[1] Cities are printed in small capitals.

Table 50

Age at Marriage.	Marriages, by Sex, Age, and Marital Condition: 1938. Both sexes.	Males. Total.	Males. Single.	Males. Widowed.	Males. Divorced.	Females. Total.	Females. Single.	Females. Widowed.	Females. Divorced.
The State									
13 Years and Over	**63,808**	**31,904**	**28,252**	**2,052**	**1,600**	**31,904**	**28,547**	**1,398**	**1,959**
Under 20 years	5,762	760	760	–	–	5,002	4,977	5	20
20 to 29 years	41,182	20,833	20,504	100	229	20,349	19,559	126	664
30 to 39 years	11,364	6,888	5,778	365	745	4,476	3,351	311	814
40 to 49 years	3,287	1,971	958	568	445	1,316	507	452	357
50 to 59 years	1,400	888	208	542	138	512	111	311	90
60 to 69 years	650	439	38	361	40	211	36	162	13
79 to 79 years	153	115	5	107	3	38	6	31	1
80 years and over	10	10	1	9	–	–	–	–	–

Line No.	Table 51 — Months.	Marriages, by Months in Counties — The State. Total number.	Average daily number.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**31,904**	**87**	**323**	**1,006**	**3,288**	**50**	**3,219**	**352**	**2,444**	**537**	**6,530**
2	January	1,730	56	18	30	191	1	164	21	119	15	305
3	February	1,776	63	17	38	180	4	159	19	135	32	364
4	March	994	32	9	18	112	1	97	5	88	12	193
5	April	2,409	80	22	45	294	–	250	20	156	37	527
6	May	2,297	74	30	63	240	2	233	23	201	42	465
7	June	4,316	144	32	123	380	7	441	39	286	75	937
8	July	2,823	91	27	115	306	3	297	39	230	53	551
9	August	2,531	82	42	115	251	7	264	42	180	39	506
10	September	3,791	126	49	137	368	11	380	30	285	67	812
11	October	3,825	123	36	147	344	6	409	47	300	64	817
12	November	3,510	117	28	113	443	5	346	40	324	76	677
13	December	1,902	61	13	62	179	3	179	27	140	25	376

Line No.	Table 52 — Counties and Sex.	Marriages in Each County, All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**31,904**	–	–	–	**7**	**43**	**216**	**494**	**10,800**
2	**Brides**	**31,904**	**1**	**10**	**45**	**307**	**706**	**1,800**	**2,133**	**13,104**
	Barnstable:									
3	Grooms	323	–	–	–	1	1	2	6	122
4	Brides	323	–	1	2	4	16	27	26	121
	Berkshire:									
5	Grooms	1,006	–	–	–	–	–	11	24	360
6	Brides	1,006	–	1	1	12	24	72	79	424
	Bristol:									
7	Grooms	3,288	–	–	–	–	7	32	60	1,311
8	Brides	3,288	–	1	5	51	90	224	293	1,418
	Dukes:									
9	Grooms	50	–	–	–	–	–	–	2	20
10	Brides	50	–	–	–	1	2	2	4	19
	Essex:									
11	Grooms	3,219	–	–	–	–	4	22	62	1,133
12	Brides	3,219	1	1	3	24	81	180	206	1,310
	Franklin:									
13	Grooms	352	–	–	–	–	3	2	6	131
14	Brides	352	–	–	4	5	14	26	32	134
	Hampden:									
15	Grooms	2,444	–	–	–	1	4	18	35	860
16	Brides	2,444	–	–	4	29	58	146	176	1,016
	Hampshire:									
17	Grooms	537	–	–	–	–	–	2	8	193
18	Brides	537	–	–	–	2	14	32	36	231
	Middlesex:									
19	Grooms	6,530	–	–	–	1	7	30	75	2,090
20	Brides	6,530	–	2	6	42	147	320	376	2,616
	Nantucket:									
21	Grooms	26	–	–	–	–	–	1	1	9
22	Brides	26	–	–	–	–	–	2	3	11
	Norfolk:									
23	Grooms	2,345	–	–	–	–	1	12	19	703
24	Brides	2,345	–	–	3	11	34	115	110	942
	Plymouth:									
25	Grooms	1,220	–	–	–	–	–	11	23	444
26	Brides	1,220	–	–	3	26	29	92	98	504
	Suffolk:									
27	Grooms	7,012	–	–	–	3	5	40	91	2,063
28	Brides	7,012	–	4	3	48	108	304	385	2,858
	Worcester:									
29	Grooms	3,552	–	–	–	1	11	33	82	1,361
30	Brides	3,552	–	–	11	52	89	258	309	1,500

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1938.

Line No.	COUNTIES — Con.					CITIES HAVING OVER 100,000 INHABITANTS.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell.
1	**26**	**2,345**	**1,220**	**7,012**	**3,552**	**6,299**	**1,390**	**1,161**	**887**	**1,017**	**842**	**715**	**630**	**795**
2	–	122	64	498	182	445	86	56	44	63	46	41	36	39
3	–	132	74	414	208	379	90	69	55	48	59	32	36	47
4	–	76	47	237	99	209	48	51	37	25	18	25	18	12
5	1	186	109	536	226	481	89	82	83	82	79	62	49	54
6	2	153	83	495	265	439	103	95	51	81	58	47	40	71
7	5	373	174	995	449	896	177	122	136	119	96	100	98	96
8	3	186	114	596	303	536	116	98	66	110	64	74	47	62
9	3	175	101	499	307	445	116	83	71	66	65	64	43	67
10	5	272	144	808	423	711	152	125	92	123	98	81	86	105
11	4	300	140	791	420	716	176	150	112	106	97	87	83	90
12	2	214	103	688	451	629	155	158	102	147	126	54	64	93
13	1	156	67	455	219	413	82	72	38	47	36	48	30	59

Line No.	BY SEX AND AGE: 1938.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**10,033**	**4,623**	**2,265**	**1,213**	**758**	**521**	**367**	**260**	**179**	**75**	**40**	**10**
2	7,245	3,052	1,424	768	548	314	198	134	77	31	7	–
3	101	33	18	6	8	6	3	7	4	3	2	–
4	62	27	11	4	10	7	1	3	1	–	–	–
5	269	156	57	41	25	21	16	14	5	5	2	–
6	180	90	42	26	16	15	7	9	5	3	–	–
7	1,004	356	206	114	77	39	39	18	17	6	1	1
8	658	231	116	82	53	26	21	11	6	2	–	–
9	15	6	2	–	2	1	2	–	–	–	–	–
10	14	4	3	1	–	–	–	–	–	–	–	–
11	981	440	217	120	81	60	37	29	17	11	2	3
12	744	310	110	84	69	46	23	11	12	4	–	–
13	121	39	15	9	6	7	4	3	2	2	2	–
14	77	27	13	4	4	5	2	2	–	3	–	–
15	760	333	168	100	56	53	21	15	12	5	3	–
16	529	213	118	57	47	21	14	9	4	3	–	–
17	166	66	34	19	11	10	10	9	5	1	3	–
18	113	37	26	13	14	5	6	5	3	–	–	–
19	2,100	1,098	456	281	129	88	67	41	41	14	10	2
20	1,604	715	314	153	99	51	42	23	11	4	5	–
21	5	5	–	3	1	–	–	–	–	–	1	–
22	4	2	2	1	1	–	–	–	–	–	–	–
23	804	382	163	89	63	43	23	23	17	3	–	–
24	622	238	125	46	43	24	14	10	6	2	–	–
25	367	170	71	35	29	19	24	12	9	4	1	1
26	231	104	42	27	23	19	11	6	2	2	1	–
27	2,280	1,100	631	285	189	127	82	54	40	11	10	1
28	1,700	781	356	193	111	67	35	32	20	6	1	–
29	1,060	439	227	111	81	47	39	35	10	10	3	2
30	707	273	146	77	58	28	22	13	7	2	–	–

Table 53 — MARRIAGES, BY SEX AND AGE: 1938.

Age of Grooms.	Age of brides. All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**31,904**	**5,002**	**13,104**	**7,245**	**3,052**	**1,424**	**768**	**548**	**314**	**198**	**134**	**77**	**31**	**7**	–
Under 20 . .	760	559	194	6	1	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	10,800	3,327	6,417	960	86	10	–	–	–	–	–	–	–	–	–
25 to 29 . .	10,033	887	4,951	3,480	618	82	14	1	–	–	–	–	–	–	–
30 to 34 . .	4,623	170	1,117	1,859	1,155	261	39	18	3	1	–	–	–	–	–
35 to 39 . .	2,265	38	297	635	709	430	114	37	3	2	–	–	–	–	–
40 to 44 . .	1,213	10	83	206	285	305	209	91	18	4	1	1	–	–	–
45 to 49 . .	758	5	25	66	120	185	166	131	42	14	4	–	–	–	–
50 to 54 . .	521	3	12	21	45	77	130	119	84	20	10	–	–	–	–
55 to 59 . .	367	1	3	8	23	43	51	75	75	67	17	4	–	–	–
60 to 64 . .	260	2	3	3	8	18	28	51	48	40	45	14	–	–	–
65 to 69 . .	179	–	2	1	2	10	13	13	28	38	40	24	5	3	–
70 to 74 . .	75	–	–	–	–	2	2	7	9	5	13	21	16	–	–
75 to 79 . .	40	–	–	–	–	1	2	5	4	4	4	9	8	3	–
80 and over .	10	–	–	–	–	–	–	–	–	3	–	4	2	1	–

Table 54 — FIRST MARRIAGES, BY SEX AND AGE: 1938.

Age of Grooms (Bachelors).	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**26,603**	**4,873**	**12,438**	**6,228**	**2,114**	**618**	**204**	**77**	**32**	**9**	**6**	**2**	**2**	–	–
Under 20 . .	755	558	193	4	–	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	10,544	3,298	6,310	874	57	5	–	–	–	–	–	–	–	–	–
25 to 29 . .	9,330	849	4,745	3,205	488	39	4	–	–	–	–	–	–	–	–
30 to 34 . .	3,720	140	931	1,568	913	152	14	2	–	–	–	–	–	–	–
35 to 39 . .	1,444	21	205	439	484	238	51	4	–	2	–	–	–	–	–
40 to 44 . .	481	4	41	105	129	107	67	24	4	–	–	–	–	–	–
45 to 49 . .	193	2	9	23	34	58	35	20	9	1	2	–	–	–	–
50 to 54 . .	86	1	4	8	9	14	29	14	6	1	–	–	–	–	–
55 to 59 . .	30	–	–	1	–	4	3	9	8	2	2	1	–	–	–
60 to 64 . .	11	–	–	1	–	1	1	3	3	1	1	–	–	–	–
65 to 69 . .	5	–	–	–	–	–	–	–	1	2	1	1	–	–	–
70 to 74 . .	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–
75 to 79 . .	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
80 and over .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 55 — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1938.

Age of Grooms (Bachelors).	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**1,649**	**23**	**202**	**430**	**368**	**275**	**159**	**115**	**48**	**16**	**9**	**4**	–	–	–
Under 20 . .	5	1	1	2	1	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	215	17	82	83	28	5	–	–	–	–	–	–	–	–	–
25 to 29 . .	415	5	74	187	104	36	8	1	–	–	–	–	–	–	–
30 to 34 . .	351	–	32	94	120	69	19	14	2	1	–	–	–	–	–
35 to 39 . .	263	–	10	48	65	86	33	19	2	–	–	–	–	–	–
40 to 44 . .	188	–	3	13	30	48	55	29	7	2	1	–	–	–	–
45 to 49 . .	96	–	–	2	13	18	28	21	11	2	1	–	–	–	–
50 to 54 . .	65	–	–	1	7	9	11	21	12	3	1	–	–	–	–
55 to 59 . .	27	–	–	–	–	2	4	5	11	4	1	–	–	–	–
60 to 64 . .	15	–	–	–	–	2	1	5	2	1	3	1	–	–	–
65 to 69 . .	7	–	–	–	–	–	–	–	–	2	2	3	–	–	–
70 to 74 . .	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
75 to 79 . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 56

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1938.

Age of Grooms. (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**1,944**	**104**	**433**	**460**	**357**	**262**	**138**	**88**	**53**	**17**	**18**	**10**	**4**	–	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	38	12	24	1	1	–	–	–	–	–	–	–	–	–	–
25 to 29	243	33	124	69	16	1	–	–	–	–	–	–	–	–	–
30 to 34	415	28	146	149	71	17	4	–	–	–	–	–	–	–	–
35 to 39	354	17	74	113	93	49	6	2	–	–	–	–	–	–	–
40 to 44	313	6	36	75	85	76	28	6	1	–	–	–	–	–	–
45 to 49	212	3	15	37	45	52	31	22	7	–	–	–	–	–	–
50 to 54	142	2	7	7	24	30	33	23	13	1	2	–	–	–	–
55 to 59	102	1	3	6	17	23	16	16	12	5	2	1	–	–	–
60 to 64	62	2	2	2	4	8	11	14	11	2	5	1	–	–	–
65 to 69	37	–	2	1	1	3	6	5	6	7	3	2	1	–	–
70 to 74	18	–	–	–	–	2	1	–	3	2	5	2	3	–	–
75 to 79	8	–	–	–	–	1	2	–	–	–	1	4	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 57

REMARRIAGES OF BOTH PARTIES, BY AGE: 1938.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**1,708**	**2**	**31**	**127**	**213**	**269**	**267**	**268**	**181**	**156**	**101**	**61**	**25**	**7**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–
25 to 29	45	–	8	19	10	6	2	–	–	–	–	–	–	–	–
30 to 34	137	2	8	48	51	23	2	2	1	–	–	–	–	–	–
35 to 39	204	–	8	35	67	57	24	12	1	–	–	–	–	–	–
40 to 44	231	–	3	13	41	74	59	32	6	2	–	1	–	–	–
45 to 49	257	–	1	4	28	57	72	68	15	11	1	–	–	–	–
50 to 54	228	–	1	5	5	24	57	61	53	15	7	–	–	–	–
55 to 59	208	–	–	1	6	14	28	45	44	56	12	2	–	–	–
60 to 64	172	–	1	–	4	7	15	29	32	36	36	12	–	–	–
65 to 69	130	–	–	–	1	7	7	8	21	27	34	18	4	3	–
70 to 74	53	–	–	–	–	–	1	7	4	2	8	19	12	–	–
75 to 79	31	–	–	–	–	–	–	4	4	4	3	5	8	3	–
80 and over	9	–	–	–	–	–	–	–	–	3	–	4	1	1	–

[1] Includes divorced.

Table 58

FIRST MARRIAGES AND REMARRIAGES, 1938.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total number	**31,904**	**28,547**	**3,103**	**239**	**15**	–
First marriage	28,252	26,603	1,577	71	1	–
Second marriage	3,371	1,842	1,385	133	11	–
Third marriage	266	98	131	34	3	–
Fourth marriage	14	4	10	–	–	–
Fifth marriage	1	–	–	1	–	–

Table 59

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: **1914** TO **1938**.

YEARS.	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION. Annual.	Five-year averages.	NATIVITY — PERCENTAGES. BRIDE AND GROOM — BOTH — Native.	Foreign.	Native groom and foreign bride.	Foreign groom and native bride.
1914	32,588	17.9	17.7	44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4		80.4	4.7	5.8	9.1

Table 60

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1935: **1914** TO **1938**.

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1935. Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn	Somerville.	Lowell
1914	32,588	8,522	1,411	871	1,058	1,141	1,229	–	–	1,017
1915	31,301	8,141	1,408	828	986	1,121	1,118	–	–	1,035
1916	34,386	8,552	1,687	1,062	1,113	1,163	1,207	–	–	1,166
1917	37,945	9,191	1,836	1,265	1,243	1,297	1,451	–	–	1,280
1918	29,163	7,396	1,325	1,081	1,111	973	1,102	–	–	1,091
1919	34,329	8,122	1,569	1,257	1,132	1,296	1,248	–	–	1,206
1920	38,048	8,545	1,811	1,403	1,271	1,372	1,565	–	–	1,238
1921	33,590	8,241	1,466	1,136	1,051	1,221	1,211	–	–	996
1922	32,683	7,816	1,414	1,104	1,070	1,350	1,176	–	–	895
1923	35,200	8,243	1,505	1,181	1,164	1,340	1,255	–	–	1,004
1924	32,080	7,688	1,375	1,148	1,093	1,114	978	–	–	880
1925	31,238	7,263	1,420	1,080	1,015	1,052	1,028	808	–	843
1926	30,584	7,151	1,287	1,024	1,062	1,027	912	879	–	795
1927	30,408	6,944	1,240	904	963	1,106	842	848	–	771
1928	29,082	6,691	1,195	1,012	986	848	659	827	–	737
1929	30,568	6,828	1,378	1,044	1,039	925	860	878	–	767
1930	27,431	6,238	1,122	983	1,008	831	698	747	666	648
1931	26,296	5,863	1,027	787	948	937	660	606	638	625
1932	22,817	5,193	840	659	769	769	528	558	492	582
1933	25,949	5,366	989	769	823	961	740	638	539	678
1934	30,241	6,288	1,318	991	958	1,085	912	729	621	739
1935	30,019	6,114	1,317	986	886	944	814	703	580	748
1936	31,985	6,415	1,447	997	977	1,060	984	718	628	850
1937	33,652	6,682	1,547	1,169	941	1,112	980	882	633	825
1938	31,904	6,299	1,390	1,161	887	1,017	842	715	630	795
	MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS **1910** TO **1935**.									
1910	18.2	22.1	19.1	20.3	20.8	22.6	18.8	19.9	–	17.8
1915	17.0	21.8	17.3	16.1	18.0	20.4	19.2	17.4	–	18.1
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	22.0	–	23.2
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	15.7	–	15.3
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	14.6	12.8	12.9
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	13.9	11.5	14.9

Table 61

States.	Marriages of Non-residents Classified by Residence of Groom and Bride in each State: 1938.			
	Groom and bride residents.	Groom a resident.	Bride a resident.	Total marriages of non-residents.
Total	**1,418**	**3,586**	**2,167**	**4,335**
Alabama	–	4	3	7
Arkansas	–	1	2	3
California	3	36	22	55
Colorado	1	4	6	9
Connecticut	263	597	350	684
Delaware	–	5	2	7
District of Columbia	2	37	14	49
Florida	2	25	15	38
Georgia	–	11	3	14
Idaho	1	3	2	4
Illinois	4	45	19	60
Indiana	–	17	4	21
Iowa	–	10	3	13
Kansas	–	5	1	6
Kentucky	2	8	3	9
Louisiana	–	5	1	6
Maine	44	191	120	267
Maryland	1	24	7	30
Michigan	6	45	14	53
Minnesota	2	11	9	18
Mississippi	–	5	–	5
Missouri	2	23	6	27
Montana	–	3	–	3
Nebraska	–	1	1	2
Nevada	–	1	1	2
New Hampshire	228	436	321	529
New Jersey	12	111	37	136
New York	217	702	374	859
North Carolina	2	14	5	17
Ohio	10	51	26	67
Oklahoma	–	3	3	6
Oregon	–	1	2	3
Pennsylvania	26	112	56	142
Rhode Island	564	880	654	970
South Carolina	1	4	4	7
South Dakota	–	1	–	1
Tennessee	–	6	–	6
Texas	–	13	4	17
Utah	–	1	–	1
Vermont	20	83	49	112
Virginia	4	27	12	35
Washington	–	8	1	9
West Virginia	1	7	4	10
Wisconsin	–	9	6	15
Wyoming	–	–	1	1
Other Countries	14	29	47	62

PART II. C.

DIVORCE STATISTICS

	PAGE
Introduction	248, 249
Causes for divorce	248
Source of Data	248
Applications for divorce	248
Contested cases	248
Number of divorces	248
Divorce rates	248, 249
Party to which granted	249
Divorces classified by causes	249
Annulment classified as divorce	249
Duration of marriages	249
Statistical tables	250–268

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1914 to 1938, the highest proportion of applications being granted in 1937 (89.9 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 84.4 per cent of all applications were granted, .6 per cent were refused, and 15 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1914 to 1938, only 20.9 per cent were contested. In 1938, of the 5,214 applications for divorce, only 1,411, or 27.1 per cent, were contested, and of the 4,599 divorces granted, 1,139 or 24.8 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (26.0 per cent) than for those granted to the husband (20.7 per cent).

Number of Divorces.—Divorces granted in 1938 numbered 4,599 a decrease of 88, or 1.9 per cent less than the number granted in 1937, and 612 more than the average number granted for the five year period 1933 to 1937.

Divorce Rates. — The number of divorces granted per 100,000 population was 103.9, as compared with 106.4 in 1937, 98.4 in 1936, 93.8 in 1935 and 84.0 in 1934.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 66, page 265, for the census years 1910 to 1935. In this table the number of divorces shown for the census years 1910 to 1935 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (73.8 per cent) of the total number of divorces in the period 1914 to 1938 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 70.1 per cent in 1918, and 77.0 in 1938, as compared with 73.8 per cent for the entire period of 1914 to 1938.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five year period 1914 to 1938, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 44.4 per cent of all the divorces granted in the period 1914 to 1938, for 38.8 per cent of all those granted to the husband in this period, and for 61.2 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1914 to 1938, are shown on Table 68, page 266.

Annulled Cases. —Among the less important classes of cases appears the term "Annulments." In 1,137 cases, or 1.3 per cent of the total number of divorces granted during the period 1914 to 1938, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years the libellants were married at the time of application for divorce has fluctuated between 10.2 years in 1928 and 11.1 years in 1918. The average number of years the libellants were married in 1938 was 10.6.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1938, 55.5 per cent made application for divorce before they had been married ten years, as compared with 53.1 in 1937, 54.2 in 1936, 55.5 in 1935, 55.9 in 1934 and 55.3 for the twenty-five year period 1914 to 1938.

Table 62

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**5,214**[1]	**1,818**	**2,899**	**161**	**182**	**129**	**5**	**20**	**111**
Husband	1,353	735	466	118	31	–	2	1	47
Wife	3,861	1,083	2,433	43	151	129	3	19	64
Granted	4,599	1,706	2,474	123	165	109	4	18	81
Husband	1,058	652	299	81	24	–	2	–	30
Wife	3,541	1,054	2,175	42	141	109	2	18	51
Refused	6	–	6	–	–	–	–	–	–
Husband	4	–	4	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Dismissed	609	112	419	38	17	20	1	2	30
Husband	291	83	163	37	7	–	–	1	17
Wife	318	29	256	1	10	20	1	1	13
Contested	1,411	275	1,027	46	44	13	3	3	19
Husband	395	123	225	36	10	–	1	–	10
Wife	1,016	152	802	10	34	13	2	3	9
Not contested	3,803	1,543	1,872	115	138	116	2	17	92
Husband	958	612	241	82	21	–	1	1	37
Wife	2,845	931	1,631	33	117	116	1	16	55
DURATION OF MARRIAGE.									
Less than 6 months	64	–	56	4	1	2	1	–	22
Husband	16	–	12	4	–	–	–	–	12
Wife	48	–	44	–	1	2	1	–	10
6 to 11 months	98	–	89	–	1	8	–	–	12
Husband	20	–	19	–	1	–	–	–	3
Wife	78	–	70	–	–	8	–	–	9
1 to 4 years	1,205	153	916	46	38	47	–	5	44
Husband	244	53	143	38	9	–	–	1	17
Wife	961	100	773	8	29	47	–	4	27
5 to 9 years	1,529	539	834	63	46	37	2	8	14
Husband	391	224	116	46	5	–	–	–	3
Wife	1,138	315	718	17	41	37	2	8	11
10 to 19 years	1,636	765	728	35	73	26	2	7	12
Husband	474	315	123	21	13	–	2	–	7
Wife	1,162	450	605	14	60	26	–	7	5
20 to 29 years	529	271	223	12	16	7	–	–	4
Husband	161	111	40	8	2	–	–	–	3
Wife	368	160	183	4	14	7	–	–	1
30 years and over	152	89	53	1	7	2	–	–	1
Husband	46	31	13	1	1	–	–	–	1
Wife	106	58	40	–	6	2	–	–	–
Unknown	1	1	–	–	–	–	–	–	2
Husband	1	1	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	1
Average number of years	10.6	13.5	8.9	8.9	11.5	8.0	7.2	8.3	4.8

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	6,932
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	2,081
Number of libels for divorce filed during the year 1938	5,586
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	4,347
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	4,627
Number of cases finally determined in 1938	5,877
Number of petitions for annulment in 1938	122

[1] Twenty libels were received from the Superior Court; five thousand, eight hundred and fifty-seven from the Probate Court. Two decrees vacated. Six hundred and sixty-one libels and eleven petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	72[1]	23	43	6	–	–	–	–	–
Husband	26	11	11	4	–	–	–	–	–
Wife	46	12	32	2	–	–	–	–	–
Granted	65	23	37	5	–	–	–	–	–
Husband	23	11	9	3	–	–	–	–	–
Wife	42	12	28	2	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	7	–	6	1	–	–	–	–	–
Husband	3	–	2	1	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	–
Contested	29	5	22	2	–	–	–	–	–
Husband	7	1	5	1	–	–	–	–	–
Wife	22	4	17	1	–	–	–	–	–
Not contested	43	18	21	4	–	–	–	–	–
Husband	19	10	6	3	–	–	–	–	–
Wife	24	8	15	1	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	18	–	15	3	–	–	–	–	–
Husband	7	–	4	3	–	–	–	–	–
Wife	11	–	11	–	–	–	–	–	–
5 to 9 years	19	7	10	2	–	–	–	–	–
Husband	7	4	2	1	–	–	–	–	–
Wife	12	3	8	1	–	–	–	–	–
10 to 19 years	19	8	10	1	–	–	–	–	–
Husband	7	4	3	–	–	–	–	–	–
Wife	12	4	7	1	–	–	–	–	–
20 to 29 years	13	8	5	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	9	5	4	–	–	–	–	–	–
30 years and over	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	15.3	9.5	5.8	–	–	–	–	–

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	92
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	30
Number of libels for divorce filed during the year 1938	79
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	65
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	67
Number of cases finally determined in 1938	81
Number of petitions for annulment in 1938	–

[1] No libels were received from the Superior Court; eighty-one from the Probate Court. Nine libels dismissed under Rule 43 of the Probate Court.

Table 62b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	**358**[1]	**92**	**200**	**19**	**9**	**34**	–	**4**	**8**
Husband	105	45	38	17	4	–	–	1	2
Wife	253	47	162	2	5	34	–	3	6
Granted	175	54	92	6	1	20	–	2	2
Husband	36	18	13	5	–	–	–	–	–
Wife	139	36	79	1	1	20	–	2	2
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	183	38	108	13	8	14	–	2	6
Husband	69	27	25	12	4	–	–	1	2
Wife	114	11	83	1	4	14	–	1	4
Contested	15	1	13	1	–	–	–	–	–
Husband	5	1	3	1	–	–	–	–	–
Wife	10	–	10	–	–	–	–	–	–
Not contested	343	91	187	18	9	34	–	4	8
Husband	100	44	35	16	4	–	–	1	2
Wife	243	47	152	2	5	34	–	3	6
DURATION OF MARRIAGE.									
Less than 6 months	9	–	5	2	–	2	–	–	3
Husband	3	–	1	2	–	–	–	–	1
Wife	6	–	4	–	–	2	–	–	2
6 to 11 months	16	–	11	–	1	4	–	–	1
Husband	4	–	3	–	1	–	–	–	–
Wife	12	–	8	–	–	4	–	–	1
1 to 4 years	93	8	63	5	3	12	–	2	2
Husband	22	2	13	4	2	–	–	1	–
Wife	71	6	50	1	1	12	–	1	2
5 to 9 years	101	30	50	8	3	8	–	2	1
Husband	20	7	6	7	–	–	–	–	–
Wife	81	23	44	1	3	8	–	2	1
10 to 19 years	98	35	53	2	2	6	–	–	1
Husband	39	25	11	2	1	–	–	–	1
Wife	59	10	42	–	1	6	–	–	–
20 to 29 years	31	15	12	2	–	2	–	–	–
Husband	14	9	3	2	–	–	–	–	–
Wife	17	6	9	–	–	2	–	–	–
30 years and over	10	4	6	–	–	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	7	2	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.9	13.5	8.8	8.7	7.2	7.3	–	6.3	3.9

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	180
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	75
Number of libels for divorce filed during the year 1938	171
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	155
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	175
Number of cases finally determined in 1938	358
Number of petitions for annulment in 1938	8

[1] No libels were received from the Superior Court; three hundred and fifty-eight from the Probate Court.

Table 62c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	**356**[1]	**138**	**148**	**23**	**26**	**21**	–	–	**2**
Husband	96	63	15	16	2	–	–	–	1
Wife	260	75	133	7	24	21	–	–	1
Granted	334	135	134	19	25	21	–	–	2
Husband	85	60	11	12	2	–	–	–	1
Wife	249	75	123	7	23	21	–	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	22	3	14	4	1	–	–	–	–
Husband	11	3	4	4	–	–	–	–	–
Wife	11	–	10	–	1	–	–	–	–
Contested	20	4	11	4	1	–	–	–	–
Husband	11	3	4	4	–	–	–	–	–
Wife	9	1	7	–	1	–	–	–	–
Not contested	336	134	137	19	25	21	–	–	2
Husband	85	60	11	12	2	–	–	–	1
Wife	251	74	126	7	23	21	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	9	–	9	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	7	–	7	–	–	–	–	–	–
1 to 4 years	75	6	50	6	6	7	–	–	1
Husband	17	3	9	4	1	–	–	–	–
Wife	58	3	41	2	5	7	–	–	1
5 to 9 years	105	36	42	11	8	8	–	–	–
Husband	28	18	2	8	–	–	–	–	–
Wife	77	18	40	3	8	8	–	–	–
10 to 19 years	120	72	32	4	8	4	–	–	–
Husband	38	32	2	3	1	–	–	–	–
Wife	82	40	30	1	7	4	–	–	–
20 to 29 years	31	16	11	2	1	1	–	–	–
Husband	9	8	–	1	–	–	–	–	–
Wife	22	8	11	1	1	1	–	–	–
30 years and over	14	8	2	–	3	1	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	12	6	2	–	3	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–		–	–
Average number of years	11.0	14.2	8.3	9.3	12.5	9.2	–	–	1.3

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	429
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	182
Number of libels for divorce filed during the year 1938	401
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	289
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	336
Number of cases finally determined in 1938	392
Number of petitions for annulment in 1938	2

[1] No libels were received from the Superior Court; three hundred and ninety-two from the Probate Court. Thirty-six libels dismissed under Rule 43 of the Probate Court.

Table 62d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	7[1]	3	4	–	–	–	–	–	1
Husband	2	1	1	–	–	–	–	–	1
Wife	5	2	3	–	–	–	–	–	–
Granted	4	2	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	3	1	2	–	–	–	–	–	1
Husband	1	1	–	–	–	–	–	–	1
Wife	2	–	2	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	7	3	4	–	–	–	–	–	1
Husband	2	1	1	–	–	–	–	–	1
Wife	5	2	3	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	4	2	2	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
5 to 9 years	2	1	1	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	1	1	–	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	3.9	5.0	3.0	–	–	–	–	–	7.0

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	7
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	2
Number of libels for divorce filed during the year 1938	7
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	5
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	4
Number of cases finally determined in 1938	7
Number of petitions for annulment in 1938	1

[1] No libels were received from the Superior Court; seven from the Probate Court.

Table 62e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	553[1]	279	218	26	23	5	–	2	4
Husband	152	117	16	18	1	–	–	–	2
Wife	401	162	202	8	22	5	–	2	2
Granted	510	267	193	22	23	3	–	2	4
Husband	131	110	6	14	1	–	–	–	2
Wife	379	157	187	8	22	3	–	2	2
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	43	12	25	4	–	2	–	–	–
Husband	21	7	10	4	–	–	–	–	–
Wife	22	5	15	–	–	2	–	–	–
Contested	61	13	37	6	4	1	–	–	–
Husband	18	6	8	4	–	–	–	–	–
Wife	43	7	29	2	4	1	–	–	–
Not contested	492	266	181	20	19	4	–	2	4
Husband	134	111	8	14	1	–	–	–	2
Wife	358	155	173	6	18	4	–	2	2
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	110	27	70	9	3	1	–	–	3
Husband	20	10	2	8	–	–	–	–	2
Wife	90	17	68	1	3	1	–	–	1
5 to 9 years	176	93	65	6	7	3	–	2	1
Husband	48	40	4	3	1	–	–	–	–
Wife	128	53	61	3	6	3	–	2	1
10 to 19 years	189	101	66	8	13	1	–	–	–
Husband	59	46	8	5	–	–	–	–	–
Wife	130	55	58	3	13	1	–	–	–
20 to 29 years	58	44	11	3	–	–	–	–	–
Husband	21	18	1	2	–	–	–	–	–
Wife	37	26	10	1	–	–	–	–	–
30 years and over	18	14	4	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	14	11	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.3	13.4	8.9	10.8	9.9	7.8	–	8.0	3.0

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	715
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	263
Number of libels for divorce filed during the year 1938	584
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	470
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	511
Number of cases finally determined in 1938	626
Number of petitions for annulment in 1938	4

[1] No libels were received from the Superior Court; six hundred and twenty-six from the Probate Court. Seventy-three libels dismissed under Rule 43 of the Probate Court.

Table 62f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	**50**[1]	**23**	**19**	**2**	**1**	**4**	**1**	–	–
Husband	13	10	2	1	–	–	–	–	–
Wife	37	13	17	1	1	4	1	–	–
Granted	48	22	19	2	1	4	–	–	–
Husband	13	10	2	1	–	–	–	–	–
Wife	35	12	17	1	1	4	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	2	1	–	–	–	–	1	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	–	–	–	–	1	–	–
Contested	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Not contested	47	23	16	2	1	4	1	–	–
Husband	13	10	2	1	–	–	–	–	–
Wife	34	13	14	1	1	4	1	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	8	3	5	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	7	2	5	–	–	–	–	–	–
5 to 9 years	17	5	7	1	1	2	1	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	15	4	6	1	1	2	1	–	–
10 to 19 years	21	14	5	1	–	1	–	–	–
Husband	10	8	1	1	–	–	–	–	–
Wife	11	6	4	–	–	1	–	–	–
20 to 29 years	2	–	1	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	1	–	–	1	–	–	–
30 years and over	2	1	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.3	12.4	10.1	12.5	6.0	12.3	8.0	–	–

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	73
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	30
Number of libels for divorce filed during the year 1938	45
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	19
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	48
Number of cases finally determined in 1938	57
Number of petitions for annulment in 1938	–

[1] No libels were received from the Superior Court, fifty-seven from the Probate Court. Seven libels dismissed under Rule 43 of the Probate Court.

Table 62g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	**442**[1]	**161**	**247**	**10**	**20**	**1**	**1**	**2**	**9**
Husband	127	72	43	8	4	–	–	–	6
Wife	315	89	204	2	16	1	1	2	3
Granted	412	159	225	7	18	–	1	2	6
Husband	112	70	34	5	3	–	–	–	4
Wife	300	89	191	2	15	–	1	2	2
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	30	2	22	3	2	1	–	–	3
Husband	15	2	9	3	1	–	–	–	2
Wife	15	–	13	–	1	1	–	–	1
Contested	119	25	78	5	9	1	1	–	3
Husband	33	14	13	5	1	–	–	–	2
Wife	86	11	65	–	8	1	1	–	1
Not contested	323	136	169	5	11	–	–	2	6
Husband	94	58	30	3	3	–	–	–	4
Wife	229	78	139	2	8	–	–	2	2
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	71	9	57	2	3	–	–	–	2
Husband	15	3	9	2	1	–	–	–	2
Wife	56	6	48	–	2	–	–	–	–
5 to 9 years	123	37	76	3	6	–	1	–	1
Husband	34	13	17	3	1	–	–	–	–
Wife	89	24	59	–	5	–	1	–	1
10 to 19 years	175	76	81	5	10	1	–	2	4
Husband	57	37	15	3	2	–	–	–	2
Wife	118	39	66	2	8	1	–	2	2
20 to 29 years	55	30	24	–	1	–	–	–	1
Husband	16	15	1	–	–	–	–	–	1
Wife	39	15	23	–	1	–	–	–	–
30 years and over	14	9	5	–	–	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	10	5	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	11.3	10.1	9.1	11.0	12.0	6.0	11.0	9.4

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	697
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	152
Number of libels for divorce filed during the year 1938	468
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	383
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	423
Number of cases finally determined in 1938	509
Number of petitions for annulment in 1938	9

[1] Four libels were received from the Superior Court; five hundred and five from the Probate Court. Two decrees vacated. Sixty-five libels dismissed under Rule 43 of the Probate Court.

Table 62h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	**58**[1]	**17**	**31**	**1**	**9**	–	–	–	**3**
Husband	13	9	3	1	–	–	–	–	2
Wife	45	8	28	–	9	–	–	–	1
Granted	50	17	23	1	9	–	–	–	2
Husband	13	9	3	1	–	–	–	–	2
Wife	37	8	20	–	9	–	–	–	–
Refused	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	7	–	7	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	7	–	7	–	–	–	–	–	1
Contested	23	6	15	–	2	–	–	–	–
Husband	4	2	2	–	–	–	–	–	–
Wife	19	4	13	–	2	–	–	–	–
Not contested	35	11	16	1	7	–	–	–	3
Husband	9	7	1	1	–	–	–	–	2
Wife	26	4	15	–	7	–	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	13	1	9	1	2	–	–	–	–
Husband	2	–	1	1	–	–	–	–	–
Wife	11	1	8	–	2	–	–	–	–
5 to 9 years	17	4	10	–	3	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	14	2	9	–	3	–	–	–	–
10 to 19 years	16	7	8	–	1	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	12	3	8	–	1	–	–	–	–
20 to 29 years	8	4	2	–	2	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	5	2	1	–	2	–	–	–	–
30 years and over	3	1	1	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	–	1	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	1
Average number of years	11.7	15.2	9.5	3.0	14.0	–	–	–	–

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	59
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	26
Number of libels for divorce filed during the year 1938	67
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	47
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	50
Number of cases finally determined in 1938	66
Number of petitions for annulment in 1938	3

[1] One libel was received from the Superior Court; sixty-five from the Probate Court. Eight libels dismissed under Rule 43 of the Probate Court.

Table 62i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	**1,068**[1]	**339**	**667**	**24**	**26**	**7**	**2**	**3**	**32**
Husband	226	118	86	14	7	–	1	–	15
Wife	842	221	581	10	19	7	1	3	17
Granted	962	321	585	19	25	7	2	3	21
Husband	164	103	45	9	6	–	1	–	7
Wife	798	218	540	10	19	7	1	3	14
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	106	18	82	5	1	–	–	–	11
Husband	62	15	41	5	1	–	–	–	8
Wife	44	3	41	–	–	–	–	–	3
Contested	409	78	309	8	11	1	2	–	6
Husband	91	26	55	6	3	–	1	–	3
Wife	318	52	254	2	8	1	1	–	3
Not contested	659	261	358	16	15	6	–	3	26
Husband	135	92	31	8	4	–	–	–	12
Wife	524	169	327	8	11	6	–	3	14
DURATION OF MARRIAGE.									
Less than 6 months	10	–	8	–	1	–	1	–	8
Husband	2	–	2	–	–	–	–	–	3
Wife	8	–	6	–	1	–	1	–	5
6 to 11 months	19	–	19	–	–	–	–	–	–
Husband	3	–	3	–	–	–	–	–	–
Wife	16	–	16	–	–	–	–	–	–
1 to 4 years	255	34	204	10	4	3	–	–	17
Husband	50	14	28	7	1	–	–	–	9
Wife	205	20	176	3	3	3	–	–	8
5 to 9 years	315	96	201	9	6	1	–	2	4
Husband	77	40	28	6	3	–	–	–	1
Wife	238	56	173	3	3	1	–	2	3
10 to 19 years	331	136	176	3	11	3	1	1	2
Husband	66	43	20	–	2	–	1	–	1
Wife	265	93	156	3	9	3	–	1	1
20 to 29 years	106	51	52	2	1	–	–	–	1
Husband	19	15	3	1	–	–	–	–	1
Wife	87	36	49	1	1	–	–	–	–
30 years and over	32	22	7	–	3	–	–	–	–
Husband	9	6	2	–	1	–	–	–	–
Wife	23	16	5	–	2	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.7	14.2	9.0	7.8	12.7	8.0	5.5	8.0	4.1

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	1,342
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	392
Number of libels for divorce filed during the year 1938	1,138
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	880
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	960
Number of cases finally determined in 1938	1,228
Number of petitions for annulment in 1938	37

[1] One libel was received from the Superior Court; one thousand, two hundred and twenty-seven from the Probate Court. One hundred and sixty libels and five petitions for annulment were dismissed under Rule 43 of the Probate Court.

Table 62j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	4[1]	3	–	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	2	–	–	1	–	–	–	–
Granted	3	3	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	1	–	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
Contested	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	3	2	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	2	–	–	1	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
5 to 9 years	2	1	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	–	–	1	–	–	–	–
10 to 19 years	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	15.3	17.3	–	–	9.0	–	–	–	–

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	4
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	2
Number of libels for divorce filed during the year 1938	2
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	2
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	4
Number of cases finally determined in 1938	4
Number of petitions for annulment in 1938	–

[1] No libels were received from the Superior Court; four from the Probate Court.

Table 62k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	**350**[1]	**90**	**238**	**3**	**7**	**9**	**1**	**2**	**10**
Husband	81	32	45	2	1	–	1	–	3
Wife	269	58	193	1	6	9	–	2	7
Granted	331	88	222	3	6	9	1	2	8
Husband	70	30	36	2	1	–	1	–	1
Wife	261	58	186	1	5	9	–	2	7
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	19	2	16	–	1	–	–	–	2
Husband	11	2	9	–	–	–	–	–	2
Wife	8	–	7	–	1	–	–	–	–
Contested	162	25	128	2	4	2	–	1	3
Husband	37	9	26	1	1	–	–	–	2
Wife	125	16	102	1	3	2	–	1	1
Not contested	188	65	110	1	3	7	1	1	7
Husband	44	23	19	1	–	–	1	–	1
Wife	144	42	91	–	3	7	–	1	6
DURATION OF MARRIAGE.									
Less than 6 months	7	–	7	–	–	–	–	–	2
Husband	3	–	3	–	–	–	–	–	1
Wife	4	–	4	–	–	–	–	–	1
6 to 11 months	9	–	8	–	–	1	–	–	4
Husband	3	–	3	–	–	–	–	–	1
Wife	6	–	5	–	–	1	–	–	3
1 to 4 years	84	8	68	1	1	4	–	2	3
Husband	13	2	10	1	–	–	–	–	1
Wife	71	6	58	–	1	4	–	2	2
5 to 9 years	97	27	63	1	3	3	–	–	1
Husband	20	12	7	1	–	–	–	–	–
Wife	77	15	56	–	3	3	–	–	1
10 to 19 years	98	38	56	1	2	–	1	–	–
Husband	27	14	11	–	1	–	1	–	–
Wife	71	24	45	1	1	–	–	–	–
20 to 29 years	42	11	29	–	1	1	–	–	–
Husband	12	3	9	–	–	–	–	–	–
Wife	30	8	20	–	1	1	–	–	–
30 years and over	13	6	7	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	10	5	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	13.8	10.0	8.0	10.6	5.9	11.0	3.0	1.7

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	412
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	114
Number of libels for divorce filed during the year 1938	398
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	330
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	331
Number of cases finally determined in 1938	372
Number of petitions for annulment in 1938	10

[1] No libels were received from the Superior Court; three hundred and seventy-two from the Probate Court. Twenty-two libels dismissed under Rule 43 of the Probate Court.

Table 621

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	**191**[1]	**81**	**99**	**3**	**6**	**2**	–	–	–
Husband	52	33	15	3	1	–	–	–	–
Wife	139	48	84	–	5	2	–	–	–
Granted	178	79	90	2	6	1	–	–	–
Husband	45	31	11	2	1	–	–	–	–
Wife	133	48	79	–	5	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	13	2	9	1	–	1	–	–	–
Husband	7	2	4	1	–	–	–	–	–
Wife	6	–	5	–	–	1	–	–	–
Contested	23	4	18	–	1	–	–	–	–
Husband	7	3	4	–	–	–	–	–	–
Wife	16	1	14	–	1	–	–	–	–
Not contested	168	77	81	3	5	2	–	–	–
Husband	45	30	11	3	1	–	–	–	–
Wife	123	47	70	–	4	2	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	5	–	4	–	–	1	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	4	–	3	–	–	1	–	–	–
1 to 4 years	44	8	34	1	1	–	–	–	–
Husband	8	2	5	1	–	–	–	–	–
Wife	36	6	29	–	1	–	–	–	–
5 to 9 years	49	26	21	2	–	–	–	–	–
Husband	16	11	3	2	–	–	–	–	–
Wife	33	15	18	–	–	–	–	–	–
10 to 19 years	64	32	28	–	4	–	–	–	–
Husband	20	14	5	–	1	–	–	–	–
Wife	44	18	23	–	3	–	–	–	–
20 to 29 years	22	13	7	–	1	1	–	–	–
Husband	6	5	1	–	–	–	–	–	–
Wife	16	8	6	–	1	1	–	–	–
30 years and over	5	2	3	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	4	1	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.4	13.8	9.3	5.0	15.3	10.5	–	–	–

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	281
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	84
Number of libels for divorce filed during the year 1938	185
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	159
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	179
Number of cases finally determined in 1938	220
Number of petitions for annulment in 1938	–

[1] Eleven libels were received from the Superior Court; two hundred and nine from the Probate Court. Twenty-nine libels dismissed under Rule 43 of the Probate Court.

Table 62m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1938.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	**1,196**[1]	**403**	**681**	**29**	**39**	**37**	–	**7**	**30**
Husband	316	150	132	24	10	–	–	–	10
Wife	880	253	549	5	29	37	–	7	20
Granted	1,073	382	588	22	38	36	–	7	24
Husband	250	135	89	17	9	–	–	–	8
Wife	823	247	499	5	29	36	–	7	16
Refused	5	–	5	–	–	–	–	–	–
Husband	4	–	4	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	118	21	88	7	1	1	–	–	6
Husband	62	15	39	7	1	–	–	–	2
Wife	56	6	49	–	–	1	–	–	4
Contested	356	69	256	13	9	7	–	2	5
Husband	116	33	67	12	4	–	–	–	2
Wife	240	36	189	1	5	7	–	2	3
Not contested	840	334	425	16	30	30	–	5	25
Husband	200	117	65	12	6	–	–	–	8
Wife	640	217	360	4	24	30	–	5	17
DURATION OF MARRIAGE.									
Less than 6 months	22	–	21	1	–	–	–	–	3
Husband	5	–	4	1	–	–	–	–	1
Wife	17	–	17	–	–	–	–	–	2
6 to 11 months	27	–	25	–	–	2	–	–	7
Husband	5	–	5	–	–	–	–	–	2
Wife	22	–	20	–	–	2	–	–	5
1 to 4 years	317	39	242	4	14	17	–	1	10
Husband	61	12	41	4	4	–	–	–	3
Wife	256	27	201	–	10	17	–	1	7
5 to 9 years	350	115	201	17	7	8	–	2	4
Husband	93	47	32	14	–	–	–	–	–
Wife	257	68	169	3	7	8	–	2	4
10 to 19 years	353	185	137	5	13	9	–	4	4
Husband	104	63	33	4	4	–	–	–	2
Wife	249	122	104	1	9	9	–	4	2
20 to 29 years	101	49	44	2	5	1	–	–	1
Husband	38	22	13	1	2	–	–	–	1
Wife	63	27	31	1	3	1	–	–	–
30 years and over	26	15	11	–	–	–	–	–	1
Husband	10	6	4	–	–	–	–	–	1
Wife	16	9	7	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.9	13.3	8.1	8.1	10.1	7.5	–	10.3	5.4

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	1,944
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	484
Number of libels for divorce filed during the year 1938	1,439
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	1,092
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	1,073
Number of cases finally determined in 1938	1,388
Number of petitions for annulment in 1938	36

[1] Three libels were received from the Superior Court; one thousand, three hundred and eighty-five from the Probate Court. One hundred and ninety-two libels and six petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1938.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	**509**[1]	**166**	**304**	**15**	**15**	**9**	–	–	**12**
Husband	143	73	59	10	1	–	–	–	5
Wife	366	93	245	5	14	9	–	–	7
Granted	454	154	264	15	13	8	–	–	12
Husband	114	64	39	10	1	–	–	–	5
Wife	340	90	225	5	12	8	–	–	7
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	55	12	40	–	2	1	–	–	–
Husband	29	9	20	–	–	–	–	–	–
Wife	26	3	20	–	2	1	–	–	–
Contested	190	44	137	5	3	1	–	–	2
Husband	65	24	38	2	1	–	–	–	1
Wife	125	20	99	3	2	1	–	–	1
Not contested	319	122	167	10	12	8	–	–	10
Husband	78	49	21	8	–	–	–	–	4
Wife	241	73	146	2	12	8	–	–	6
DURATION OF MARRIAGE.									
Less than 6 months	7	–	6	1	–	–	–	–	3
Husband	2	–	1	1	–	–	–	–	3
Wife	5	–	5	–	–	–	–	–	–
6 to 11 months	8	–	8	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	6	–	6	–	–	–	–	–	–
1 to 4 years	113	8	97	4	1	3	–	–	6
Husband	27	3	21	3	–	–	–	–	–
Wife	86	5	76	1	1	3	–	–	6
5 to 9 years	156	61	87	3	1	4	–	–	1
Husband	42	29	12	1	–	–	–	–	1
Wife	114	32	75	2	1	4	–	–	–
10 to 19 years	151	60	76	5	9	1	–	–	1
Husband	42	24	14	3	1	–	–	–	1
Wife	109	36	62	2	8	1	–	–	–
20 to 29 years	59	29	25	1	4	–	–	–	1
Husband	19	11	7	1	–	–	–	–	–
Wife	40	18	18	–	4	–	–	–	1
30 years and over	14	7	5	1	–	1	–	–	–
Husband	8	5	2	1	–	–	–	–	–
Wife	6	2	3	–	–	1	–	–	–
Unknown	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.9	14.0	9.0	10.8	15.0	9.1	–	–	4.9

Number of libels for divorce pending January 1, 1938 (including all cases, whether decrees *nisi* had been entered or not)	697
Number of libels for divorce pending January 1, 1938, in which decrees *nisi* had been entered at that date	245
Number of libels for divorce filed during the year 1938	602
Number of libels for divorce in which decrees *nisi* were entered during the year 1938	451
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1938	466
Numberof cases finally determined in 1938	569
Number of petitions for annulment in 1938	12

[1] No libels were received from the Superior Court; five hundred and sixty-nine from the Probate Court. Sixty libels dismissed under Rule 43 of the Probate Court.

Table 63

Years.	Divorces Granted: 1914 to 1938.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1914 to 1938	**85,375**	**22,410**	**26.2**	**62,965**	**73.8**
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0

Table 64

Period of Years.	Divorces Granted: 1910 to 1934.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920 to 1924	18,165	6,090	50.4	3.9
1925 to 1929	17,488	677[1]	3.7[1]	.2[1]
1930 to 1934	17,769	281	1.6	.1

[1] Decrease.

Table 65

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1910 to 1935.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8

[1] Decrease.

Table 66

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1910 to 1935.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	–	3,987	92	–	–

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 and 1935 not available.

Table 67

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1915 to 1935.				
	Number.				
	1935.	1930.	1925.	1920.	1915.
The State	**4,561**	**4,433**	**4,064**	**3,123**	**2,303**
Barnstable	57	44	36	22	22
Berkshire	169	128	141	84	65
Bristol	339	348	321	262	184
Dukes	9	7	4	5	3
Essex	472	511	496	416	304
Franklin	43	40	42	39	28
Hampden	365	360	332	247	172
Hampshire	46	44	34	29	22
Middlesex	970	909	761	491	388
Nantucket	6	3	5	2	1
Norfolk	321	260	186	118	86
Plymouth	175	167	160	150	122
Suffolk	1,147	1,163	1,129	974	696
Worcester	443	449	417	284	209

[1] For the five-year period of which the census year is the median year.

Table 68

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1914 to 1938.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**84,804[1]**	**100.0**	**100.0**	**22,184**	**26.2**	**100.0**	**62,620**	**73.8**	**100.0**
Desertion	37,614	100.0	44.4	14,612	38.8	65.9	23,002	61.2	36.7
Adultery	5,596	100.0	6.6	3,492	62.4	15.7	2,104	37.6	3.4
Cruel and abusive treatment	34,978	100.0	41.2	3,480	9.9	15.7	31,498	90.1	50.3
Intoxication	3,751	100.0	4.4	542	14.4	2.4	3,209	85.6	5.1
Non-support	2,434	100.0	2.9	–	–	–	2,434	100.0	3.9
Imprisonment	260	100.0	.3	4	1.5	–[2]	256	98.5	.4
Impotency	171	100.0	.2	54	31.6	.3	117	68.4	.2

[1] 1,137 Annulments not included.

[2] Less than one-tenth of one per cent.

Table 69

Years Divorces were granted.	Statutory Causes of Divorce: 1914 to 1938.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulments.
1914	2,200	1,095	224	525	244	83	5	4	20
1915	2,252	1,124	235	571	214	72	4	11	21
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58
1935	4,081	1,527	133	2,149	122	126	19	5	70
1936	4,311	1,575	153	2,321	134	101	23	4	79
1937	4,687	1,884	134	2,345	163	132	22	7	121
1938	4,599	1,706	123	2,474	165	109	18	4	81

Table 70

Years of Application.	Applications for Divorce: 1914 to 1938.										
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not Contested.	
		Number.	Per cent.	Number	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1914 to1938	**101,119**	**85,375**	**84.4**	**580**	**.6**	**15,184**	**15.0**	**21,091**	**20.9**	**80,028**	**79.1**
1914	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9

[1] Less than one-tenth of one per cent.

Table 71

Statutory Cause and Party to which Granted	Divorces Granted classified by Statutory Cause and Party to which Granted: 1938.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number	Per cent.	Number.	Per cent.
All Causes.	4,599	1,139	24.8	3,460	75.2
Husband	1,058	219	20.7	839	79.3
Wife	3,541	920	26.0	2,621	74.0
Desertion	1,706	225	13.2	1,481	86.8
Husband	652	81	12.4	571	87.6
Wife	1,054	144	13.7	910	86.3
Cruel and abusive treatment	2,474	828	33.5	1,646	66.5
Husband	299	108	36.1	191	63.9
Wife	2,175	720	33.1	1,455	66.9
Adultery	123	31	25.2	92	74.8
Husband	81	21	25.9	60	74.1
Wife	42	10	23.8	32	76.2
Intoxication	165	40	24.2	125	75.8
Husband	24	8	33.3	16	66.7
Wife	141	32	22.7	109	77.3
Non-support	109	9	8.3	100	91.7
Husband	–	–	–	–	–
Wife	109	9	8.3	100	91.7
Impotency	4	3	75.0	1	25.0
Husband	2	1	50.0	1	50.0
Wife	2	2	100.0	–	–
Imprisonment	18	3	16.7	15	83.3
Husband	–	–	–	–	–
Wife	18	3	16.7	15	83.3
Annulments	81	8	9.9	73	90.1
Husband	30	2	6.7	28	93.3
Wife	51	6	11.8	45	88.2

Table 72

Party to which Granted.	Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1938.							
	Total.		Granted.		Refused.		Dismissed.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,411**	**3,803**	**1,139**	**3,460**	**6**	**–**	**266**	**343**
Husband	395	958	219	839	4	–	172	119
Wife	1,016	2,845	920	2,621	2	–	94	224

Table 73

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1914 to 1938.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1914	2,963	20	1	809	910	850	307	66	10.9
1915	2,728	20	23	437	946	940	280	82	10.7
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6
1927	4,026	41	63	900	1,305	1,213	402	99	10.7
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6
1935	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936	4,892	49	83	1,045	1,473	1,615	493	134	10.7
1937	5,216	39	92	1,113	1,528	1,758	546	140	10.7
1938	5,214	64	98	1,205	1,529	1,636	529	152	10.6

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

	PAGE
Introductory	269
Estimated population	269
Statistical table	270

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1938 in this report are based on the Federal census taken as of April 1, 1930, and the State census taken as of January 1, 1935.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,350,910 at the State census of 1935 (January 1), and of 4,249,614 at the Federal census of 1930 (April 1). The increase during the intercensal period (57 months) was 101,296, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}350{,}910 - 4{,}249{,}614}{57} = 1{,}777$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1938, is estimated by adding to the population as it existed at the preceding census (January 1, 1935), 1777 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1938). There being 42 months between these dates, the calculation would be

$$4{,}350{,}910 + (42 \times 1777) = 4{,}425{,}544.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1935 is shown on page 270.

Table 74

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1935: 1910 to 1935.					
	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.
The State.	**4,350,910**	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**
Cities over 100,000						
Boston[1]	817,713	781,188	779,620	748,060	745,439	670,585
Worcester	190,471	195,311	190,757	179,754	162,697	145,986
Springfield	149,642	149,900	142,065	129,614	102,971	88,926
Cambridge	118,075	113,643	119,669	109,694	108,822	104,839
Fall River	117,414	115,274	128,993	120,485	124,791	119,295
New Bedford	110,022	112,597	119,539	121,217	109,568	96,652
Lynn	100,909	102,320	103,081	99,148	95,803	89,336
Somerville	100,773	103,908	99,032	93,091	86,854	77,236
Lowell	100,114	100,234	110,296	112,759	107,978	106,294
50,000 to 100,000						
Lawrence	86,785	85,068	93,527	94,270	90,259	85,892
Quincy	76,909	71,983	60,055	47,876	40,674	32,642
Newton	66,144	65,276	53,003	46,054	43,113	39,806
Brockton	62,407	63,797	65,343	66,254	62,288	56,878
Medford	61,444	59,714	47,627	39,038	30,509	23,150
Malden	57,277	58,036	51,789	49,103	48,907	44,404
Holyoke	56,139	56,537	60,335	60,203	60,816	57,730
Brookline (town)	50,319	47,490	42,681	37,748	33,490	27,792
25,000 to 50,000.						
Haverhill	49,516	48,710	49,232	53,884	49,450	44,115
Pittsfield	47,516	49,677	46,877	41,763	39,607	32,121
Everett	47,228	48,424	42,072	40,120	37,718	33,484
Salem[2]	43,472	43,353	42,821	42,529	37,200	43,697
Chelsea	42,673	45,816	47,247	43,184	43,426	32,452
Chicopee	41,952	43,930	41,882	36,214	30,138	25,401
Fitchburg	41,700	40,692	43,609	41,029	39,656	37,826
Waltham	40,557	39,247	34,746	30,915	30,154	27,834
Arlington (town)	38,539	36,094	24,943	18,665	14,889	11,187
Taunton	37,431	37,355	39,255	37,137	36,161	34,259
Watertown (town)	35,827	34,913	25,480	21,457	16,515	12,875
Revere	35,319	35,680	33,261	28,823	25,178	18,219
Beverly	25,871	25,086	22,685	22,561	22,959	18,650
15,000 to 25,000.						
Belmont (town)	24,831	21,748	15,256	10,749	8,081	5,542
Northampton	24,525	24,381	24,145	21,951	21,654	19,431
Melrose	24,256	23,170	20,165	18,204	16,880	15,715
Gloucester	24,164	24,204	23,375	22,947	24,478	24,398
Framingham (town)	22,651	22,210	21,078	17,033	15,860	12,948
North Adams	22,085	21,621	22,717	22,282	22,035	22,019
Peabody	22,082	21,345	19,870	19,552	18,625	15,721
Leominster	21,894	21,810	22,120	19,744	17,646	17,580
Attleboro	21,835	21,769	20,623	19,731	18,480	16,215
Weymouth (town)	21,748	20,882	17,253	15,057	13,969	12,895
Methuen (town)	21,073	21,069	20,606	15,189	14,007	11,448
Gardner	20,397	19,399	18,730	16,971	16,376	14,699
Woburn	19,695	19,434	18,370	16,574	16,410	15,308
Westfield	18,788	19,775	19,342	18,604	18,411	16,044
Milton (town)	18,147	16,434	12,861	9,382	8,600	7,924
Braintree (town)	17,122	15,712	13,193	10,580	9,343	8,066
West Springfield (town)	17,118	16,684	15,326	13,443	11,339	9,224
Winthrop (town)	17,001	16,852	16,158	15,455	12,758	10,132
Wakefield (town)	16,494	16,318	15,611	13,025	12,781	11,404
Greenfield (town)	15,903	15,500	15,246	15,462	12,618	10,427
Southbridge (town)	15,786	14,264	15,489	14,245	14,217	12,592
Marlborough	15,781	15,587	16,236	15,028	15,250	14,579
Norwood (town)	15,574	15,049	14,151	12,627	10,977	8,014
Dedham (town)	15,371	15,136	13,918	10,792	11,043	9,284
Saugus (town)	15,076	14,700	12,743	10,874	10,226	8,047
Milford (town)	15,008	14,741	14,781	13,471	13,684	13,055

[1] Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910. No other counties have had their boundaries changed since 1874.

[2] Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death, these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. Detailed International List.

I. Infectious and Parasitic Diseases.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Typhus fever.*
4. Relapsing fever.[2]
5. Undulant fever.
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza
    - (a) With respiratory complications specified.
    - (b) Without respiratory complications specified.
12. Cholera.

I. Infectious and Parasitic Diseases. —*Cont.*

13. Dysentery.[3]
    - (a) Amebic.
    - (b) Bacillary.
    - (c) Unspecified or due to other causes.
14. Plague.*
    - (a) Bubonic.
    - (b) Pneumonic.
    - (c) Septicemic.
    - (d) Unspecified.
15. Erysipelas.*
16. Acute poliomyelitis and acute polioencephalitis.*
17. Lethargic or epidemic encephalitis.
18. Epidemic cerebrospinal meningitis.
19. Glanders.[4]

[1] The second decennial revision of the International Classification of Causes of Death was made in Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification. The fourth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1929.

[2] The statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum (spirochoetal) obermeieri*, before death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor, *i.e.*, the *bacillus mallei*.

DETAILED INTERNATIONAL LIST — *Continued.*

I. INFECTIOUS AND PARASITIC DISEASES. —*Cont.*

20. Anthrax (bacillus anthracis) malignant pustule.[1]
21. Rabies.[2]
22. Tetanus.[3]
23. Tuberculosis of the respiratory system.*
24. Tuberculosis of the meninges and central nervous system.[4]
25. Tuberculosis of the intestines and peritoneum.[5]
26. Tuberculosis of the vertebral column.*
27. Tuberculosis of the bones and joints (vertebral column excepted).*[6]
    (*a*) Tuberculosis of the bones.
    (*b*) Tuberculosis of the joints.
28. Tuberculosis of the skin and subcutaneous cellular tissues.[6]
29. Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).[6]
30. Tuberculosis of the genitourinary system.[6]
31. Tuberculosis of the other organs.[6]
32. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
    (*c*) Unspecified.
33. Leprosy.*
34. Syphilis.[7]
35. Gonococcus infection and other venereal diseases.[8]
36. Purulent infection, septicemia (nonpuerperal).
37. Yellow fever.*
38. Malaria.[9]
39. Other diseases due to protozoal parasites.
40. Ankylostomiasis.[10]
41. Hydatid cysts.
    (*a*) Of the liver.
    (*b*) Of other organs.
42. Other diseases caused by helminths.[11]
43. Mycoses.[12]
44. Other infectious and parasitic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.

II. CANCERS AND OTHER TUMORS.

45. Cancer and other malignant tumors of the buccal cavity and pharynx.*
    (*a*) Cancer of the lip.
    (*b*) Cancer of the tongue.
    (*c*) Cancer of the mouth.
    (*d*) Cancer of the jaw.
    (*e*) Cancer of other and unspecified parts of the buccal cavity.
    (*f*) Cancer of the pharynx.

II. CANCERS AND OTHER TUMORS.—*Cont.*

46. Cancer of the digestive tract and peritoneum.[13]
    (*a*) Cancer of the esophagus.
    (*b*) Cancer of the stomach and duodenum.
    (*c*) Cancer of the intestines (except duodenum, rectum and anus).
    (*d*) Cancer of the rectum and anus.
    (*e*) Cancer of the liver and biliary passages.
    (*f*) Cancer of the pancreas.
    (*g*) Cancer of the mesentery and peritoneum.
    (*h*) Cancer of others under this title.
47. Cancer of the respiratory system.[13]
    (*a*) Cancer of the larynx.
    (*b*) Cancer of the lungs and pleura.
    (*c*) Cancer of other respiratory organs.
48. Cancer of the uterus.[13]
49. Cancer of other female genital organs.[13]
    (*a*) Cancer of the ovary and Fallopian tube.
    (*b*) Cancer of the vagina and vulva.
    (*c*) Cancer of other female genital organs.
50. Cancer of the breast.*
51. Cancer of male genitournary organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (male).
    (*b*) Cancer of the bladder (male).
    (*c*) Cancer of the prostate.
    (*d*) Cancer of the testes.
    (*e*) Cancer of the scrotum.
    (*f*) Cancer of other male genitourinary organs.
52. Cancer of the skin.*
53. Cancer of other or unspecified organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (female).
    (*b*) Cancer of the bladder (female).
    (*c*) Cancer of the brain.
    (*d*) Cancer of the bones (except jaw).
    (*e*) Cancer of other or unspecified organs.
54. Nonmalignant tumors.*[13]
    (*a*) Tumors of the ovary.
    (*b*) Tumors of the uterus.
    (*c*) Tumors of other female genital organs.
    (*d*) Tumors of the brain.
    (*e*) Tumors of other organs.
55. Tumors of which the nature is not specified.*[13]
    (*a*) Tumors of the ovary (nature unspecified).
    (*b*) Tumors of the uterus (nature unspecified).
    (*c*) Tumors of other female genital organs (nature unspecified).
    (*d*) Tumors of the brain (nature unspecified).
    (*e*) Tumors of other organs (nature unspecified).

---

[1] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis.*

[2] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[7] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[8] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[9] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malaria*, was found in the blood before death or at autopsy.

[10] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[11] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[12] A reliable statement of cause of death, without autopsy, *only* when lesion is *accessible in direct* examination, or the etiological factor has been identified in the discharges before death.

[13] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases.

56. Acute rheumatic fever.*
57. Chronic rheumatism, osteoarthritis.
58. Gout.
59. Diabetes mellitus.*
60. Scurvy.*
61. Beriberi.*
62. Pellagra.*
63. Rickets.*
64. Osteomalacia.
65. Diseases of the pituitary body.
66. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Tetany.
    (*e*) Other diseases of the thyroid and parathyroid glands.
67. Diseases of the thymus gland.
68. Diseases of the adrenals (Addison's disease not specified as tuberculous).*
69. Other general diseases.

IV. Diseases of the Blood and Blood-making Organs.

70. Hemorrhagic conditions.
    (*a*) Primary purpurus.
    (*b*) Hemophilia.
71. Anemias.[1]
    (*a*) Pernicious anemia.
    (*b*) Other anemias.
72. Leukemias and pseudoleukemias.[2]
    (*a*) True leukemias.
    (*b*) Pseudoleukemias (Hodgkin's disease).
73. Diseases of the spleen.
74. Other diseases of the blood and blood-making organs.

V. Chronic Poisonings and Intoxications.

75. Alcoholism (acute or chronic.)*
76. Chronic poisoning by other organic substances.[3]
    (*a*) Occupational.
    (*b*) Other chronic poisoning by organic substances.
77. Chronic poisoning by mineral substances.
    (*a*) Lead.[4]
    (*b*) Occupational (except lead).[5]
    (*c*) Other chronic poisoning by mineral substances.[5]

VI. Diseases of the Nervous System and of the Organs of Special Sense.

78. Encephalitis (nonepidemic).
79. Meningitis.
    (*a*) Simple meningitis.
    (*b*) Nonepidemic cerebrospinal meningitis.
80. Progressive locomotor ataxia (tabes dorsalis).*
81. Other diseases of the spinal cord.

VI. Diseases of the Nervous System and of the Organs of Special Sense.—*Cont.*

82. Cerebral hemorrhage, cerebral embolism and thrombosis.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Softening of the brain.
    (*d*) Hemiplegia and other paralysis, cause unspecified.
83. General paralysis of the insane.*
84. Dementia praecox and other psychoses.
85. Epilepsy.[6]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
    (*a*) Neuralgia and neuritis.
    (*b*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of ear and mastoid process.*
    (*a*) Diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis.[7]
91. Acute endocarditis.*
    (*a*) Specified as acute.
    (*b*) Unspecified (under 45 years of age).
92. Chronic endocarditis, valvular diseases.*
    (*a*) Endocarditis, specified as chronic, and other valvular diseases.
    (*b*) Endocarditis, unspecified (45 years and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis.
    (*b*) Myocarditis, unspecified (under 45 years).
    (*c*) Chronic myocarditis and myocardial degeneration.
    (*d*) Unspecified.
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Angina pectoris.
    (*b*) Diseases of the coronary arteries.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart.
    (*b*) Other and unspecified.
96. Aneurysm (except of the heart).
97. Arteriosclerosis (diseases of the coronary arteries excepted).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[8]
101. Diseases of the lymphatic system (lymphangitis, etc.).*
102. Idiopathic anomalies of the blood-pressure.
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossæ and annexæ.*
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified (under 5 years of age).
    (*d*) Unspecified (5 years and over).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation is performed.

[2] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[3] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[6] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[7] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[8] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

Detailed International List — *Continued.*

VIII. Diseases of the Respiratory System.—*Cont.*

107. Bronchopneumonia (including capillary bronchitis).*
   (*a*) Bronchopneumonia.
   (*b*) Capillary bronchitis.
108. Lobar Pneumonia.
109. Pneumonia unspecified.
110. Pleurisy.*
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lung.[1]
   (*a*) Pulmonary embolism and thrombosis.
   (*b*) Others under this title.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (tuberculosis excepted).*
   (*a*) Chronic interstitial pneumonia including occupational diseases of the respiratory system.
   (*b*) Others, including gangrene of the lung.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations).*
   (*a*) Diseases of the pharynx and tonsils.
   (*b*) Others under this title.
116. Diseases of the esophagus.*
117. Ulcer of the stomach and duodenum.
   (*a*) Ulcer of the stomach.
   (*b*) Ulcer of the duodenum.
118. Other diseases of the stomach (cancer excepted).
119. Diarrhea and enteritis (under 2 years of age).*
120. Diarrhea and enteritis (2 years and over).
121. Appendicitis.
122. Hernia, intestinal obstruction.
   (*a*) Hernia.[2]
   (*b*) Intestinal obstruction.[3]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
   (*a*) Specified as alcoholic.
   (*b*) Not specified as alcoholic.
125. Other diseases of the liver (including yellow atrophy of liver).*
   (*a*) Yellow atrophy of liver.
   (*b*) Others under this title.
126. Biliary calculi.*
127. Other diseases of the gall-bladder and biliary passages.
128. Diseases of the pancreas.
129. Peritonitis, cause not specified.

X. Diseases of the Genitourinary System.

130. Acute nephritis (including unspecified under 10 years of age).
131. Chronic nephritis.*
132. Nephritis, unspecified (10 years and over).*
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).
134. Calculi of the urinary passages.*
135. Diseases of the bladder (tumors excepted).*
136. Diseases of the urethra, urinary abscess, etc.*
   (*a*) Stricture of the urethra.
   (*b*) Others under this title.
137. Diseases of the prostate.*
138. Diseases of the male genital organs, not specified as venereal.*
139. Diseases of the female genital organs, not specified as venereal.*
   (*a*) Cysts of the ovary.
   (*b*) Other diseases of the ovaries and diseases of the tubes and parametrium.
   (*c*) Diseases of the uterus.
   (*d*) Nonpuerperal diseases of the breast (cancer excepted).
   (*e*) Other diseases of the female genital organs.

XI. Diseases of Pregnancy, Childbirth and Puerperal State.

140. Abortion with septic conditions.*
141. Abortion without mention of septic conditions (to include hemorrhages).*
142. Ectopic gestation.*
   (*a*) Septic conditions specified.
   (*b*) Septic conditions not mentioned.
143. Other accidents of pregnancy (not to include hemorrhages).*
144. Puerperal hemorrhage.*
   (*a*) Placenta praevia.
   (*b*) Other puerperal hemorrhages.
145. Puerperal septicemia (not specified as due to abortion).*
   (*a*) Puerperal septicemia and pyemia.
   (*b*) Puerperal tetanus.
146. Puerperal albuminuria and eclampsia.*
147. Other toxemias of pregnancy.*
148. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).*
149. Other accidents of childbirth.*
   (*a*) Cesarean operation.
   (*b*) Others under this title.
150. Other and unspecified conditions of the puerperal state.*

XII. Diseases of the Skin and Cellular Tissue.

151. Furuncle, carbuncle.[4]
152. Phlegmon, acute abscess.[4]
153. Other diseases of the skin and annexa, and of the cellular tissue.*

XIII. Diseases of the Bones and Organs of Locomotion.

154. Osteomyelitis.*
155. Other diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints and other organs of locomotion.*
   (*a*) Diseases of the joints (tuberculosis and rheumatism excepted).
   (*b*) Diseases of other organs of locomotion.

XIV. Congenital Malformations.

157. Congenital malformations.*
   (*a*) Congenital hydrocephalus.
   (*b*) Spina bifida and meningocele.
   (*c*) Congenital malformations of the heart.
   (*d*) Other congenital malformations.

---

[1] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes,* or accompanying lesions which are known to lead to congestion of the lungs.

[2] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[3] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[4] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XV. Diseases of Early Infancy.

158. Congenital debility.
159. Premature birth.*
160. Injury at birth.*
    (*a*) Caesarean operation.
    (*b*) Without Caesarean operation.
161. Other diseases peculiar to early infancy.
    (*a*) Atelectasis.
    (*b*) Icterus of the new-born.
    (*c*) Sclerema.
    (*d*) Others under this title.

XVI. Senility.

162. Senility.

XVII. Violent and Accidental Deaths.

163. Suicide by solid or liquid poisons or by absorption of corrosive substances.[1]
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Hydrocyanic acid and all cyanides except gases.
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
164. Suicide by poisonous gas.[2]
165. Suicide by hanging or strangulation.*
166. Suicide by drowning.*
167. Suicide by firearms.*
168. Suicide by cutting or piercing instruments.*
169. Suicide by jumping from high places.*
170. Suicide by crushing.*
171. Suicide by other means.*
172. Homicide (Infanticide, murder of infants less than one year of age).*
173. Homicide by firearms.*
174. Homicide by cutting or piercing instruments.*
175. Homicide by other means.*
176. Attack by venomous animals.*
177. Poisoning by food.[3]
178. Accidental absorption of poisonous gas.
179. Other acute accidental poisonings (gas excepted).
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Menthanol, denatured, wood and other alcohols (not ethyl).
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
180. Conflagration.*
181. Accidental burns (conflagration excepted).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental traumatism by firearms (wounds of war excepted).
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).[4]
186. Accidental traumatism by fall, crushing, landslide.*
    (*a*) Fall.
    (*b*) Crushing, landslide.
187. Cataclysm.
188. Injuries by animals.*
189. Hunger and thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents.
194. Other accidents.
    (*a*) Foreign bodies.
    (*b*) Others under this title.
195. Violent deaths of unknown nature.
196. Wounds of war.
197. Execution of civilians by belligerent armies.
198. Legal executions.*

XVIII. Ill-defined Causes of Death.

199. Sudden death.
200. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.

Supplement for Violent and Accidental Deaths.

201. Accidents in mines and quarries.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
202. Accidents from agricultural machinery.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
203. Elevator accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
204. Accidents from machinery used for recreation.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.

[2] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.

[3] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

[4] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

Detailed International List — *Continued.*

Supplement for Violent and Accidental Deaths—*Cont.*

205. Other machinery accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
206. Railroad and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
207. Other railroad accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
208. Street car and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
209. Other street car accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

Supplement for Violent and Accidental Deaths—*Cont.*

210. Automobile accidents (primary).*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
211. Motorcycle accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
212. Other land transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
213. Water transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
214. Air transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid and paratyphoid fever (1, 2).*
2.	Typhus fever (3).*
3.	Smallpox (6).*
4.	Measles (7).*
5.	Scarlet fever (8).*
6.	Whooping cough (9).*
7.	Diphtheria (10).*
8.	Influenza (11).
9.	Plague (14).*
10.	Tuberculosis of the respiratory system (23).*
11.	Other forms of tuberculosis (24, 25, 26, 27, 28, 29, 30, 31, 32).
12.	Syphilis (34).
13.	Malaria (38).
14.	Other infectious and parasitic diseases (4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, 44).
15.	Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53).
16.	Tumors, nonmalignant, or of which the nature is not specified (54, 55).*
17.	Chronic rheumatism and gout (57, 58).
18.	Diabetes mellitus (59).
19.	Alcoholism (acute or chronic) (75).
20.	Other general diseases and chronic poisonings (56, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 76, 77).
21.	Progressive locomotor ataxia and general paralysis of the insane (80, 83).
22.	Cerebral hemorrhage, cerebral embolism and thrombosis (82).
23.	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84, 85, 86, 87, 88, 89).
24.	Diseases of the heart (90, 91, 92, 93, 94, 95).*
25.	Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26.	Bronchitis (106).
27.	Pneumonias (107, 108, 109).
28.	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110, 111, 112, 113, 114).
29.	Diarrhea and enteritis (119, 120).
30.	Appendicitis (121).
31.	Diseases of the liver and biliary passages (124, 125, 126, 127).
32.	Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33.	Nephritis (130, 131, 132).
34.	Other diseases of the genitourinary system (133, 134, 135, 136, 137, 138, 139).
35.	Puerperal septicemia (140, 145).*
36.	Other diseases of pregnancy, childbirth and the puerperal state (141, 142, 143, 144, 146, 147, 148, 149, 150).*
37.	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151, 152, 153, 154, 155, 156).
38.	Congenital debility and malformations, premature birth and other diseases of early infancy (157, 158, 159, 160, 161).
39.	Senility (162).
40.	Suicide (163, 164, 165, 166, 167, 168, 169, 170, 171).*
41.	Homicide (172, 173, 174, 175).
42.	Violent and accidental deaths (suicide and homicide excepted) (176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
43.	Cause of death not specified or ill-defined (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 655 1